



MICHELLE LUJAN GRISHAM
Governor

DR. TRACIE C. COLLINS, M.D.
Secretary-Designate

POLICIES FOR THE PREVENTION AND CONTROL OF COVID-19 IN NEW MEXICO

February 11, 2021

Note: These policies are based on the best scientific information available as of the date above. Policies will be updated as new information becomes available.

EPIDEMIOLOGY AND RESPONSE

1190 St. Francis Drive, N1320 • Santa Fe, New Mexico • 87502-6110
(505) 827-0006 • FAX: (505) 827-2110 • www.nmhealth.org

BACKGROUND AND PURPOSE

The New Mexico Department of Health is committed to the health and safety of New Mexicans during the COVID-19 pandemic. The purpose of this document is to provide the most current guidance for the public, healthcare providers, and employers who may be involved in a COVID-19 public health investigation or have general questions about what to do if they or someone they know tests positive for COVID-19 or may have been exposed to someone who has COVID-19.

Experts at the Centers for Disease Control and Prevention (CDC) and other leading scientific research centers are learning more every day about COVID-19. Much remains unknown. The policies contained in this guide are based on the best scientific information available as of the document date found on the cover page. These policies will be updated as new information becomes available. This document will also be updated as Executive and Public Health Orders change over the course of this public health emergency.

The guidance in this document reflects the New Mexico Department of Health's epidemiologists' recommendations based on current CDC guidance, scientific evidence, New Mexico's experience to date with the disease and a careful approach that acknowledges that there is still limited understanding of the virus, how it spreads, and who may be vulnerable to significant illness and harm. This guidance is designed to help New Mexico contain and prevent COVID-19 among our states' residents.

Table of Contents

INTRODUCTION	1
SECTION I: WHAT IS COVID-19 AND HOW DO WE STOP IT FROM SPREADING?	2
What is COVID-19?.....	2
How Do People Get COVID-19?.....	2
How Do We Prevent the Spread of COVID-19?.....	2
When and What Type of Face Masks Should the Public Use?	3
Face Mask or Cloth-Face Covering in Public.....	3
Face Mask or Cloth-Face Covering for Businesses	3
NMDOH Does Not Recommend Use of Face Shields as a Substitute for Face Masks	4
NMDOH Does Not Recommend Face Masks with One-Way Valves or Vents	4
What are New Mexico’s Testing Priorities for COVID-19?.....	4
SECTION II: SELF-ISOLATION AND SELF-QUARANTINE	5
What is the Difference Between Self-Isolation and Self-Quarantine?.....	5
14-Day Quarantine Period for COVID-19	5
Quarantine If You Have Travelled to New Mexico From Outside the State	6
Quarantine If You Had Close Contact with Someone Who Tested Positive	7
What Does It Mean To Be in “Close Contact” with Someone Who is in their “Infectious Period”?.....	7
Special quarantine requirements for residents of long-term care facilities.....	8
When Should Close Contacts Be Tested?.....	8
Why Can Someone Recover From COVID-19 in 12 Days, But Someone Who Has Been Exposed to COVID-19 Has to Quarantine for 14 Days?	9
SECTION III: WHEN DOES SOMEONE RECOVER FROM COVID-19 AND STOP SELF-ISOLATION?	9
Ending Self-Isolation If You Had COVID-19 Symptoms	9
Ending Self-Isolation If You Never Had Any COVID-19 Symptoms.....	10
SECTION IV: COVID-19 IN THE WORKPLACE – RAPID RESPONSE, ISOLATION, QUARANTINE AND RETURN-TO-WORK	10
Rapid Response: Protocols for Businesses Where a Positive Case is Identified	10
Quarantine: Close Contact with a Confirmed COVID-19 Case in an Essential Business Setting	11
Quarantine: Close Contact with a Confirmed COVID-19 Case in a Non-Essential Business Setting	11
Quarantine: Close Contact with a Confirmed COVID-19 Case for Healthcare Personnel in a Healthcare Setting	11
Quarantine: Laboratory Exposure to COVID-19.....	12
SECTION V: ADDITIONAL GUIDANCE FOR HEALTHCARE PROVIDERS, NMDOH STAFF, CASE INVESTIGATORS AND CONTACT TRACERS.....	12

Identifying Contacts of a Confirmed COVID-19 Case	12
Determining Possible Exposures as a Source of Infection for a Confirmed COVID-19 Case.....	12
Recovered COVID-19 Cases and Close Contact.....	13
Determining Recovery When a Case Cannot Be Reached to Confirm Recovery	13
Associating Test Results to Symptoms.....	13
The Possibility of Reinfection	14
What If a Confirmed COVID-19 Case Tests Positive During or After Their Self-Isolation Period	14
Serological Testing for Diagnosis of COVID-19.....	15

SECTION VI: THE “RED TO GREEN” FRAMEWORK

Mass Gatherings.....	16
Essential Businesses	16
Non-Essential Businesses	17
Food and Drink Establishments.....	18
Bars.....	19
Houses of Worship	19
Close-contact Businesses	20
Close-contact Recreational Facilities	20
Outdoor Recreational Facilities.....	20
Indoor Shopping Malls	21
Places of Lodging.....	21
Animal Shelters and Animal Care Facilities	22
Healthcare Supplies and Other Necessary Goods.....	22
Public Educational Institutions.....	22
Laboratory and Submitters for COVID-19 test results	23

APPENDIX A: DEFINITIONS

24

INTRODUCTION

This guide sets forth the New Mexico Department of Health (NMDOH) policies for containing and preventing COVID-19 throughout New Mexico. This guide provides a basic overview of key containment policies. Additional technical resources for healthcare providers, NMDOH staff (including case investigators and contact tracers), businesses and others responsible for protecting against the spread of COVID-19 in their agencies or institutions are contained in the Appendices. In addition, the State of New Mexico published [All Together New Mexico](#), a guide for individuals and businesses on COVID Safe Practices. That guide is an important additional resource, especially for employers, and – like these COVID-19 containment policies – will be updated as needed.

Section I of the guide explains what COVID-19 is, how it spreads and how we can best prevent its spread. It also provides information about different types of masks and NMDOH’s testing priorities.

Section II explains the policies around self-isolation (for those who have COVID-19) and quarantine (for those who may have been exposed to COVID-19 and are at risk of developing and spreading the disease).

Section III describes when a person is considered to have recovered from COVID-19 and is able to end isolation.

Section IV addresses workplace environments, including rapid responses, quarantine, and isolation policies, and return to work when there is a positive case in the workplace.

Section V provides some additional technical guidance for healthcare providers, NMDOH staff, case investigators and contact tracers.

Section VI summarizes the rules reflected in current public health orders.

Appendix A contains a complete set of definitions of terms used in this guidance.

SECTION I

WHAT IS COVID-19 AND HOW DO WE STOP IT FROM SPREADING?

What is COVID-19?

COVID-19 is a highly infectious and fast-spreading disease caused by a new form of coronavirus that was identified in late 2019. The official name of this novel coronavirus is SARS-CoV-2 but because COVID-19 is ubiquitous in the public discourse, we want to avoid confusion. For the purposes of this document, we have used the term COVID-19 to indicate either the virus or the disease.

Symptoms and their effects can range from mild to severe and in certain cases result in extreme health complications and death. The Centers for Disease Control and Prevention (CDC) has identified numerous symptoms associated with COVID-19 and periodically updates that [list of symptoms](#). Positive cases of COVID-19 have been – and continue to be – identified in communities across New Mexico.

How Do People Get COVID-19?

We are still learning about how the virus spreads and the severity of illness it causes. According to the CDC, COVID-19 is thought to [spread mainly from person-to-person](#).

- Between people who are in close contact with one another (within about 6 feet).
- Through respiratory droplets produced when an infected person coughs, sneezes, or talks.
- These droplets can land in the mouths or noses of people who are nearby or possibly be inhaled into the lungs.

[CDC reports](#) that studies indicate that COVID-19 may be spread by people who are not showing symptoms. That includes people who are pre-symptomatic (they have not yet developed symptoms) and those that are asymptomatic (they never develop symptoms of COVID-19). Case investigation data in New Mexico suggest that pre-symptomatic and/or asymptomatic spread is common. This makes it much harder to prevent the spread of COVID-19 because people may not know that they have the disease and can easily and unknowingly spread it to others.

How do We Prevent the Spread of COVID-19?

Just like with many other illnesses, the best way to protect yourself from COVID-19 is to avoid exposure to the virus that causes COVID-19. This requires taking steps to protect yourself and to protect others.

- Clean your hands often and avoid touching your eyes, nose, and mouth with unwashed hands.
- Cover your coughs and sneezes.
- Stay home except for essential purposes and/or to seek healthcare.
- Stay home if you are sick and avoid close contact with other people who are sick.
- Practice social distancing by putting at least 6 feet of distance between yourself and other people.
- Wear a mask or cloth face covering. In New Mexico, everyone is required to wear a face covering when in public except when drinking, eating, or under medical instruction. New Mexico now requires all persons to wear a mask while exercising whether indoor or outdoor. Masks and cloth face coverings may prevent people who do not know they have the virus from transmitting it to others. Wearing a mask is a sign of respect for other people and demonstrates your desire not to be a source of infection for them, just as you would like for them to be looking out to protect you.
- Clean and disinfect frequently touched surfaces.

Because COVID-19 is so contagious and can be spread by people who do not have any apparent symptoms, people who have tested positive for COVID-19 and people who have had close contact with someone who tested positive for COVID-19 should physically separate themselves from other people. Section II of this guide describes the policies around physical separation and explains the difference between “isolation” and “quarantine.”

When and What Type of Face Masks Should the Public Use?

Widespread use of facemasks that cover both the mouth and nose have been shown to reduce the spread of COVID-19. New Mexicans are required to use facemasks during the public health emergency.

Face Mask or Cloth-Face Covering in Public

Unless a healthcare provider instructs otherwise, all individuals must wear a mask or cloth-face covering in public settings except when eating and drinking or swimming. The mask or cloth-face covering should cover the nose and mouth.

A mask or cloth-face covering must also be worn while exercising. This requirement includes exercising at indoor gyms, exercise classes and fitness centers.

Non-compliance by an individual may result in a citation and/or fine.

Face Mask or Cloth-Face Covering for Businesses

A business may not allow a person who is without a mask or cloth-face covering to enter the premises except when that person has a written exemption from a healthcare provider. This requirement includes indoor gyms, exercise classes and fitness centers.

The mask or cloth-face covering should cover the nose and mouth.

Non-compliance by a business may result in a citation and/or fine.

NMDOH Does Not Recommend Use of Face Shields as a Substitute for Face Masks

The purpose of a face mask or cloth face covering is to reduce the spread of infectious droplets by the person wearing the mask.

The purpose of a face shield is to protect the wearer from splashes and sprays from others, primarily to protect the eyes. It is unknown if face shields protect others if the person wearing it is infectious. Respiratory droplets expelled when someone coughs, sneezes or speaks can be dispersed through the bottom and sides of the shield. ***CDC and NMDOH do not recommend use of face shields for normal everyday activities or as a substitute for masks.***

NMDOH Does Not Recommend Face Masks with Valves or Vents

Some masks with valves or vents allow air to be exhaled through a hole in the material, which can result in respiratory droplets reaching other people. This type of mask does not prevent the person wearing the mask from transmitting COVID-19 to others. For that reason, ***CDC and NMDOH do not recommend using masks with an exhalation valve or vent to prevent the spread of COVID-19.*** These types of masks are commercially available but do not prevent the wearer from spreading the virus.

What are New Mexico's Testing Priorities for COVID-19?

NMDOH at this time does not recommend the use of antibody testing to determine if someone is infected or if someone is protected from getting COVID-19. Instead, diagnostic testing should be used to determine whether someone has the virus ***at the time the test specimen is collected.***

NMDOH strongly encourages the following groups to obtain such tests:

- Symptomatic people displaying the COVID-19 symptoms of cough, fever, shortness of breath, chills, repeated shaking with chills, muscle pain, headache, sore throat, congestion or runny nose, nausea or vomiting, diarrhea, and/or loss of taste or smell;
- Asymptomatic people who are close contacts or household members of people who have already tested positive for the coronavirus and are in their infectious period
- Asymptomatic people who live or work in high-risk congregate settings such as long-term care facilities, detention centers and correctional facilities
- Patients who are scheduled for surgery and whose provider has advised them to get tested before the procedure.

Testing associated with rapid response to COVID-19 exposures in facilities and workplaces by New Mexico State Government may be broader than the testing priorities above. In addition, the state has a comprehensive plan to ensure that vulnerable populations have enhanced access to testing. A list of open test sites can be found each day on the [NMDOH Coronavirus website](#).

SECTION II

SELF-ISOLATION AND SELF-QUARANTINE

The terms “self-isolate” or “self-quarantine” refer to the voluntary physical separation of a person or group of people in a residence or other place of lodging. **Any person who is self-isolating or self-quarantining** may only leave a residence or place of lodging to receive medical care and should not allow others into the residence or place of lodging except for those providing medical care, emergency response, or other individuals designated by the New Mexico Department of Health.

What is the Difference Between Self-Isolation and Self-Quarantine?

Both isolation and quarantine are public health terms that refer to someone being physically separated from other people to prevent the spread of a contagious disease.

- **Isolate** if you are sick or test positive for COVID-19
- **Quarantine** if you are at risk of having been exposed or have had close contact with someone with COVID-19

Isolation separates sick people with a contagious disease – and, in the case of COVID-19, those with and without symptoms who have tested positive for COVID-19 – from people who are not sick. These people need to isolate themselves even from others in their own home. **People with COVID-19 have the highest risk of spreading it to others and must be strict in their hygiene and physical separation from others.** If you test positive for COVID-19, your healthcare provider or someone from NMDOH will ask you to self-isolate until you recover from the disease (recovery is explained below). Self-isolation means a person is voluntarily isolating.

Quarantine separates and restricts the movement of people who were exposed to a contagious disease to monitor if they become sick. These people may have been exposed to a disease and do not know it or they may have the disease but do not show symptoms. **If you travelled to New Mexico from another state, live with someone who tested positive for COVID-19 or had close contact with someone with COVID-19 at work or elsewhere, you should self-quarantine. Self-quarantine means a person is voluntarily quarantining.**

14-Day Quarantine Period for COVID-19

If you have been exposed to someone with COVID-19, **there is a 14-day period during which you might become infected.** That is sometimes called the “incubation period” for the disease. The 14

days runs from the last date you had a close contact with the person with COVID-19. That is also why the travel quarantine in New Mexico runs for 14 days. Travelers may carry the virus across state lines and across international borders without knowing it. Travelers unintentionally have brought cases to New Mexico.

Quarantine if You Have Travelled to New Mexico From Outside the State

[New Mexico Executive Order 2021-006](#) states the following:

1. All persons who have arrived in New Mexico from another state or from outside the United States are recommended to self-isolate or self-quarantine for a period of at least 14 days from the date of their entry into the State of New Mexico or for the duration of their presence in the State, whichever is shorter.
2. Travelers arriving in New Mexico should be tested for COVID-19 as promptly as possible following their arrival to New Mexico.

Quarantine if You Had Close Contact with Someone Who Tested Positive

Quarantine is required if you had a close contact with someone who tests positive for COVID-19 and the contact occurred during that person's infectious period. Quarantine helps New Mexico reduce the spread of COVID-19.

If you have a close contact with a confirmed case, you are encouraged to get tested for COVID-19. Testing can determine if you are contagious and may have spread the disease to others, including members of your own household.

A negative test result does not end the quarantine period. Infection can occur at any point during the quarantine period and the full quarantine period should be completed.

Your last day of self-quarantine is 14 days after your last contact with the person who tested positive for COVID-19.

If you live with and/or care for someone with a confirmed COVID-19 case, then self-quarantine runs for 14 days *after* that person completes their infectious period.

What does it Mean to Be in “Close Contact” with Someone with COVID-19 Who is in their “Infectious Period”?

“**Close contact**” means spending 3 minutes or longer within 6 feet of someone who is confirmed to have COVID-19 when that person was in their infectious period. Wearing a mask or cloth-face covering does not affect the definition for close contact.¹

An “**infectious period**” of a disease is the time during which an infected person is contagious and most likely to spread disease to others.

- **For people with symptoms, the infectious period begins 2 days before the person experiences symptoms and extends 10 days after the onset of symptoms, provided that there has been no fever for at least 24 hours without using fever-reducing medicines, and symptoms have resolved or improved.**
 - **For people with “severe” COVID-19 illness – those who have been hospitalized in an intensive care unit with or without mechanical ventilation – or people with severe immunosuppression², the infectious period extends 20 days after the onset of symptoms.**
- **For people who never have symptoms, the infectious period begins 2 days before their test specimen was collected and extends 10 days after the specimen collection date.**

The infectious period is closely related to when someone will be considered “recovered” from COVID-19 and can stop isolating. This date may not coincide with full recovery from symptoms or secondary effects of the infection.

Special quarantine requirements for residents of long-term care facilities

Due to the high risk of spread in long-term care facilities (LTCFs) which house some of our most vulnerable New Mexicans, the following residents must quarantine for 14 days when they enter a LTCF even if they have not had a known close contact with someone who tested positive for COVID-19:

- Newly admitted residents
- Residents who are readmitted to a LTCF facility after being hospitalized

¹ Contact with a COVID-19 case in a healthcare setting where appropriate personal protective equipment (PPE) is worn is not considered a COVID-19 exposure. <https://www.cdc.gov/coronavirus/2019-ncov/hcp/guidance-risk-assesment-hcp.html>

² Severe immunosuppression includes being on chemotherapy for cancer, untreated HIV infection with CD4 T lymphocyte count <200, combined primary immunodeficiency disorder, and receipt of prednisone >20 mg/day for more than 14 days. Other factors, such as advanced age, diabetes mellitus, or end-stage renal disease, may pose a much lower degree of immunocompromise and not clearly affect decisions about infectiousness or duration of isolation.

- Residents who leave the facility to receive routine outpatient services (such as dialysis, chemotherapy, etc.)

When Should Close Contacts Be Tested?

Close contacts without symptoms are encouraged to get tested for COVID-19. In this case, testing should be performed no sooner than 3 days and ideally 7-10 days after the last date of exposure to someone who tested positive.

If testing is performed on close contacts without symptoms who will be released from quarantine to high-risk settings (e.g., general population of a corrections facility or long-term care facility), then testing should ideally be performed at the end of the quarantine period.

Note: Testing during the quarantine period does not end the quarantine period. The full quarantine period should be followed because a negative result does not mean that the contact will not become infectious later in their quarantine period.

Why Can Someone Recover from COVID-19 in 10 Days, but Someone who has been Exposed to COVID-19 has to Quarantine for 14 Days?

The reason isolation and quarantine have different time requirements is because there is a difference between how long someone is *infectious* and might spread the virus to others (from 2 days before and for 10 days after onset of symptoms or 10 days after date of test for someone who does not have symptoms) and *the incubation period* – how long it can take for the disease to appear after someone has had close contact with someone with COVID-19 (14 days). That is also the reason why case investigators go back 14 days from the date someone developed symptoms to determine how they may have become infected.

SECTION III

WHEN DOES SOMEONE RECOVER FROM COVID-19 AND STOP SELF-ISOLATION?

Because some people with COVID-19 experience symptoms and some do not, there are different ways for determining whether someone has recovered from COVID-19 and is no longer contagious.

The *symptom-based method* should be used when someone had COVID-19 symptoms, even if those symptoms develop after the person tests positive for COVID-19.

The *time-based method* should be used when someone never developed symptoms.

Ending Self-Isolation if You Had COVID-19 Symptoms

If you had symptoms but did not have severe illness or severe immunosuppression, you may end your self-isolation after:

- At least 1 day (24 hours) has passed without a fever (and without the use of fever-reducing medications) **and** your symptoms have improved; **AND**,
- At least 10 days have passed *since symptoms first appeared*.

- If you had severe COVID-19 illness – you were hospitalized in an intensive care unit with or without mechanical ventilation (“severe illness”) – or have severe immunosuppression³ you may end your self-isolation after:
 - At least 1 day (24 hours) has passed without a fever (and without the use of fever-reducing medications) **and** your symptoms have improved; **AND**,
 - At least 20 days have passed *since symptoms first appeared*.

Ending Self-Isolation if You Never Had Any COVID-19 Symptoms

If you tested positive for COVID-19 and ***never developed*** any symptoms, you can end your self-isolation ***10 days after the date your test specimen was collected that resulted in your positive test***.

If you have a severe immunocompromising³ condition without symptoms, you should wait at least 20 days after the date your test specimen was collected that resulted in your positive test before ending your self-isolation.

SECTION IV

COVID-19 IN THE WORKPLACE – RAPID RESPONSE, ISOLATION, QUARANTINE AND RETURN TO WORK

Some people – and many employers – have relied on negative tests to determine whether someone is no longer infectious and has recovered from COVID-19. ***The test-based method is no longer recommended by CDC or NMDOH.*** Some environments at higher risk of rapid spread and severe illness, such as long-term care facilities and correctional facilities, might implement more stringent requirements for the discontinuation of isolation, to include additional testing.

NMDOH does not recommend that employers or schools require employees or students to provide proof of a negative test before they may return to work or school after having been

³ Severe immunosuppression includes being on chemotherapy for cancer, untreated HIV infection with CD4 T lymphocyte count <200, combined primary immunodeficiency disorder, and receipt of prednisone >20 mg/day for more than 14 days. Other factors, such as advanced age, diabetes mellitus, or end-stage renal disease, may pose a much lower degree of immunocompromise and not clearly affect decisions about duration of isolation.

diagnosed with COVID-19.

Rapid Response: Protocols for Businesses Where a Positive Case is Identified

When a COVID-19 case is identified in a place of business or high-risk facility or population, the state of New Mexico initiates a “rapid response.” Through this process, NMDOH or its designee (another department in state government) requires that businesses and facilities follow appropriate testing and infection control protocols to ensure that COVID-19 is contained and to limit additional risk to employees, residents, or the public. The policies outlined in this document form the basis for those requirements; however, in some populations or facilities, additional, more protective measures may be required. NMDOH or its designee will ensure that impacted businesses and facilities are notified of any additional requirements.

The New Mexico Environment Department (NMED) filed an [emergency amendment](#) on August 5, 2020 that requires employers to report positive COVID-19 cases in the workplace to the NMED Occupational Health and Safety Bureau within four hours of being notified of the case. Frequently, NMED does not learn of positive cases until after the employer is notified by the positive employee, causing a delay in rapid response deployment. The requirement for employers to report positive COVID-19 cases among employees within four hours of being notified will allow NMED to respond more quickly and prevent spread among employees.

- Email: NMENV-OSHA@state.nm.us
- Phone: 505-476-8700
- Fax: 505-476-8734

Quarantine: Close Contact with a Confirmed COVID-19 Case in an Essential Business Setting

If a person has close contact with a confirmed COVID-19 case(s) during their infectious period in a workplace that is considered an essential business, as defined by the [NMDOH public health order](#), the preference and best practice is to quarantine for 14 days from the last exposure to the case. A negative test result does not end the quarantine period.

If an essential business will be forced to cease operations due to the quarantine of close contacts, then close contacts of a case at an essential business may be allowed to return to work as long as they test negative following the exposure and are pre-screened for fever and symptoms daily, regularly monitored, wear a face mask, and maintain at least 6 feet distance from others while in the workplace. Such workers should maintain full quarantine outside of work during the quarantine period. ***Exemption from home quarantine must be approved by NMDOH or other state regulatory authority.**

* Businesses must submit a comprehensive plan to NM OSHA and NMDOH for review and approval. The detailed plan must implement strict guidelines to eliminate and/or significantly reduce the risk for infection of COVID-19 for all employees. The plan must be implemented throughout the quarantine period. If an identified close contact to the initial positive employee tests positive, the business must

stop operations for further review of the submitted plan.

Quarantine: Close Contact with a Confirmed COVID-19 Case in a Non-Essential Business Setting

When a person has close contact with a confirmed COVID-19 case during the case's infectious period in a workplace considered a non-essential business, that person should quarantine for 14 days from the last exposure to the case regardless of a negative test result.

Quarantine: Close Contact with a Confirmed COVID-19 Case for Healthcare Personnel in a Healthcare Setting

Close contact in a healthcare setting where necessary personal protective equipment (PPE) is worn properly for droplet and/or aerosol precautions by a healthcare provider, as required for COVID-19, is NOT considered an exposure, and does not require quarantine.

In circumstances where close contact occurs with a confirmed COVID-19 case without necessary PPE properly worn, and quarantine of healthcare personnel would result in critical staffing shortages or inability to maintain essential healthcare services, healthcare personnel may be allowed to return to work during quarantine as long as they are pre-screened for fever and symptoms daily, regularly monitored, and wear at least a face mask at all times when additional PPE is not required. If a healthcare entity determines that it will allow healthcare personnel to return to work following a close contact with a confirmed COVID-19 case, it must notify DOH each time it makes such a determination and provide the date of the known contact, the type of healthcare provider and when the quarantine period will end. ***Such workers should maintain full quarantine outside of work during the quarantine period.***

As set forth in [New Mexico Executive Order 2020-056](#), this allowance for healthcare personnel to work during quarantine does not apply to vacation travel out-of-state and back.

Quarantine: Laboratory Exposure to COVID-19

If laboratory staff are exposed to a specimen that is positive for COVID-19 (i.e., The vial containing the positive specimen breaks), then the laboratory staff should be treated as close contacts.

If the broken vial contained inactivating transport medium or an extracted specimen, then no quarantine is required because the virus is inactivated. If the broken vial contained live virus, then the laboratory staff must quarantine for 14 days after the date of the exposure.

SECTION V

ADDITIONAL GUIDANCE FOR HEALTH CARE PROVIDERS, NMDOH STAFF, CASE INVESTIGATORS AND CONTACT TRACERS

Identifying Contacts of a Confirmed COVID-19 Case

A list of close contacts of a confirmed COVID-19 case should be collected and notified starting 2 days prior to illness onset date if symptomatic or 2 days before the date of collection of the positive test result if asymptomatic through 10 days from symptom onset date or 10 days from specimen collection date in asymptomatic cases.

Determining Possible Exposures as a Source of Infection for a Confirmed COVID-19 Case

Case investigators should identify possible exposures that may have been the source of infection for a confirmed COVID-19 case. These exposures should be determined 14 days prior to illness onset date if symptomatic or 14 days before the date of collection of the positive test result if asymptomatic.

Recovered COVID-19 Cases and Close Contact

If a recovered COVID-19 case is identified as a close contact with another confirmed COVID-19 case **within 3 months** of their illness onset date (if symptomatic) or specimen collection date (if asymptomatic):

- The recovered COVID-19 case does not need to be quarantined or re-tested for SARS-CoV-2 (e.g., as part of a contact tracing investigation or workplace screening).
- If the recovered COVID-19 case becomes **symptomatic** during the 3 months after illness onset and a medical evaluation fails to identify a diagnosis other than COVID-19 infection (e.g., influenza), then the recovered case may warrant evaluation for SARS-CoV-2 reinfection by a healthcare provider in consultation with the New Mexico Department of Health.

If a recovered COVID-19 case is identified as a close contact of another confirmed COVID-19 case **3 months or more after** their illness onset date if symptomatic or specimen collection date if asymptomatic:

- The recovered COVID-19 case must self-quarantine for 14 days after the date of the last contact with the confirmed case.

Determine Recovery When a Case Cannot Be Reached to Confirm Recovery

NMDOH attempts to verify recovery of each COVID-19 case when they meet the criteria for no longer being infectious and discontinuation of self-isolation. When unable to verify directly with the case, the following procedure will be used to establish recovery.

- If a case is not hospitalized and no death certificate has been received for the case within 8 weeks of the symptom onset date if symptomatic or positive test specimen collection date if asymptomatic, then the case will be considered recovered.

Note: “Recovery” is a public health surveillance term that indicates that the case is no longer infectious. It may or may not coincide with full recovery from symptoms or secondary effects of the infection.

Associating Test Results to Symptoms

If you had a positive test specimen collected 10 days or less **before** you had symptoms or 10 days or less **after** you had symptoms, the symptom-based method will be used to determine the infectious period.

If your symptoms started 10 days or less **before** the date your test specimen was collected and resulted in your positive test, then the symptom-based method will determine discontinuation of isolation. It is possible that by the time your positive test result is reported, you may have already completed your infectious period.

If your symptoms started 10 days or less **after** the date your test specimen was collected and resulted in your positive test, then the symptom-based method will be used to determine your infectious period and is based on your symptom onset date. Close contacts will be determined from 2 days before your symptom onset date. Isolation will be extended at least 10 days after your symptom onset date.

The Possibility of Reinfection

Reinfection with COVID-19 is presumed to be rare, but not sufficiently understood at this time to disregard.

Another positive diagnostic molecular test for COVID-19 (e.g., PCR) obtained 3 or more months after the initial illness onset date will be considered a new infection if the case recovered between positive test results.

If a recovered COVID-19 case becomes **symptomatic** during the 3 months since the illness onset date of their first infection and a medical evaluation fails to identify a diagnosis other than COVID-19 infection (e.g., influenza), then the recovered case may warrant evaluation for COVID-19 reinfection by a healthcare provider in consultation with the New Mexico Department of Health.

What if a Confirmed COVID-19 Case Tests Positive During or After Self-Isolation Period?

In instances where a person with confirmed COVID-19 re-tests positive during or within 3 months of initial illness onset date if symptomatic or initial specimen collection date if asymptomatic, NMDOH recommends the following to determine the completion of the symptom-based or time-based isolation period:

- If the case remains **asymptomatic** at the time of the new positive test, the result should be interpreted as non-infectious and not affect the determination established by the symptom- or time-based method for discontinuation of isolation.
- If the case became **symptomatic** at the time of the new positive test, and a medical evaluation fails to identify a diagnosis other than COVID-19 infection (e.g., influenza, seasonal allergies), then the person should restart the symptom-based method from the date of symptom onset for the last positive result and be evaluated for possible re-infection.

Recovery from COVID-19 disease is indicated and isolation is discontinued when all conditions of the symptom- or time-based methods for discontinuation of self-isolation are met.

If the conditions of the test-based method were used, which is no longer recommended, then the case will be considered recovered.

Serological Testing for Diagnosis of COVID-19

Severe symptoms of COVID-19 may be delayed due to the inflammation process that occurs during infection. It is possible that virus shedding may have stopped by the time of hospitalizations and a molecular diagnostic test result will be negative.

- For a hospitalized patient who presents with symptoms consistent with COVID-19, but without a positive test result and medical evaluation does not identify an alternative diagnosis (e.g., a different respiratory pathogen), a positive serology result will be considered “suspect” and the clinical care team should provide care accordingly.
 - NMDOH will not consider this patient infectious with COVID-19 based on the negative molecular test result.
 - “Suspect” COVID-19 cases are not included in the daily report of New Mexico COVID-19 cases.

SECTION VI

THE “RED TO GREEN” FRAMEWORK

This section of the Guide summarizes the “Red to Green” framework, which includes three levels of operations that are based on a county's ability to satisfy specified metrics: Green Level, Yellow Level, and Red Level. A county will remain at a given operating level so long as it continues to satisfy the specified metrics for that level. The Department of Health maintains the official map displaying each county's current level at: <https://cvprovider.nmhealth.org/public-dashboard.html>. The Department of Health updates this map every other Wednesday. If a county fails to meet the specified metrics for a given level, the county must begin operating at the lower level's restrictions within 48 hours of the map's update. If a county begins meeting the specified metrics for a less restrictive level, the county may begin operating at that level's restrictions immediately upon the map's update. This section will be updated when public health orders change.

Red Level – Very High Risk

Counties at the Red Level are those with a new COVID-19 case incident rate of greater than 8 cases per 100,000 inhabitants during the most recent two-week period and an average percent of positive COVID-19 test results over the most recent 14-day period greater than 5%.

Yellow Level – High Risk

Counties at the Yellow Level have either a new COVID-19 case incidence rate of no greater than 8 cases per 100,000 inhabitants during the most recent two-week period, or an average percent of positive COVID-19 test results over the most recent 14-day period less than or equal to 5%.

Green Level – Medium Risk

Counties at the Green Level have both a new COVID-19 case incidence rate of no greater than 8 cases per 100,000 inhabitants during the most recent two-week period, and an average percent of positive COVID-19 test results over the most recent 14-day period less than or equal to 5%.

Mass Gatherings

“Mass gatherings” are defined as any public gathering, private gathering, organized event, ceremony, parade, organized amateur contact sport, or other grouping that brings together a specified number of individuals in a single room or connected space, confined outdoor space or an open outdoor space. “Mass gatherings” also include coordinated events in which individuals gather in vehicles. Indoor and outdoor parades are prohibited.

This does not include the presence of any number of individuals where those individuals regularly reside. “Mass gathering” does not include individuals who are public officials or public employees in the course and scope of their employment.

Red Level - All mass gatherings of more than five (5) individuals are prohibited. Mass gatherings in which individuals gather in vehicles are permitted so long as the gathering is limited to ten (10) vehicles, no food or drinks are sold at the gathering, and all individuals remain in their vehicles.

Yellow Level - All mass gatherings of more than ten (10) individuals are prohibited. Mass gatherings in which individuals gather in vehicles are permitted so long as the gathering is limited to twenty-five (25) vehicles, no food or drinks are sold at the gathering, and all individuals remain in their vehicles.

Green Level - All mass gatherings of more than twenty (20) individuals are prohibited. Mass gatherings in which individuals gather in vehicles are permitted so long as the gathering is limited to one hundred (100) vehicles, no food or drinks are sold at the gathering, and all individuals remain in their vehicles.

Essential Businesses

Essential businesses are defined as any business or non-profit entity falling within one or more of the categories listed in the most recent public health order.

Essential businesses may not allow a person who is without a mask or multilayer cloth face covering to enter the premises except where that person is in possession of a written exemption from a healthcare provider.

Essential businesses (other than those which meet the definition of a healthcare operation, utility, or indigent care services) must immediately close for a period of fourteen (14) days following the occurrence of four (4) or more rapid responses within a fourteen (14) day period. Rapid responses will be counted on a rolling basis. An essential business may be permitted to continue operating if the Department of Health, after consultation with the Environment Department, determines that the business is a necessary provider of goods or services within the community in light of geographic conditions. Further, "essential businesses" that test each employee every two weeks and regularly provide contact tracing data to the Environment Department shall not be subject to closure under this provision.

Red Level and **Yellow Level** - All essential businesses, excluding those defined as a "retail space," may operate but must limit operations to only those absolutely necessary to carry out essential functions.

Red Level - Essential businesses identified as a "retail space" may operate but may not exceed 25% of the maximum occupancy of any enclosed space on the premises, as determined by the relevant fire marshal or fire department.

Yellow Level - Essential businesses identified as a "retail space" may operate but may not exceed 33% of the maximum occupancy of any enclosed space on the premises, as determined by the relevant fire marshal or fire department.

Green level - All essential businesses, excluding those defined as a "retail space," may operate without occupancy limitations but must limit operations to only those absolutely necessary to

carry out essential functions. "Essential businesses" identified as a "retail space" may operate but may not exceed 50% of the maximum occupancy of any enclosed space on the premises, as determined by the relevant fire marshal or fire department.

Non-Essential Businesses

Red Level – Any entity that is not identified as an "essential business," "house of worship," "outdoor recreational facility," "food and drink establishment," "place of lodging," "close-contact recreational facility," or "close-contact business" may operate but may not exceed the lesser of 25% of the maximum occupancy of any enclosed space on the premises, as determined by the relevant fire marshal or fire department, or seventy-five (75) customers inside the building at any given time.

Yellow Level – Any entity that is not identified as an "essential business," "house of worship," "outdoor recreational facility," "food and drink establishment," "place of lodging," "close-contact recreational facility," or "close-contact business" may operate but may not exceed the lesser of 25% of the maximum occupancy of any enclosed space on the premises, as determined by the relevant fire marshal or fire department, or one hundred twenty-five (125) customers inside its building at any given time.

Green Level – Any entity that is not identified as an "essential business," "house of worship," "outdoor recreational facility," "food and drink establishment," "place of lodging," or "close-contact recreational facility" may operate but may not exceed 50% of the maximum occupancy of any enclosed space on the premises, as determined by the relevant fire marshal or fire department.

Food and Drink Establishments

Food and drink establishments must immediately close for a period of fourteen (14) days following the occurrence of four (4) or more rapid responses within a fourteen (14) day period. Rapid responses will be counted on a rolling basis.

Red level - Food and drink establishments may not provide indoor dine-in service but may provide service in outdoor seating areas up to 25% occupancy, where applicable. Tables must be spaced at least six feet apart, no more than six patrons may be seated at any single table, patrons must be seated in order to be served food or drink unless ordering food for carryout, and no bar or counter seating is permitted.

Food and drink establishments may provide carryout service, or delivery service if otherwise permitted by law. May provide delivery service after 9:00 p.m. but no customers are permitted on the premises.

Any food and drink establishment that is permitted to serve alcohol must close for in-person service by 9:00 p.m. and must remain closed until at least 4:00am.

Yellow level -Food and drink establishments may not provide dine-in service unless they complete the NM Safe Certified training offered at <https://nmsafecertified.org>, as well as comply with all NM Safe Certified requirements, including, but not limited to: screening customers and staff for symptoms of COVID-19 prior to entry, consenting to Department of Health spot-testing of symptomatic employees, requiring dine-in customers to provide limited contact information for contact tracing purposes, and retaining contact tracing information for no less than three weeks. Those food and drink establishments that complete the NM Safe Certified training and comply with all attendant requirements mandated by that program may provide dine-in services, but they may not exceed more than 25% of the maximum occupancy of any enclosed space on the premises, as determined by the relevant fire marshal or fire department.

All food and drink establishments, regardless of compliance with the NM Safe Certified requirements, may provide service in outdoor seating areas up to 75% occupancy, where applicable. In all instances, tables must be spaced at least six feet apart, no more than six patrons may be seated at any single table, patrons must be seated in order to be served food or drink unless ordering food for carryout, and no bar or counter seating is permitted.

Food and drink establishments may provide carryout service, or delivery service if otherwise permitted by law. May provide delivery service after 10:00 p.m. but no customers are permitted on the premises.

Any "food and drink establishment" that is permitted to serve alcohol must close for in person service by 10:00 p.m. and must remain closed until at least 4:00 a.m.

Green level - Food and drink establishments may not provide dine-in service, except those restaurants that have completed the NM Safe Certified training program. All food and drink establishments that have completed the NM Safe Certified offered at <https://nmsafecertified.org>, and also comply with all NM Safe Certified requirements may operate at 50% of the maximum occupancy of any enclosed space on the premises, as determined by the relevant fire marshal or fire department.

All food and drink establishments, regardless of compliance with the NM Safe Certified requirements, may provide service in outdoor seating areas up to 75% occupancy, where applicable. In all instances, tables must be spaced at least six feet apart, no more than six patrons may be seated at any single table, patrons must be seated in order to be served food or drink unless ordering food for carryout, and no bar or counter seating is permitted.

Food and drink establishments may provide carryout service, or delivery service if otherwise permitted by law.

Bars

See Close-contact Recreational Facilities.

Houses of Worship

Red level - Houses of worship may hold religious services, indoors or outdoors, or provide services through audiovisual means, but may not exceed 25% of the maximum occupancy of any enclosed space on the premises, as determined by the relevant fire marshal or fire department.

Yellow level - Houses of worship may hold religious services, indoors or outdoors, or provide services through audiovisual means, but may not exceed 33% of the maximum occupancy of any enclosed space on the premises, as determined by the relevant fire marshal or fire department.

Green level - Houses of worship may hold religious services, indoors or outdoors, or provide services through audiovisual means, but may not exceed 50% of the maximum occupancy of any enclosed space on the premises, as determined by the relevant fire marshal or fire department.

Close-contact businesses

Close-contact business includes barbershops, hair salons, gyms, group fitness classes, tattoo parlors, nail salons, spas, massage parlors, esthetician clinics, tanning salons, guided raft tours, guided balloon tours, and personal training services.

Red level - Close-contact businesses may operate but may not exceed the lesser of 25% of the maximum occupancy of any enclosed space on the premises, as determined by the relevant fire marshal or fire department, or ten (10) customers inside the building at any given time.

Yellow level - Close-contact businesses may operate but may not exceed the lesser of 25% of the maximum occupancy of any enclosed space on the premises, as determined by the relevant fire marshal or fire department, or twenty (20) customers inside the building at any given time.

Close-contact Recreational Facilities

At all levels, **Red**, **Yellow** and **Green**, recreational facilities may not operate and must remain closed.

Close-contact recreational facilities include indoor movie theaters, indoor museums with interactive displays or exhibits and other similar venues, bowling alleys, miniature golf, arcades, amusement parks, aquariums, casinos, concert venues, professional sports venues, event venues, bars, dance clubs, performance venues, go-kart courses, automobile racetracks, adult entertainment venues, and other places of recreation or entertainment.

A “bar” is defined as any business that generated more than half of its revenue from the sale of alcohol during the preceding fiscal year.

Outdoor Recreational Facilities

Outdoor recreational facilities include outdoor golf courses, public swimming pools, ski basins, youth programs, youth livestock shows, horseracing tracks, botanical gardens, and outdoor zoos.

Red level and **Yellow level** - Outdoor recreational facilities may operate at 25% capacity unless specified otherwise in the pertinent CSP's, in which case the CSP's capacity limits are controlling. Notwithstanding any other provision herein, horseracing tracks are prohibited from having spectators.

Red level - The indoor portions of "outdoor recreational facilities" must comply with the following requirements: may operate but may not exceed the lesser of 25% of the maximum occupancy of any enclosed space on the premises, as determined by the relevant fire marshal or fire department, or seventy-five (75) customers inside the building at any given time, unless specified otherwise in the pertinent CSP's.

Yellow level - The indoor portions of "outdoor recreational facilities" must comply with the following requirements: may operate but may not exceed the lesser of 25% of the maximum occupancy of any enclosed space on the premises, as determined by the relevant fire marshal or fire department, or one hundred twenty-five (125) customers inside its building at any given time, unless specified otherwise in the pertinent CSP's.

Green level - "Outdoor recreational facilities" may operate at 50% capacity unless specified otherwise in the pertinent CSP's, in which case the CSP's capacity limits are controlling. The indoor portions of "outdoor recreational facilities" must comply with the following requirements: may not exceed 50% of the maximum occupancy of any enclosed space on the premises, as determined by the relevant fire marshal or fire department, unless specified otherwise in the pertinent CSP's. Notwithstanding any other provision herein, horseracing tracks are prohibited from having spectators.

Indoor Shopping Malls

Red level and **Yellow level** - indoor shopping malls may operate, provided that the total number of persons within the mall does not exceed 25% of the maximum occupancy of the premises, as determined by the relevant fire marshal or fire department.

Places of Lodging

Places of lodging means all hotels, motels, RV parks, and short-term vacation rentals.

Places of lodging must immediately close for a period of fourteen (14) days following the occurrence of four (4) or more rapid responses within a fourteen (14) day period. Rapid responses

will be counted on a rolling basis.

Red level - "Places of lodging" which have completed the NM Safe Certified training offered at <https://nmsafecertified.org> may operate up to 40% of maximum occupancy. All other "places of lodging" shall not operate at more than 25% of maximum occupancy.

Red level and **Yellow Level** - Further, and notwithstanding any other provision herein, any home, apartment, condominium, or other similar space that is offered as a vacation rental may operate but may not exceed five (5) guests. Healthcare providers who are engaged in the provision of care to New Mexico residents, individuals for extended stays as temporary housing, and individuals who are quarantining shall not be counted for purposes of determining maximum occupancy.

Yellow level - "Places of lodging" which have completed the NM Safe Certified training offered at <https://nmsafecertified.org> may operate up to 60% of maximum occupancy. All other "places of lodging" shall not operate at more than 25% of maximum occupancy.

Green level - "Places of lodging" which have completed the NM Safe Certified training offered at <https://nmsafecertified.org> may operate up to 75% of maximum occupancy. All other "places of lodging" shall not operate at more than 40% of maximum occupancy.

Further, and notwithstanding any other provision herein, any home, apartment, condominium, or other similar space that is offered as a vacation rental may operate but may not exceed ten (10) guests. Healthcare providers who are engaged in the provision of care to New Mexico residents, individuals for extended stays as temporary housing, and individuals who are quarantining shall not be counted for purposes of determining maximum occupancy.

Animal Shelters and Animal-Care Facilities

Animal facilities that ensure the health and welfare of animals shall remain open but must perform tasks with the minimum number of employees necessary, for the minimum amount of time necessary, and adhere to all social distancing protocols.

Healthcare Supplies and Other Necessary Goods

Grocery stores and other retailers are directed to limit the sale of medications, durable medical equipment, baby formula, diapers, sanitary products, and hygiene products to 3 items per individual, or as listed by store management.

Private Educational Institutions

Private educational institutions serving children and young adults from pre-Kindergarten through 12th grade, including homeschools serving children who are not household members, shall adhere

to the face covering and other COVID-Safe Practices requirements for in-person instruction described in the document:

https://webnew.ped.state.nm.us/wpcontent/uploads/2020/06/20NMPED_ReentryGuide_Hybrid.pdf published by New Mexico's Public Education Department, and as updated from time to time thereafter. This includes operating with a maximum occupancy of 25% of any individual enclosed indoor space, such as any classroom, with the occupancy restriction herein to govern in the event of any discrepancy with the "Reentry Guidance." Private schools shall report to the New Mexico Public Education Department all cases of COVID-19 positive students, staff, contractors and volunteers associated with the school within four hours of the school being notified of the positive case, and consistent with the COVID-19 Response Toolkit for New Mexico's Public Elementary Schools, as well and any updates or revisions made to the Toolkit document. Private schools, like public schools, are also subject to inclusion on the New Mexico Environment Department's watchlist and closure list, as well as any accompanying restrictions.

Laboratory and Submitters for COVID-19 Test Results

All laboratories and submitters submitting the required reports of the notifiable condition, including COVID-19, to the Department of Health pursuant of 7.4.3.13(A) NMAC must submit all such reports electronically by HL7 messaging or other format specified by the Department of Health, and shall include in such reports all information currently required to be submitted, which includes:

- Disease or condition being reported;
- Patient's name, date of birth/age, gender, race/ethnicity, address, patient telephone numbers and occupation;
- Physician or licensed healthcare professional name and telephone number; and
- Healthcare facility or laboratory name and telephone number

In addition to the information required to be reported by 7.4.3.13(A) NMAC, all laboratories and submitters shall provide the following demographic information to the New Mexico Epidemiology and Response division with each notifiable condition report:

- Patient's email address(es);
- Name of patient's employer;
- Address of patient's employer;
- Phone number of patient's employer
- Name of patient's school if applicable (Grade K-12 or Higher Educational Institution); and
- Address of patient's school if applicable

APPENDIX A

DEFINITIONS

Coronavirus Disease 2019 (COVID-19) 2020 Interim Case Definition, Approved April 5, 2020 can be found at [CDC COVID-19 Case Definition](https://www.cdc.gov/coronavirus/2019-ncov/hcp/guidance-risk-assesment-hcp.html)

Close Contact

- Close contact is defined as an exposure of 3 minutes or longer within 6 feet of a confirmed COVID-19 case during the case's infectious period with or without a mask or cloth-face covering.
- Note: Contact with a COVID-19 case in a healthcare setting where appropriate personal protective equipment (PPE) is worn is not considered a COVID-19 exposure.
<https://www.cdc.gov/coronavirus/2019-ncov/hcp/guidance-risk-assesment-hcp.html>

Exposure (incubation) period

- Time between exposure to an infection and appearance of symptoms
- For a confirmed **symptomatic** COVID-19 case, the exposure period is 14 days prior to illness onset.
- For a confirmed **asymptomatic** COVID-19 case, the exposure period is 14 days prior to specimen collection date.
- For a contact of a confirmed COVID-19 case, the exposure period is the last date of close contact with the case. This date is used when determining the quarantine period.

Infectious period

- Time during which an infected person is contagious and most likely to spread disease to others.
- For a confirmed **symptomatic** COVID-19 case, the infectious period starts 2 days prior to the illness onset date and continues for 10 days after illness onset.
- For a confirmed **symptomatic** COVID-19 case with severe illness or severe immunosuppression, the infectious period is extended to 20 days after illness onset date.
- For a confirmed **asymptomatic** COVID-19 case, the infectious period starts 2 days prior to the specimen collection date and continues for 10 days after.

Isolation

- Isolation keeps someone who is sick or tested positive for COVID-19 without symptoms away from others, even in their own home. Persons with known infection have the highest risk of spreading infection to others and must be strict in their hygiene and separation from other people.

Quarantine

- Quarantine keeps someone who was in close contact with someone who has COVID-19 away from others. The period of monitoring for infection is the maximum incubation period for the infection, which is 14 days for COVID-19.

Recovery

- Recovery from COVID-19 disease is indicated and isolation is discontinued when all conditions of the symptom- or time-based methods for discontinuation of self-isolation are met.
- If the conditions of the test-based method were used, which is no longer recommended, then the case will be considered recovered.

Reinfection

- Reinfection with COVID-19 is presumed to be rare, but not sufficiently understood at this time to disregard.
- Another positive molecular test for COVID-19 (e.g., PCR) obtained 3 or more months after the initial illness onset date will be considered a new infection if the case recovered between positive test results.
- If a recovered COVID-19 case becomes **symptomatic** during the 3 months since the illness onset date of their first infection and a medical evaluation fails to identify a diagnosis other than COVID-19 infection (e.g., influenza), then the recovered case may warrant evaluation for COVID-19 reinfection by a healthcare provider in consultation with the New Mexico Department of Health.

SARS CoV-2

- Coronavirus that causes COVID-19 disease. For the purposes of this document, we have used the term COVID-19 to indicate either the virus or the disease.

Severe illness

- Severe illness is indicated by hospitalization in an intensive care unit with or without mechanical ventilation

Severe immunosuppression

- Severe immunosuppression includes being on chemotherapy for cancer, untreated HIV infection with CD4 T lymphocyte count <200, combined primary immunodeficiency disorder, and receipt of prednisone >20 mg/day for more than 14 days.
- Other factors, such as advanced age, diabetes mellitus, or end-stage renal disease, may pose a much lower degree of immunocompromise and not clearly affect decisions about duration of isolation.
- Ultimately, the degree of immunocompromise for the patient is determined by the treating provider, and preventive actions are tailored to each individual and situation.