

NEW MEXICO COVID-19 MORTALITY UPDATE


April 12, 2021

All data reported here exclude cases who live out-of-state.


Total Deaths	Deaths in the Last 14 Days
3,979	9

SECTION 1: DEATH COUNTS


Daily Number of Deaths and 7-day Moving Average




Number of Deaths Each Week



Number of Deaths Each Week by Long- and Short-term Care Facility Residence




Number of Deaths by Age Group Each Month




Age Group (years)	Mar'20	Apr'20	May'20	Jun'20	Jul'20	Aug'20	Sep'20	Oct'20	Nov'20	Dec'20	Jan'21	Feb'21	Mar'21	Apr'21	Total
0-17	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
18-44	1	14	15	9	14	16	9	13	41	54	38	10	8	0	242
45-64	0	23	64	42	44	29	15	44	165	229	157	78	27	2	919
65-74	1	24	49	26	40	19	15	38	213	243	168	71	24	0	931
75+	4	86	130	50	77	63	27	93	392	506	297	112	47	2	1886
Total	6	147	258	127	175	127	66	188	812	1032	660	271	106	4	3979

Number of Deaths by Gender Each Month




Gender	Mar'20	Apr'20	May'20	Jun'20	Jul'20	Aug'20	Sep'20	Oct'20	Nov'20	Dec'20	Jan'21	Feb'21	Mar'21	Apr'21	Total
Male	3	79	137	73	100	67	40	102	467	588	365	153	62	1	2237
Female	3	68	121	54	75	60	26	86	345	444	295	118	44	3	1742
Total	6	147	258	127	175	127	66	188	812	1032	660	271	106	4	3979

Number of Deaths by Race/Ethnicity Each Month




Race/ Ethnicity	Mar'20	Apr'20	May'20	Jun'20	Jul'20	Aug'20	Sep'20	Oct'20	Nov'20	Dec'20	Jan'21	Feb'21	Mar'21	Apr'21	Total
AIAN	0	75	162	82	69	41	18	30	144	232	175	66	16	0	1110
Asian	1	0	0	1	0	0	2	3	6	7	8	2	0	0	30
Black	0	2	1	0	4	2	1	5	9	15	10	1	1	0	51
Hispanic	2	22	40	22	62	48	30	96	399	439	276	107	54	3	1600
White	3	48	55	22	40	36	15	53	248	337	187	94	35	1	1174
Unknown	0	0	0	0	0	0	0	1	6	2	4	1	0	0	14
Total	6	147	258	127	175	127	66	188	812	1032	660	271	106	4	3979

Percentage of Deaths by Race/Ethnicity and Age Group




Number of deaths by New Mexico County of residence each month



Number of deaths by New Mexico County of residence each month – continued


County of Residence	Mar'20	Apr'20	May'20	Jun'20	Jul'20	Aug'20	Sep'20	Oct'20	Nov'20	Dec'20	Jan'21	Feb'21	Mar'21	Apr'21	Total
Bernalillo	4	35	43	12	40	36	14	46	193	260	158	51	21	0	913
San Juan	0	58	75	38	16	8	3	5	43	80	93	27	14	1	461
Dona Ana	0	1	3	7	21	20	8	38	138	95	51	30	12	1	425
McKinley	0	27	106	48	51	21	10	5	35	76	53	25	2	0	459
Sandoval	1	14	12	3	10	3	0	8	42	61	44	19	6	0	223
Chaves	0	1	2	0	3	0	6	8	42	60	24	12	6	0	164
Lea	0	0	0	0	7	11	8	10	41	51	22	9	3	0	162
Santa Fe	0	2	2	0	0	1	2	11	31	44	37	11	2	0	143
Eddy	1	0	0	0	4	1	8	14	30	27	27	10	4	0	126
Cibola	0	3	4	9	3	3	0	2	29	28	25	2	1	0	109
Valencia	0	0	1	0	2	0	1	3	29	41	16	11	2	0	106
Luna	0	1	0	2	0	2	2	5	25	16	15	13	3	0	84
Otero	0	0	4	3	4	2	0	2	15	15	5	14	9	1	74
Rio Arriba	0	0	1	0	4	9	1	0	12	23	10	8	5	0	73
Curry	0	0	0	0	3	3	1	7	14	25	11	7	2	0	73
Socorro	0	2	3	0	1	0	0	9	16	16	5	3	1	0	56
Roosevelt	0	0	0	2	0	1	1	7	12	15	13	2	0	0	53
Taos	0	1	1	0	0	2	0	1	27	11	2	4	2	0	51
Sierra	0	0	0	1	0	1	0	1	9	29	5	0	1	0	47
Colfax	0	0	0	1	0	0	0	0	7	19	14	0	0	0	41
Grant	0	0	0	0	2	0	0	2	3	14	9	5	1	0	36
Lincoln	0	0	0	0	1	1	1	3	3	1	4	1	3	0	18
San Miguel	0	0	0	0	0	0	0	0	2	3	3	3	5	1	17
Torrance	0	0	1	0	0	0	0	0	2	5	3	1	0	0	12
Guadalupe	0	0	0	0	0	1	0	0	1	4	3	0	0	0	9
Hidalgo	0	0	0	1	1	0	0	0	3	3	1	0	0	0	9
Union	0	0	0	0	2	0	0	0	3	3	1	0	0	0	9
Quay	0	1	0	0	0	1	0	1	3	2	0	0	0	0	8
Los Alamos	0	0	0	0	0	0	0	0	0	1	2	2	1	0	6
Mora	0	0	0	0	0	0	0	0	1	3	2	0	0	0	6
Catron	0	1	0	0	0	0	0	0	1	1	2	0	0	0	5
De Baca	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
Harding	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total	6	147	258	127	175	127	66	188	812	1032	660	271	106	4	3979

Number of Deaths by Underlying Conditions Each Month




Underlying Conditions	Mar'20	Apr'20	May'20	Jun'20	Jul'20	Aug'20	Sep'20	Oct'20	Nov'20	Dec'20	Jan'21	Feb'21	Mar'21	Apr'21	Total
Hypertension	0	16	32	37	99	58	32	97	398	446	296	147	49	3	1710
Diabetes	2	36	80	54	82	48	26	68	318	369	249	102	32	1	1467
Cardiovascular Disease	1	55	98	45	72	39	23	70	285	300	201	75	34	2	1300
Chronic Kidney Disease	1	14	32	17	33	20	13	40	177	219	101	56	17	1	741
Chronic Lung Disease	2	33	58	18	45	24	16	33	163	183	95	49	13	2	734
Obesity	0	8	19	16	29	21	7	20	130	131	83	28	14	0	506
Chronic Liver Disease	0	5	8	15	13	13	11	20	46	54	29	23	7	0	244
Immuno-compromised	0	6	17	6	8	5	3	8	24	40	14	21	3	1	156

Percentage and Number of Deaths Each Month by Number of Underlying Conditions Reported



Number of Underlying Conditions	Mar'20	Apr'20	May'20	Jun'20	Jul'20	Aug'20	Sep'20	Oct'20	Nov'20	Dec'20	Jan'21	Feb'21	Mar'21	Apr'21	Total
None	3	58	72	31	28	28	9	29	177	281	191	52	28	0	987
One	2	34	79	32	36	29	17	54	182	228	141	63	22	1	920
Two	0	33	68	29	35	35	19	45	182	223	150	75	28	1	923
Three or more	1	22	39	35	76	35	21	60	271	300	178	81	28	2	1149
Total	6	147	258	127	175	127	66	188	812	1032	660	271	106	4	3979

Percentage of Deaths by Underlying Condition and Age Group




Number and percent of deaths by Test Result and Cause of Death on the Death Certificate

Positive COVID-19 Test Result*	COVID-19 Cause/Contributor of Death on Death Certificate	Number of Deaths	Percent
Yes	Yes	3667	92.2%
Yes	No	87	2.2%
Yes	Pending	161	4.0%
No	Yes	64	1.6%
Total		3979	100.0%

* Positive RT-PCR or Rapid Test

Number and percent of deaths by underlying cause of death on the death certificate




Underlying Cause	Number of Deaths*	Percent
COVID-19	3460	92.1%
Other	93	2.5%
Cardiovascular Disease	82	2.2%
Alzheimer's or Dementia	42	1.1%
Cancer	27	0.7%
Chronic liver disease and cirrhosis	19	0.5%
Diabetes	13	0.3%
Chronic lower respiratory disease	14	0.4%
Chronic Kidney Disease	4	0.1%
Influenza & pneumonia	3	0.1%
Total	3757	100.0%
*Excludes 222 (6%) deaths which have not yet been coded by the National Center for Health Statistics.		


SECTION 2: MORTALITY RATES

Mortality Rate per 100,000 Population by Age Group


Note: This graph was in error for the reports on February 1, 2021 – March 22, 2021 due to incorrect population denominators. We regret the error and appreciate being notified of it.




Age-adjusted Mortality Rate per 100,000 Population by Gender




Age-adjusted Mortality rate per 100,000 Population by Race/Ethnicity




Age-adjusted Mortality rate among AI/AN by Month of 1st Positive Test



Age-adjusted Mortality Rate per 100,000 Population by New Mexico County




Age-adjusted Mortality Rate per 100,000 Population by County (last 14 days)




SECTION 3: CASE FATALITY RATES

Case Fatality Rate by Age Group




Age-adjusted* Case Fatality Case Fatality Rate by Month of 1st Positive Test



*Age-adjusted case fatality rates are adjusted to the current distribution of U.S. COVID-19 cases.

<https://covid.cdc.gov/covid-data-tracker/#demographics>


Age-adjusted* Case Fatality Rate by Gender




*Age-adjusted case fatality rates are adjusted to the current distribution of U.S. COVID-19 cases.

<https://covid.cdc.gov/covid-data-tracker/#demographics>


Age-adjusted* Case Fatality Rate by Race/Ethnicity




Age-adjusted* Case Fatality Rate Among AI/AN, by Month of 1st Positive Test




Case Fatality Rate by Race/Ethnicity and Age Group




Age-adjusted* Case Fatality Rate by Race/Ethnicity and Gender



Age-adjusted* Case Fatality Rate Among AI/AN, by Month of 1st Positive Test and Gender



Age-adjusted* Case Fatality Rate by Gender, Underlying Conditions, and Hospitalization Status



*Age-adjusted case fatality rates are adjusted to the current distribution of U.S. COVID-19 cases.

<https://covid.cdc.gov/covid-data-tracker/#demographics>

Data Sources

- **COVID-19 data:** New Mexico Electronic Disease Surveillance System (NM-EDSS), Infectious Disease Epidemiology Bureau, Epidemiology and Response Division, New Mexico Department of Health.
- **Mortality data:** Bureau of Vital Records and Health Statistics, Epidemiology and Response Division, New Mexico Department of Health.
- **Population Estimates:** University of New Mexico, Geospatial and Population Studies (GPS) Program.
- **Age-adjustment:** US 2000 Standard Population Weights for mortality rates. US COVID-19 cases for case fatality rates.

Data Notes

- **The data reported in this weekly update may not match the daily numbers that are reported in the New Mexico Department of Health (NMDOH) press releases and/or the NMDOH COVID-19 data dashboard. This may be due to variation in the date and time of data extraction from NM-EDSS, corrections after quality assurance review, and differences in the exclusion criteria.**
- **New Mexico Electronic Disease Surveillance System (NM-EDSS).** Disease incidence data are derived from reports of notifiable infectious diseases. NMDOH relies on health care providers, laboratories, hospitals, clinics, institutions and individuals to report suspected and confirmed notifiable infectious diseases in accordance with New Mexico Administrative Code 7.4.3.13. Under-reporting can occur due to lack of awareness about reporting requirements or lack of compliance with those requirements. Not all cases of infectious diseases can be detected for various reasons including lack of access to health care services, lack of laboratory testing or concerns about confidentiality. Specific and standardized national case definitions are used to classify disease reports by case status.
- **New Mexico COVID-19 Related Deaths.** Following the standardized surveillance case definition published by the Council of State and Territorial Epidemiologists, COVID-19 related deaths in NM include 1) deaths of confirmed cases, which have a documented positive RT-PCR test or rapid test for SARS-CoV-2; and 2) deaths based on vital records criteria in the absence of confirmatory laboratory evidence, which is a death certificate that lists COVID-19 disease or SARS-CoV-2 as a cause of death or a significant condition contributing to death. Death certificates may list multiple causes of death, with one single cause identified as the underlying cause of death defined as the condition that began the chain of events that ultimately led to the person's death. Death certificates may also list significant conditions contributing to death, defined as a condition or circumstance that contributed to the cause of death but did not result in the underlying cause nor participated in the causal pathway to the final or immediate cause of death. NM only includes natural deaths, and excludes intentional and unintentional injury deaths among confirmed cases.

- **New Mexico Population Estimates.** All population estimates apply to July 1 of 2019. Estimates include decimal fractions. The sum of population subgroup estimates may not exactly equal the overall state population estimate due to rounding error. Population estimates for previous years are occasionally revised as new information becomes available. When publishing trend data, always be sure that your rates for earlier years match current rates on NM-IBIS that have been calculated with the most up-to-date population estimates.
- **Race/ethnicity.** Race and ethnicity are reported as a single variable, race/ethnicity, according to the selection of the case. Any case who is Hispanic is in the Hispanic category and all other races are non-Hispanic.
- **Mortality rate per 100,000 population.** A basic measure of disease-specific hospitalization frequency is a rate, which takes into account the number of deaths and the population size. It is helpful in making public health decisions for a given population, relative to another population regardless of size.
- **Age-adjusted mortality or case fatality rate per 100,000 population.** The age-distribution of a population (the number of people in particular age categories) can change over time and can be different in different geographic areas. The use of age-adjusted rates permits a valid comparison among populations. It ensures that the differences in deaths from one population to another are not due to differences in the age distribution of the populations being compared.