
# New Mexico COVID-19 Cases Update HEALTH AND SOCIAL CHARACTERISTICS April 5<sup>th</sup>, 2021

Unless stated otherwise, all data reported here exclude cases who are from out-of-state and cases who are detainees in Federal Immigration and Customs Enforcement (ICE) facilities.

| Total Cases          | Cases in the Last 7 Days |
|----------------------|--------------------------|
| 192,595 <sup>1</sup> | 1,305                    |

# **SECTION 1: SYMPTOMS**

## Percentage of cases reporting symptoms each week



Data for the week of March 29 to April 4, 2021 are incomplete and subject to change.


<sup>&</sup>lt;sup>1</sup> Total cases, as reported on cv.nmhealth.org, include ICE detainees.

# Percentage of specific symptoms reported by cases

| Symptom                | Percent of<br>Symptomatic<br>Respondents |
|------------------------|--|
| Fever (Measured or     | 44%                                      |
| Subjective)            |  |
| Chills                 | 43%                                      |
| Muscle Aches           | 55%                                      |
| Runny Nose             | 48%                                      |
| Sore Throat            | 41%                                      |
| Cough                  | 63%                                      |
| Shortness of Breath    | 28%                                      |
| Nausea or Vomiting     | 25%                                      |
| Headache               | 65%                                      |
| Abdominal Pain         | 15%                                      |
| Diarrhea               | 30%                                      |
| Fatigue                | 65%                                      |
| Loss of Appetite       | 38%                                      |
| Loss of Taste or Smell | 52%                                      |

Data on "Loss of Taste or Smell" are from cases with positive tests on or after 8/3/2020, as this question was not asked consistently until August. Previously, measured fever (100.5 degrees Fahrenheit or higher) and subjective fever were reported as separate symptoms. From this week forward, cases reporting either of these symptoms will be recorded as experiencing "Fever (Measured or Subjective)."


## Percentage of cases with underlying conditions each week



Data for the week of March 29 to April 4, 2021 are incomplete and subject to change.

# **SECTION 2: POSSIBLE EXPOSURES AND ACTIVITIES**

## Percentage of cases reporting activities prior to illness each week




Data for week of 03/29/2021 – 04/04/2021 are currently unavailable and will be included in future reporting.

Cases in correctional facilities and residents of long-term care facilities were excluded. Percentages are out of cases who were contacted and asked about their exposures 14 days prior to illness onset. Previous published reports did not always include 14 days prior to illness onset. Positive cases from the last 7 or more days may not yet be reported or investigated.

#### Percentage of cases reporting activities prior to illness by region bi-weekly

For specific activities reported by cases in each region, cases in correctional facilities and residents of long-term care facilities were excluded. Percentages are out of cases who were contacted and asked about their exposures 14 days prior to illness onset. Previous published reports did not always include 14 days prior to illness onset.

#### **Gatherings**




The percentage for each bi-weekly specimen collection date is based on the previous 14 days' data.

Data from the most recent two-week interval will change as investigations continue.

Data for week of 03/29/2021 – 04/04/2021 are currently unavailable and will be included in future reporting.

## **Restaurants or bars**




The percentage for each bi-weekly specimen collection date is based on the previous 14 days' data.

Data from the most recent two-week interval will change as investigations continue.

Data for week of 03/29/2021 – 04/04/2021 are currently unavailable and will be included in future reporting.

#### Places of worship




The percentage for each bi-weekly specimen collection date is based on the previous 14 days' data.

Data from the most recent two-week interval will change as investigations continue.

Data for week of 03/29/2021 – 04/04/2021 are currently unavailable and will be included in future reporting.

# Gym




The percentage for each bi-weekly specimen collection date is based on the previous 14 days' data.

Data from the most recent two-week interval will change as investigations continue.

Data for week of 03/29/2021 – 04/04/2021 are currently unavailable and will be included in future reporting.


#### **Shopping**



Data from the most recent two-week interval will change as investigations continue.

Data for week of 03/29/2021 – 04/04/2021 are currently unavailable and will be included in future reporting.

#### **Out-of-state travel**




The percentage for each bi-weekly specimen collection date is based on the previous 14 days' data.

Data from the most recent two-week interval will change as investigations continue.

Data for week of 03/29/2021 – 04/04/2021 are currently unavailable and will be included in future reporting.

# **SECTION 3: SOCIOECONOMIC STATUS**

# Case rate per 100,000 population by census tract below poverty level








Figure excludes 7675 individuals with addresses that have not been geocoded, individuals who are detained in state or federal correctional facilities, and individuals in ICE custody. Due to delays in reporting of positive lab results to NMDOH, data for the week of March 29 to April 4, 2021 are incomplete and subject to change.

## Average age of cases by poverty level each week




Due to delays in reporting of positive lab results to NMDOH, data for the week of March 29 to April 4, 2021 are incomplete and subject to change.









#### **Data Sources**

#### COVID-19 data

- New Mexico Electronic Disease Surveillance System (NM-EDSS), Infectious Disease Epidemiology
   Bureau, Epidemiology and Response Division, New Mexico Department of Health.
- Salesforce/MTX COVID-19 Case Investigation Platform.
- **Population Estimates:** University of New Mexico, Geospatial and Population Studies (GPS) Program.
- Age-adjustment: US 2000 Standard Population Weights
- **Poverty Rates, U.S. Census Bureau, American Community Survey (ACS)**, 2018 5-year estimates. Data from the 2017 5-year estimates were used in this analysis as proxy poverty data for those census tracts.
- Case fatality rates. Age-adjusted to the current distribution of U.S. COVID-19 cases: <u>CDC COVID Data Tracker</u>

#### **Data Notes**

- The data reported in this weekly update may not match the daily numbers that are reported in the New Mexico Department of Health (NMDOH) press releases and/or the NMDOH COVID-19 data dashboard.
   This may be due to variation in the date and time of data extraction from NM-EDSS, corrections after quality assurance review, and differences in the exclusion criteria.
- New Mexico Electronic Disease Surveillance System (NM-EDSS). Disease incidence data are derived from reports of notifiable infectious diseases. NMDOH relies on health care providers, laboratories, hospitals, clinics, institutions and individuals to report suspected and confirmed notifiable infectious diseases in accordance with New Mexico Administrative Code 7.4.3.13. Under-reporting can occur due to of lack of awareness about reporting requirements or lack of compliance with those requirements. Not all cases of infectious diseases can be detected for various reasons including lack of access to health care services, lack of laboratory testing or concerns about confidentiality. Specific and standardized national case definitions are used to classify disease reports by case status.
- New Mexico Population Estimates. All population estimates apply to July 1 of 2018. Estimates include decimal fractions. The sum of population subgroup estimates may not exactly equal the overall state population estimate due to rounding error. Population estimates for previous years are occasionally revised as new information becomes available. When publishing trend data, always be sure that your rates for earlier years match current rates on NM-IBIS that have been calculated with the most up-to-date population estimates.
- Case rate per 100,000 population. A basic measure of disease-specific case frequency is a rate, which takes into account the number of cases and the population size. It is helpful in making public health decisions for a given population, relative to another population regardless of size.