

# NEW MEXICO COVID-19 MORTALITY UPDATE


May 11, 2021

All data reported here exclude cases who live out-of-state.


Total Deaths	Deaths in the Last 14 Days
4,105	7

## SECTION 1: DEATH COUNTS


### Daily Number of Deaths and 7-day Moving Average




## Number of Deaths Each Week



## Number of Deaths Each Week by Long- and Short-term Care Facility Residence




## Number of Deaths by Age Group Each Month




Age Group (years)	Mar'20	Apr'20	May'20	Jun'20	Jul'20	Aug'20	Sep'20	Oct'20	Nov'20	Dec'20	Jan'21	Feb'21	Mar'21	Apr'21	May'21	Total
<b>0-17</b>	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
<b>18-44</b>	1	14	15	9	14	16	9	13	41	54	39	13	9	3	0	250
<b>45-64</b>	0	23	64	42	44	29	15	46	167	231	158	78	37	24	0	958
<b>65-74</b>	1	24	49	26	40	19	15	38	216	245	170	75	31	11	0	960
<b>75+</b>	4	86	130	50	77	63	27	93	395	512	305	119	57	15	3	1936
<b>Total</b>	6	147	258	127	175	127	66	190	820	1042	672	285	134	53	3	4105

## Number of Deaths by Gender Each Month




Gender	Mar'20	Apr'20	May'20	Jun'20	Jul'20	Aug'20	Sep'20	Oct'20	Nov'20	Dec'20	Jan'21	Feb'21	Mar'21	Apr'21	May'21	Total
<b>Male</b>	3	79	137	73	100	67	40	103	471	593	372	162	74	31	2	2307
<b>Female</b>	3	68	121	54	75	60	26	87	349	449	300	123	60	22	1	1798
<b>Total</b>	6	147	258	127	175	127	66	190	820	1042	672	285	134	53	3	4105

## Number of Deaths by Race/Ethnicity Each Month




Race/Ethnicity	Mar'20	Apr'20	May'20	Jun'20	Jul'20	Aug'20	Sep'20	Oct'20	Nov'20	Dec'20	Jan'21	Feb'21	Mar'21	Apr'21	May'21	Total
<b>AIAN</b>	0	75	162	82	69	41	18	31	146	234	177	71	21	5	1	1133
<b>Asian</b>	1	0	0	1	0	0	2	3	6	7	8	2	0	0	0	30
<b>Black</b>	0	2	1	0	4	2	1	6	9	15	10	2	1	1	0	54
<b>Hispanic</b>	2	22	40	22	62	48	30	96	406	447	284	114	71	34	0	1678
<b>White</b>	3	48	55	22	40	36	15	53	249	338	190	96	41	13	2	1201
<b>Unknown</b>	0	0	0	0	0	0	0	1	4	1	3	0	0	0	0	9
<b>Total</b>	6	147	258	127	175	127	66	190	820	1042	672	285	134	53	3	4105

## Percentage of Deaths by Race/Ethnicity and Age Group



## Number of deaths by New Mexico County of residence each month






**Number of deaths by New Mexico County of residence each month – continued**


County of Residence	Mar'20	Apr'20	May'20	Jun'20	Jul'20	Aug'20	Sep'20	Oct'20	Nov'20	Dec'20	Jan'21	Feb'21	Mar'21	Apr'21	May'21	Total
Bernalillo	4	35	43	12	40	36	14	46	194	261	163	54	25	12	1	940
McKinley	0	27	106	48	51	21	10	6	35	78	53	27	5	0	0	467
San Juan	0	58	75	38	16	8	3	5	43	80	94	28	16	2	0	466
Dona Ana	0	1	3	7	21	20	8	38	139	96	53	34	22	12	0	454
Sandoval	1	14	12	3	10	3	0	8	42	61	45	21	7	4	0	231
Lea	0	0	0	0	7	11	8	11	43	51	22	10	4	2	1	170
Chaves	0	1	2	0	3	0	6	8	43	61	24	12	7	2	0	169
Santa Fe	0	2	2	0	0	1	2	11	31	44	36	11	2	1	0	143
Eddy	1	0	0	0	4	1	8	14	30	27	27	10	4	4	0	130
Cibola	0	3	4	9	3	3	0	2	30	28	26	2	2	1	1	114
Valencia	0	0	1	0	2	0	1	3	29	42	16	11	3	2	0	110
Luna	0	1	0	2	0	2	2	5	25	17	15	13	3	1	0	86
Curry	0	0	0	0	3	3	1	7	15	26	12	7	3	2	0	79
Rio Arriba	0	0	1	0	4	9	1	0	12	23	11	8	6	1	0	76
Otero	0	0	4	3	4	2	0	2	15	15	5	14	10	1	0	75
Roosevelt	0	0	0	2	0	1	1	7	13	16	13	2	1	0	0	56
Socorro	0	2	3	0	1	0	0	9	16	16	5	3	1	0	0	56
Taos	0	1	1	0	0	2	0	1	27	11	2	4	2	1	0	52
Sierra	0	0	0	1	0	1	0	1	9	29	6	1	1	2	0	51
Colfax	0	0	0	1	0	0	0	0	7	19	14	0	0	1	0	42
Grant	0	0	0	0	2	0	0	2	3	15	9	5	1	0	0	37
Lincoln	0	0	0	0	1	1	1	3	3	1	4	1	3	0	0	18
San Miguel	0	0	0	0	0	0	0	0	2	3	3	3	5	0	0	16
Torrance	0	0	1	0	0	0	0	0	2	5	3	1	0	1	0	13
Guadalupe	0	0	0	0	0	1	0	0	1	4	3	0	0	1	0	10
Hidalgo	0	0	0	1	1	0	0	0	3	3	1	0	0	0	0	9
Union	0	0	0	0	2	0	0	0	3	3	1	0	0	0	0	9
Quay	0	1	0	0	0	1	0	1	3	2	0	0	0	0	0	8
Los Alamos	0	0	0	0	0	0	0	0	0	1	2	2	1	0	0	6
Mora	0	0	0	0	0	0	0	0	1	3	2	0	0	0	0	6
Catron	0	1	0	0	0	0	0	0	1	1	2	0	0	0	0	5
De Baca	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
Harding	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<b>Total</b>	<b>6</b>	<b>147</b>	<b>258</b>	<b>127</b>	<b>175</b>	<b>127</b>	<b>66</b>	<b>190</b>	<b>820</b>	<b>1042</b>	<b>672</b>	<b>285</b>	<b>134</b>	<b>53</b>	<b>3</b>	<b>4105</b>

## Number of Deaths by Underlying Conditions Each Month




Underlying Conditions	Mar'20	Apr'20	May'20	Jun'20	Jul'20	Aug'20	Sep'20	Oct'20	Nov'20	Dec'20	Jan'21	Feb'21	Mar'21	Apr'21	May'21	Total
<b>Hypertension</b>	0	16	32	37	100	58	32	97	403	450	308	152	62	30	0	1777
<b>Diabetes</b>	2	36	80	54	82	48	26	70	324	372	257	107	43	26	0	1527
<b>Cardiovascular Disease</b>	1	55	98	45	72	40	23	72	287	304	209	76	45	18	1	1346
<b>Chronic Kidney Disease</b>	1	14	32	17	33	21	13	41	178	221	105	61	23	14	0	774
<b>Chronic Lung Disease</b>	2	33	58	18	45	25	16	34	167	186	98	50	20	13	0	765
<b>Obesity</b>	0	8	19	16	29	21	7	20	133	132	87	31	15	8	0	526
<b>Chronic Liver Disease</b>	0	5	8	15	13	13	11	20	46	54	29	23	9	6	0	252
<b>Immuno-compromised</b>	0	6	17	6	8	5	3	9	24	41	14	21	5	3	0	162

## Percentage and Number of Deaths Each Month by Number of Underlying Conditions Reported



Number of Underlying Conditions	Mar'20	Apr'20	May'20	Jun'20	Jul'20	Aug'20	Sep'20	Oct'20	Nov'20	Dec'20	Jan'21	Feb'21	Mar'21	Apr'21	May'21	Total
<b>None</b>	3	58	72	31	27	28	9	29	177	283	185	57	36	8	2	1005
<b>One</b>	2	34	79	32	37	28	17	54	183	232	146	65	24	9	1	943
<b>Two</b>	0	33	68	29	35	35	19	46	186	222	157	78	37	16	0	961
<b>Three or more</b>	1	22	39	35	76	36	21	61	274	305	184	85	37	20	0	1196
<b>Total</b>	6	147	258	127	175	127	66	190	820	1042	672	285	134	53	3	4105

## Percentage of Deaths by Underlying Condition and Age Group




## Number and percent of deaths by Test Result and Cause of Death on the Death Certificate

Positive COVID-19 Test Result*	COVID-19 Cause/Contributor of Death on Death Certificate	Number of Deaths	Percent
<b>Yes</b>	<b>Yes</b>	3863	94.1%
<b>Yes</b>	<b>No</b>	99	2.4%
<b>Yes</b>	<b>Pending</b>	71	1.7%
<b>No</b>	<b>Yes</b>	72	1.8%
<b>Total</b>		4105	100.0%

\* Positive RT-PCR or Rapid Test

## Number and percent of deaths by underlying cause of death on the death certificate




Underlying Cause	Number of Deaths*	Percent
<b>COVID-19</b>	3651	91.6%
<b>Other</b>	105	2.6%
<b>Cardiovascular Disease</b>	95	2.4%
<b>Alzheimer's or Dementia</b>	44	1.1%
<b>Cancer</b>	28	0.7%
<b>Chronic liver disease and cirrhosis</b>	21	0.5%
<b>Diabetes</b>	17	0.4%
<b>Chronic lower respiratory disease</b>	14	0.4%
<b>Chronic Kidney Disease</b>	5	0.1%
<b>Influenza &amp; pneumonia</b>	5	0.1%
<b>Total</b>	3985	100.0%

\*Excludes 120 (3%) deaths which have not yet been coded by the National Center for Health Statistics.


## SECTION 2: MORTALITY RATES

### Mortality Rate per 100,000 Population by Age Group

**Note: This graph was in error for the reports on February 1, 2021 – March 22, 2021 due to incorrect population denominators. We regret the error and appreciate being notified of it.**




## Age-adjusted Mortality Rate per 100,000 Population by Gender







### Age-adjusted Mortality rate per 100,000 Population by Race/Ethnicity




### Age-adjusted Mortality rate among AI/AN by Month of 1<sup>st</sup> Positive Test



## Age-adjusted Mortality Rate per 100,000 Population by New Mexico County




## Age-adjusted Mortality Rate per 100,000 Population by County (last 14 days)




## SECTION 3: CASE FATALITY RATES

### Case Fatality Rate by Age Group




## Age-adjusted\* Case Fatality Case Fatality Rate by Month of 1<sup>st</sup> Positive Test



\*Age-adjusted case fatality rates are adjusted to the current distribution of U.S. COVID-19 cases.

<https://covid.cdc.gov/covid-data-tracker/#demographics>


## Age-adjusted\* Case Fatality Rate by Gender




\*Age-adjusted case fatality rates are adjusted to the current distribution of U.S. COVID-19 cases.

<https://covid.cdc.gov/covid-data-tracker/#demographics>


### Age-adjusted\* Case Fatality Rate by Race/Ethnicity



### Age-adjusted\* Case Fatality Rate Among AI/AN, by Month of 1<sup>st</sup> Positive Test




### Case Fatality Rate by Race/Ethnicity and Age Group







### Age-adjusted\* Case Fatality Rate by Race/Ethnicity and Gender



### Age-adjusted\* Case Fatality Rate Among AI/AN, by Month of 1<sup>st</sup> Positive Test and Gender



## Age-adjusted\* Case Fatality Rate by Gender, Underlying Conditions, and Hospitalization Status



\*Age-adjusted case fatality rates are adjusted to the current distribution of U.S. COVID-19 cases.

<https://covid.cdc.gov/covid-data-tracker/#demographics>

## Data Sources

- **COVID-19 data:** New Mexico Electronic Disease Surveillance System (NM-EDSS), Infectious Disease Epidemiology Bureau, Epidemiology and Response Division, New Mexico Department of Health.
- **Mortality data:** Bureau of Vital Records and Health Statistics, Epidemiology and Response Division, New Mexico Department of Health.
- **Population Estimates:** University of New Mexico, Geospatial and Population Studies (GPS) Program.
- **Age-adjustment:** US 2000 Standard Population Weights for mortality rates. US COVID-19 cases for case fatality rates.

## Data Notes

- **The data reported in this weekly update may not match the daily numbers that are reported in the New Mexico Department of Health (NMDOH) press releases and/or the NMDOH COVID-19 data dashboard. This may be due to variation in the date and time of data extraction from NM-EDSS, corrections after quality assurance review, and differences in the exclusion criteria.**
- **New Mexico Electronic Disease Surveillance System (NM-EDSS).** Disease incidence data are derived from reports of notifiable infectious diseases. NMDOH relies on health care providers, laboratories, hospitals, clinics, institutions and individuals to report suspected and confirmed notifiable infectious diseases in accordance with New Mexico Administrative Code 7.4.3.13. Under-reporting can occur due to lack of awareness about reporting requirements or lack of compliance with those requirements. Not all cases of infectious diseases can be detected for various reasons including lack of access to health care services, lack of laboratory testing or concerns about confidentiality. Specific and standardized national case definitions are used to classify disease reports by case status.
- **New Mexico COVID-19 Related Deaths.** Following the standardized surveillance case definition published by the Council of State and Territorial Epidemiologists, COVID-19 related deaths in NM include 1) deaths of confirmed cases, which have a documented positive RT-PCR test or rapid test for SARS-CoV-2; and 2) deaths based on vital records criteria in the absence of confirmatory laboratory evidence, which is a death certificate that lists COVID-19 disease or SARS-CoV-2 as a cause of death or a significant condition contributing to death. Death certificates may list multiple causes of death, with one single cause identified as the underlying cause of death defined as the condition that began the chain of events that ultimately led to the person's death. Death certificates may also list significant conditions contributing to death, defined as a condition or circumstance that contributed to the cause of death but did not result in the underlying cause nor participated in the causal pathway to the final or immediate cause of death. NM only includes natural deaths, and excludes intentional and unintentional injury deaths among confirmed cases.

- **New Mexico Population Estimates.** All population estimates apply to July 1 of 2019. Estimates include decimal fractions. The sum of population subgroup estimates may not exactly equal the overall state population estimate due to rounding error. Population estimates for previous years are occasionally revised as new information becomes available. When publishing trend data, always be sure that your rates for earlier years match current rates on NM-IBIS that have been calculated with the most up-to-date population estimates.
- **Race/ethnicity.** Race and ethnicity are reported as a single variable, race/ethnicity, according to the selection of the case. Any case who is Hispanic is in the Hispanic category and all other races are non-Hispanic.
- **Mortality rate per 100,000 population.** A basic measure of disease-specific hospitalization frequency is a rate, which takes into account the number of deaths and the population size. It is helpful in making public health decisions for a given population, relative to another population regardless of size.
- **Age-adjusted mortality or case fatality rate per 100,000 population.** The age-distribution of a population (the number of people in particular age categories) can change over time and can be different in different geographic areas. The use of age-adjusted rates permits a valid comparison among populations. It ensures that the differences in deaths from one population to another are not due to differences in the age distribution of the populations being compared.