

NEW MEXICO COVID-19 MORTALITY UPDATE


July 12, 2021

All data reported here exclude cases who live out-of-state.


Total Deaths	Deaths in the Last 14 Days
4,358	0

SECTION 1: DEATH COUNTS


Daily Number of Deaths and 7-day Moving Average




Number of Deaths Each Week



Number of Deaths Each Week by Long- and Short-term Care Facility Residence




Number of Deaths by Age Group Each Month




Age Group (years)	Mar'20	Apr'20	May'20	Jun'20	Jul'20	Aug'20	Sep'20	Oct'20	Nov'20	Dec'20	Jan'21	Feb'21	Mar'21	Apr'21	May'21	Jun'21	Jul'21	Total
0-17	0	0	0	0	0	0	0	0	1	0	0	0	0	0	2	0	0	3
18-44	1	14	16	7	11	14	8	13	41	55	39	13	12	4	4	4	0	256
45-64	0	24	64	40	44	26	15	47	182	240	166	84	41	31	19	13	0	1036
65-74	1	26	45	26	40	18	14	40	222	251	177	79	34	16	29	8	1	1027
75+	4	92	127	50	70	58	26	96	417	539	318	126	58	21	20	12	2	2036
Total	6	156	252	123	165	116	63	196	863	1085	700	302	145	72	74	37	3	4358

Number of Deaths by Gender Each Month




Gender	Mar'20	Apr'20	May'20	Jun'20	Jul'20	Aug'20	Sep'20	Oct'20	Nov'20	Dec'20	Jan'21	Feb'21	Mar'21	Apr'21	May'21	Jun'21	Jul'21	Total
Male	3	84	132	69	93	61	38	110	502	611	389	172	78	39	44	19	1	2445
Female	3	72	120	54	72	55	25	86	361	474	311	130	67	33	30	18	2	1913
Total	6	156	252	123	165	116	63	196	863	1085	700	302	145	72	74	37	3	4358

Number of Deaths by Race/Ethnicity Each Month




Race/Ethnicity	Mar'20	Apr'20	May'20	Jun'20	Jul'20	Aug'20	Sep'20	Oct'20	Nov'20	Dec'20	Jan'21	Feb'21	Mar'21	Apr'21	May'21	Jun'21	Jul'21	Total
AIAN	0	78	162	78	64	39	17	29	156	240	187	75	25	7	15	9	2	1183
Asian	1	0	0	1	0	0	2	3	6	7	8	2	0	0	0	1	0	31
Black	0	2	1	0	2	1	1	7	9	15	10	1	1	1	0	1	0	52
Hispanic	2	24	37	22	60	45	29	99	434	475	293	128	76	43	38	15	0	1820
White	3	52	52	22	39	31	14	58	257	348	201	96	43	21	21	11	1	1270
Unknown	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	2
Total	6	156	252	123	165	116	63	196	863	1085	700	302	145	72	74	37	3	4358

Percentage of Deaths by Race/Ethnicity and Age Group




Number of deaths by New Mexico County of residence each month



Number of deaths by New Mexico County of residence each month – continued


County of Residence	Mar'20	Apr'20	May'20	Jun'20	Jul'20	Aug'20	Sep'20	Oct'20	Nov'20	Dec'20	Jan'21	Feb'21	Mar'21	Apr'21	May'21	Jun'21	Jul'21	Total
Bernalillo	4	37	37	12	37	32	14	46	194	260	165	55	28	22	17	8	1	969
San Juan	0	62	75	38	13	8	3	4	49	83	94	28	17	3	15	6	1	499
Dona Ana	0	1	3	7	21	16	8	41	151	104	55	37	23	15	10	2	0	494
McKinley	0	27	105	45	49	18	10	6	38	84	58	30	5	1	2	0	1	479
Sandoval	1	16	13	3	9	3	1	7	45	60	48	22	8	3	2	1	0	242
Lea	0	0	0	0	7	11	9	13	48	58	27	13	5	3	2	1	0	197
Chaves	0	1	2	0	3	0	6	7	42	62	24	12	7	3	1	1	0	171
Santa Fe	0	2	2	0	0	1	2	10	32	44	38	10	2	1	5	3	0	152
Eddy	1	0	0	0	4	1	4	14	32	32	29	10	6	5	2	1	0	141
Cibola	0	3	4	8	3	3	0	2	36	28	28	3	3	1	4	0	0	126
Valencia	0	0	1	0	2	0	1	3	30	42	17	11	3	3	6	0	0	119
Luna	0	1	0	2	0	2	2	6	27	17	16	15	3	1	0	0	0	92
Curry	0	0	0	0	3	3	1	9	16	27	12	7	3	3	2	0	0	86
Otero	0	0	4	3	5	2	0	2	15	15	5	15	10	1	2	2	0	81
Rio Arriba	0	0	1	0	3	9	0	0	12	23	13	8	6	1	0	4	0	80
Socorro	0	2	3	0	1	0	0	9	17	17	5	4	2	0	1	0	0	61
Roosevelt	0	0	0	2	0	1	2	8	13	17	12	3	1	0	0	0	0	59
Taos	0	2	1	0	0	2	0	1	27	11	2	4	2	1	0	0	0	53
Sierra	0	0	0	1	0	1	0	2	9	29	6	1	1	2	0	0	0	52
Colfax	0	0	0	1	0	0	0	0	7	22	13	0	0	1	0	2	0	46
Grant	0	0	0	0	1	0	0	2	4	18	9	6	1	0	0	0	0	41
Lincoln	0	0	0	0	1	1	0	3	3	1	5	1	3	0	0	1	0	19
San Miguel	0	0	0	0	0	0	0	0	2	4	3	3	5	0	0	0	0	17
Torrance	0	0	1	0	0	0	0	0	2	5	3	1	0	1	0	3	0	16
Guadalupe	0	0	0	0	0	1	0	0	1	4	4	0	0	1	1	1	0	13
Quay	0	1	0	0	0	1	0	1	3	3	1	0	0	0	1	0	0	11
Union	0	0	0	0	2	0	0	0	3	4	1	0	0	0	0	0	0	10
Hidalgo	0	0	0	1	1	0	0	0	3	3	1	0	0	0	0	0	0	9
Mora	0	0	0	0	0	0	0	0	1	4	2	0	0	0	0	1	0	8
Los Alamos	0	0	0	0	0	0	0	0	0	1	2	2	1	0	1	0	0	7
Catron	0	1	0	0	0	0	0	0	1	1	2	0	0	0	0	0	0	5
De Baca	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	2
Harding	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
Total	6	156	252	123	165	116	63	196	863	1085	700	302	145	72	74	37	3	4358

Number of Deaths by Underlying Conditions Each Month




Underlying Conditions	Mar'20	Apr'20	May'20	Jun'20	Jul'20	Aug'20	Sep'20	Oct'20	Nov'20	Dec'20	Jan'21	Feb'21	Mar'21	Apr'21	May'21	Jun'21	Jul'21	Total
Hypertension	0	17	32	37	94	52	28	98	402	463	308	153	65	39	31	16	3	1838
Diabetes	2	37	74	54	78	44	22	72	330	383	256	110	47	32	24	14	2	1581
Cardiovascular Disease	1	57	93	46	68	34	22	71	297	312	219	87	48	25	17	14	0	1411
Chronic Kidney Disease	1	14	30	16	32	18	13	41	181	220	107	60	24	16	7	6	0	786
Chronic Lung Disease	2	33	56	15	44	23	14	35	169	199	103	52	21	19	13	11	1	810
Obesity	0	8	19	16	30	18	7	22	136	134	87	35	19	13	20	10	1	575
Chronic Liver Disease	0	5	8	13	11	11	9	20	47	55	29	22	9	8	4	2	0	253
Immuno-compromised	0	6	14	6	8	4	2	9	25	41	15	22	5	6	2	2	0	167

Percentage and Number of Deaths Each Month by Number of Underlying Conditions Reported



Number of Underlying Conditions	Mar'20	Apr'20	May'20	Jun'20	Jul'20	Aug'20	Sep'20	Oct'20	Nov'20	Dec'20	Jan'21	Feb'21	Mar'21	Apr'21	May'21	Jun'21	Jul'21	Total
None	3	63	74	29	25	28	9	34	205	301	199	66	37	11	22	7	0	1113
One	2	38	78	32	35	25	20	53	193	241	158	69	30	15	19	8	1	1017
Two	0	33	64	28	32	31	17	47	188	236	158	79	39	19	13	8	1	993
Three or more	1	22	36	34	73	32	17	62	277	307	185	88	39	27	20	14	1	1235
Total	6	156	252	123	165	116	63	196	863	1085	700	302	145	72	74	37	3	4358

Percentage of Deaths by Underlying Condition and Age Group




Number and percent of deaths by Test Result and Cause of Death on the Death Certificate

Positive COVID-19 Test Result*	COVID-19 Cause/Contributor of Death on Death Certificate	Number of Deaths	Percent
Yes	Yes	4081	93.6%
Yes	Pending	21	0.5%
No	Yes	256	5.9%
Total		4358	100.0%

* Positive RT-PCR or Rapid Test

Number and percent of deaths by underlying cause of death on the death certificate




Underlying Cause	Number of Deaths*	Percent
COVID-19	4013	93.2%
Other	91	2.1%
Cardiovascular Disease	83	1.9%
Alzheimer's or Dementia	37	0.9%
Cancer	21	0.5%
Chronic liver disease and cirrhosis	19	0.4%
Diabetes	19	0.4%
Chronic lower respiratory disease	18	0.4%
Chronic Kidney Disease	4	0.1%
Influenza & pneumonia	3	0.1%
Total	4308	100.0%
*Excludes 51 (1%) deaths which have not yet been coded by the National Center for Health Statistics.		


SECTION 2: MORTALITY RATES

Mortality Rate per 100,000 Population by Age Group


Note: This graph was in error for the reports on February 1, 2021 – March 22, 2021 due to incorrect population denominators. We regret the error and appreciate being notified of it.




Age-adjusted Mortality Rate per 100,000 Population by Gender




Age-adjusted Mortality rate per 100,000 Population by Race/Ethnicity




Age-adjusted Mortality rate among AI/AN by Month of 1st Positive Test



Age-adjusted Mortality Rate per 100,000 Population by New Mexico County




Age-adjusted Mortality Rate per 100,000 Population by County (last 14 days)




SECTION 3: CASE FATALITY RATES

Case Fatality Rate by Age Group




Age-adjusted* Case Fatality Rate by Month of 1st Positive Test



*Age-adjusted case fatality rates are adjusted to the current distribution of U.S. COVID-19 cases.

<https://covid.cdc.gov/covid-data-tracker/#demographics>


Age-adjusted* Case Fatality Rate by Gender




*Age-adjusted case fatality rates are adjusted to the current distribution of U.S. COVID-19 cases.

<https://covid.cdc.gov/covid-data-tracker/#demographics>


Age-adjusted* Case Fatality Rate by Race/Ethnicity




Age-adjusted* Case Fatality Rate Among AI/AN, by Month of 1st Positive Test




Case Fatality Rate by Race/Ethnicity and Age Group




Age-adjusted* Case Fatality Rate by Race/Ethnicity and Gender



Age-adjusted* Case Fatality Rate Among AI/AN, by Month of 1st Positive Test and Gender



Age-adjusted* Case Fatality Rate by Gender, Underlying Conditions, and Hospitalization Status



*Age-adjusted case fatality rates are adjusted to the current distribution of U.S. COVID-19 cases.

<https://covid.cdc.gov/covid-data-tracker/#demographics>

Data Sources

- **COVID-19 data:** New Mexico Electronic Disease Surveillance System (NM-EDSS), Infectious Disease Epidemiology Bureau, Epidemiology and Response Division, New Mexico Department of Health.
- **Mortality data:** Bureau of Vital Records and Health Statistics, Epidemiology and Response Division, New Mexico Department of Health.
- **Population Estimates:** University of New Mexico, Geospatial and Population Studies (GPS) Program.
- **Age-adjustment:** US 2000 Standard Population Weights for mortality rates. US COVID-19 cases for case fatality rates.

Data Notes

- **The data reported in this weekly update may not match the daily numbers that are reported in the New Mexico Department of Health (NMDOH) press releases and/or the NMDOH COVID-19 data dashboard. This may be due to variation in the date and time of data extraction from NM-EDSS, corrections after quality assurance review, and differences in the exclusion criteria.**
- **New Mexico Electronic Disease Surveillance System (NM-EDSS).** Disease incidence data are derived from reports of notifiable infectious diseases. NMDOH relies on health care providers, laboratories, hospitals, clinics, institutions and individuals to report suspected and confirmed notifiable infectious diseases in accordance with New Mexico Administrative Code 7.4.3.13. Under-reporting can occur due to lack of awareness about reporting requirements or lack of compliance with those requirements. Not all cases of infectious diseases can be detected for various reasons including lack of access to health care services, lack of laboratory testing or concerns about confidentiality. Specific and standardized national case definitions are used to classify disease reports by case status.
- **New Mexico COVID-19 Related Deaths.** Following the standardized surveillance case definition published by the Council of State and Territorial Epidemiologists, COVID-19 related deaths in NM include 1) deaths of confirmed cases, which have a documented positive RT-PCR test or rapid test for SARS-CoV-2; and 2) deaths based on vital records criteria in the absence of confirmatory laboratory evidence, which is a death certificate that lists COVID-19 disease or SARS-CoV-2 as a cause of death or a significant condition contributing to death. Death certificates may list multiple causes of death, with one single cause identified as the underlying cause of death defined as the condition that began the chain of events that ultimately led to the person's death. Death certificates may also list significant conditions contributing to death, defined as a condition or circumstance that contributed to the cause of death but did not result in the underlying cause nor participated in the causal pathway to the final or immediate cause of death. NM only includes natural deaths, and excludes intentional and unintentional injury deaths among confirmed cases.

- **New Mexico Population Estimates.** All population estimates apply to July 1 of 2019. Estimates include decimal fractions. The sum of population subgroup estimates may not exactly equal the overall state population estimate due to rounding error. Population estimates for previous years are occasionally revised as new information becomes available. When publishing trend data, always be sure that your rates for earlier years match current rates on NM-IBIS that have been calculated with the most up-to-date population estimates.
- **Race/ethnicity.** Race and ethnicity are reported as a single variable, race/ethnicity, according to the selection of the case. Any case who is Hispanic is in the Hispanic category and all other races are non-Hispanic.
- **Mortality rate per 100,000 population.** A basic measure of disease-specific hospitalization frequency is a rate, which takes into account the number of deaths and the population size. It is helpful in making public health decisions for a given population, relative to another population regardless of size.
- **Age-adjusted mortality or case fatality rate per 100,000 population.** The age-distribution of a population (the number of people in particular age categories) can change over time and can be different in different geographic areas. The use of age-adjusted rates permits a valid comparison among populations. It ensures that the differences in deaths from one population to another are not due to differences in the age distribution of the populations being compared.
- **Adjustment to the baseline death count.** On 5/24/2021, NMDOH released the results of an audit of COVID-19 related deaths. The net result was the addition of 113 deaths based on death certification which included COVID-19 as cause of death.