

NEW MEXICO COVID-19 MORTALITY UPDATE

October 4, 2021

All data reported here exclude cases who live out-of-state.

Total Deaths


4,823

Deaths in the Last 14 Days


44

SECTION 1: DEATH COUNTS


Daily Number of Deaths and 7-day Moving Average




Number of Deaths Each Week



Number of Deaths Each Week by Long- and Short-term Care Facility Residence




Number of Deaths by Age Group Each Month




Age Group (years)	Mar'20	Apr'20	May'20	Jun'20	Jul'20	Aug'20	Sep'20	Oct'20	Nov'20	Dec'20	Jan'21	Feb'21	Mar'21	Apr'21	May'21	Jun'21	Jul'21	Aug'21	Sep'21	Total
0-17	0	0	0	0	0	0	0	0	1	0	0	0	0	0	2	0	1	0	0	4
18-44	1	14	16	7	11	14	8	13	41	55	41	13	12	4	5	4	4	27	15	305
45-64	0	24	64	40	44	26	15	47	183	242	168	84	41	32	24	21	11	63	64	1193
65-74	1	26	45	26	40	18	14	40	221	251	177	79	34	16	33	14	13	51	41	1140
75+	4	92	127	50	70	58	26	96	417	539	318	127	59	22	21	17	18	56	64	2181
Total	6	156	252	123	165	116	63	196	863	1087	704	303	146	74	85	56	47	197	184	4823

Number of Deaths by Gender Each Month




Gender	Mar'20	Apr'20	May'20	Jun'20	Jul'20	Aug'20	Sep'20	Oct'20	Nov'20	Dec'20	Jan'21	Feb'21	Mar'21	Apr'21	May'21	Jun'21	Jul'21	Aug'21	Sep'21	Total
Male	3	84	132	69	93	61	38	110	502	614	394	172	78	41	49	32	28	114	104	2718
Female	3	72	120	54	72	55	25	86	361	473	310	131	68	33	36	24	19	83	80	2105
Total	6	156	252	123	165	116	63	196	863	1087	704	303	146	74	85	56	47	197	184	4823

Number of Deaths by Race/Ethnicity Each Month




Race/Ethnicity	Mar'20	Apr'20	May'20	Jun'20	Jul'20	Aug'20	Sep'20	Oct'20	Nov'20	Dec'20	Jan'21	Feb'21	Mar'21	Apr'21	May'21	Jun'21	Jul'21	Aug'21	Sep'21	Total
AIAN	0	78	162	78	64	39	17	29	157	241	190	75	25	7	18	11	8	21	17	1237
Asian	1	0	0	1	0	0	2	3	6	8	8	2	0	0	0	1	0	1	2	35
Black	0	2	1	0	2	1	1	7	9	15	10	1	1	1	0	1	1	4	3	60
Hispanic	2	24	37	22	60	45	29	99	434	475	294	129	78	43	45	24	20	94	86	2040
White	3	52	52	22	39	31	14	58	257	348	201	96	42	23	22	19	18	77	74	1448

Percentage of Deaths by Race/Ethnicity and Age Group




Number of deaths by New Mexico County of residence each month



Number of deaths by New Mexico County of residence each month – continued


County of Residence	Mar'20	Apr'20	May'20	Jun'20	Jul'20	Aug'20	Sep'20	Oct'20	Nov'20	Dec'20	Jan'21	Feb'21	Mar'21	Apr'21	May'21	Jun'21	Jul'21	Aug'21	Sep'21	Total
Bernalillo	4	37	37	12	37	32	14	46	194	260	165	55	28	23	22	10	10	43	45	1074
Catron	0	62	75	38	13	8	3	4	49	83	95	28	17	3	15	7	6	18	10	534
Chaves	0	1	3	7	21	16	8	41	150	104	55	37	23	16	11	6	3	10	10	522
Cibola	0	27	105	45	49	18	10	6	39	85	59	30	5	1	2	1	2	9	6	499
Colfax	1	16	13	3	9	3	1	7	45	60	48	22	8	3	3	1	2	6	13	264
Curry	0	0	0	0	7	11	9	13	48	58	28	13	5	3	4	2	4	24	20	249
De Baca	0	1	2	0	3	0	6	7	42	62	24	12	7	3	1	2	1	8	9	190
Dona Ana	1	0	0	0	4	1	4	14	32	32	29	10	6	5	2	1	4	25	15	185
Eddy	0	2	2	0	0	1	2	10	32	44	38	10	2	1	5	4	1	7	4	165
Grant	0	0	1	0	2	0	1	3	30	43	17	11	3	3	6	1	3	10	4	138
Guadalupe	0	3	4	8	3	3	0	2	36	28	29	3	3	1	5	0	0	3	4	135
Harding	0	0	0	0	3	3	1	9	16	27	12	7	3	3	2	0	2	6	12	106
Hidalgo	0	0	4	3	5	2	0	2	15	15	5	16	11	1	2	5	2	4	4	96
Lea	0	1	0	2	0	2	2	6	27	17	16	15	3	1	0	0	0	0	1	93
Lincoln	0	0	1	0	3	9	0	0	12	23	13	8	6	1	0	5	1	1	0	83
Los Alamos	0	0	0	2	0	1	2	8	13	17	12	3	1	0	0	0	1	4	4	68
Luna	0	2	3	0	1	0	0	9	17	17	5	4	2	0	1	0	0	1	0	62
McKinley	0	2	1	0	0	2	0	1	27	11	2	4	2	1	0	1	2	0	6	62
Mora	0	0	0	1	0	1	0	2	9	29	6	1	1	2	0	0	0	1	1	54
Otero	0	0	0	0	1	0	0	2	4	18	9	6	1	0	0	0	2	3	2	48
Quay	0	0	0	1	0	0	0	0	7	22	13	0	0	1	0	2	0	0	0	46
Rio Arriba	0	0	0	0	1	1	0	3	3	1	5	1	3	0	1	1	0	3	6	29
Roosevelt	0	0	0	0	0	0	0	0	2	4	3	3	5	0	0	0	0	1	2	20
Sandoval	0	0	1	0	0	0	0	0	2	5	3	1	0	1	0	3	0	1	1	18
San Juan	0	0	0	0	0	1	0	0	1	5	4	0	0	1	1	2	0	0	0	15
San Miguel	0	1	0	0	0	1	0	1	3	3	1	0	0	0	1	0	0	2	2	15
Santa Fe	0	0	0	1	1	0	0	0	3	3	1	0	0	0	0	0	0	1	1	11
Sierra	0	0	0	0	2	0	0	0	3	3	1	0	0	0	0	0	0	0	2	11
Socorro	0	0	0	0	0	0	0	0	1	4	2	0	0	0	0	1	0	2	0	10
Taos	0	0	0	0	0	0	0	0	0	1	2	2	1	0	1	0	0	2	0	9
Torrance	0	1	0	0	0	0	0	0	1	1	2	0	0	0	0	0	1	1	0	7
Union	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	1	0	3
Valencia	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0	2
Total	6	156	252	123	165	116	63	196	863	1087	704	303	146	74	85	56	47	197	184	4823

Number of Deaths by Underlying Conditions Each Month




Underlying Conditions	Mar'20	Apr'20	May'20	Jun'20	Jul'20	Aug'20	Sep'20	Oct'20	Nov'20	Dec'20	Jan'21	Feb'21	Mar'21	Apr'21	May'21	Jun'21	Jul'21	Aug'21	Sep'21	Total
Hypertension	0	17	32	37	94	52	28	98	405	467	312	156	66	40	35	24	18	90	78	2049
Diabetes	2	38	74	54	78	44	23	76	334	388	263	118	49	32	29	20	17	62	53	1754
Cardiovascular Disease	1	57	93	46	68	34	24	75	307	315	238	106	62	26	22	18	15	62	51	1620
Chronic Kidney Disease	1	15	30	16	32	18	13	45	188	222	113	61	27	16	10	6	8	30	18	869
Chronic Lung Disease	2	33	56	15	44	23	14	39	176	200	110	57	23	19	16	12	9	34	35	917
Obesity	0	8	19	16	30	18	7	21	132	134	86	35	18	13	23	12	9	37	30	648
Chronic Liver Disease	0	5	8	13	11	11	9	22	51	55	32	25	11	8	6	2	2	8	9	288
Immuno-compromised	0	6	14	6	8	4	2	15	37	42	23	30	11	6	4	4	5	9	11	237

Percentage and Number of Deaths Each Month by Number of Underlying Conditions Reported



Number of Underlying Conditions	Mar'20	Apr'20	May'20	Jun'20	Jul'20	Aug'20	Sep'20	Oct'20	Nov'20	Dec'20	Jan'21	Feb'21	Mar'21	Apr'21	May'21	Jun'21	Jul'21	Aug'21	Sep'21	Total
None	3	63	74	29	25	28	8	29	201	299	192	58	32	12	22	17	11	52	53	1208
One	2	37	78	32	35	25	21	51	186	241	153	66	28	15	21	8	12	42	41	1094
Two	0	33	64	28	32	31	15	50	186	237	162	77	40	20	17	12	11	47	47	1109
Three or more	1	23	36	34	73	32	19	66	290	310	197	102	46	27	25	19	13	56	43	1412
Total	6	156	252	123	165	116	63	196	863	1087	704	303	146	74	85	56	47	197	184	4823

Percentage of Deaths by Underlying Condition and Age Group




Number and percent of deaths by Test Result and Cause of Death on the Death Certificate

Positive COVID-19 Test Result*	COVID-19 Cause/Contributor of Death on Death Certificate	Number of Deaths	Percent
Yes	Yes	4545	94.2%
Yes	Pending	15	0.3%
No	Yes	263	5.5%
Total		4823	100.0%

* Positive RT-PCR or Rapid Test

Number and percent of deaths by underlying cause of death on the death certificate




Underlying Cause	Number of Deaths*		Percent
COVID-19	4354		92.9%
Other	104		2.2%
Cardiovascular Disease	91		1.9%
Alzheimer's or Dementia	40		0.9%
Cancer	27		0.6%
Chronic liver disease and cirrhosis	20		0.4%
Diabetes	24		0.5%
Chronic lower respiratory disease	18		0.4%
Chronic Kidney Disease	6		0.1%
Influenza & pneumonia	1		0.0%
Total	4685		100.0%

*Excludes 138 (3%) deaths which have not yet been coded by the National Center for Health Statistics.


SECTION 2: MORTALITY RATES

Mortality Rate per 100,000 Population by Age Group


Note: This graph was in error for the reports on February 1, 2021 – March 22, 2021, due to incorrect population denominators. We regret the error and appreciate being notified of it.




Age-adjusted Mortality Rate per 100,000 Population by Gender




Age-adjusted Mortality rate per 100,000 Population by Race/Ethnicity




Age-adjusted Mortality rate among AI/AN by Month of 1st Positive Test



Age-adjusted Mortality Rate per 100,000 Population by New Mexico County




Age-adjusted Mortality Rate per 100,000 Population by County (last 14 days)




SECTION 3: CASE FATALITY RATES

Case Fatality Rate by Age Group




Age-adjusted* Case Fatality Rate by Month of 1st Positive Test



*Age-adjusted case fatality rates are adjusted to the current distribution of U.S. COVID-19 cases.

<https://covid.cdc.gov/covid-data-tracker/#demographics>


Age-adjusted* Case Fatality Rate by Gender




*Age-adjusted case fatality rates are adjusted to the current distribution of U.S. COVID-19 cases.

<https://covid.cdc.gov/covid-data-tracker/#demographics>


Age-adjusted* Case Fatality Rate by Race/Ethnicity




Age-adjusted* Case Fatality Rate Among AI/AN, by Month of 1st Positive Test




Case Fatality Rate by Race/Ethnicity and Age Group




Age-adjusted* Case Fatality Rate by Race/Ethnicity and Gender



Age-adjusted* Case Fatality Rate Among AI/AN, by Month of 1st Positive Test and Gender



Age-adjusted* Case Fatality Rate by Gender, Underlying Conditions, and Hospitalization Status



*Age-adjusted case fatality rates are adjusted to the current distribution of U.S. COVID-19 cases.

<https://covid.cdc.gov/covid-data-tracker/#demographics>

Data Sources

- **COVID-19 data:** New Mexico Electronic Disease Surveillance System (NM-EDSS), Infectious Disease Epidemiology Bureau, Epidemiology and Response Division, New Mexico Department of Health.
- **Mortality data:** Bureau of Vital Records and Health Statistics, Epidemiology and Response Division, New Mexico Department of Health.
- **Population Estimates:** University of New Mexico, Geospatial and Population Studies (GPS) Program.
- **Age-adjustment:** US 2000 Standard Population Weights for mortality rates. US COVID-19 cases for case fatality rates.

Data Notes

- **The data reported in this weekly update may not match the daily numbers that are reported in the New Mexico Department of Health (NMDOH) press releases and/or the NMDOH COVID-19 data dashboard. This may be due to variation in the date and time of data extraction from NM-EDSS, corrections after quality assurance review, and differences in the exclusion criteria.**
- **New Mexico Electronic Disease Surveillance System (NM-EDSS).** Disease incidence data are derived from reports of notifiable infectious diseases. NMDOH relies on health care providers, laboratories, hospitals, clinics, institutions and individuals to report suspected and confirmed notifiable infectious diseases in accordance with New Mexico Administrative Code 7.4.3.13. Under-reporting can occur due to lack of awareness about reporting requirements or lack of compliance with those requirements. Not all cases of infectious diseases can be detected for various reasons including lack of access to health care services, lack of laboratory testing or concerns about confidentiality. Specific and standardized national case definitions are used to classify disease reports by case status.
- **New Mexico COVID-19 Related Deaths.** Following the standardized surveillance case definition published by the Council of State and Territorial Epidemiologists, COVID-19 related deaths in NM include 1) deaths of confirmed cases, which have a documented positive RT-PCR test or rapid test for SARS-CoV-2; and 2) deaths based on vital records criteria in the absence of confirmatory laboratory evidence, which is a death certificate that lists COVID-19 disease or SARS-CoV-2 as a cause of death or a significant condition contributing to death. Death certificates may list multiple causes of death, with one single cause identified as the underlying cause of death defined as the condition that began the chain of events that ultimately led to the person's death. Death certificates may also list significant conditions contributing to death, defined as a condition or circumstance that contributed to the cause of death but did not result in the underlying cause nor participated in the causal pathway to the final or immediate cause of death. NM only includes natural deaths, and excludes intentional and unintentional injury deaths among confirmed cases.

- **New Mexico Population Estimates.** All population estimates apply to July 1 of 2019. Estimates include decimal fractions. The sum of population subgroup estimates may not exactly equal the overall state population estimate due to rounding error. Population estimates for previous years are occasionally revised as new information becomes available. When publishing trend data, always be sure that your rates for earlier years match current rates on NM-IBIS that have been calculated with the most up-to-date population estimates.
- **Race/ethnicity.** Race and ethnicity are reported as a single variable, race/ethnicity, according to the selection of the case. Any case who is Hispanic is in the Hispanic category and all other races are non-Hispanic.
- **Mortality rate per 100,000 population.** A basic measure of disease-specific hospitalization frequency is a rate, which takes into account the number of deaths and the population size. It is helpful in making public health decisions for a given population, relative to another population regardless of size.
- **Age-adjusted mortality or case fatality rate per 100,000 population.** The age-distribution of a population (the number of people in particular age categories) can change over time and can be different in different geographic areas. The use of age-adjusted rates permits a valid comparison among populations. It ensures that the differences in deaths from one population to another are not due to differences in the age distribution of the populations being compared.
- **Adjustment to the baseline death count.** On 5/24/2021, NMDOH released the results of an audit of COVID-19 related deaths. The net result was the addition of 113 deaths based on death certification which included COVID-19 as cause of death.