

NEW MEXICO COVID-19 MORTALITY UPDATE

February 21, 2022

All data reported here exclude cases who live out-of-state.

Total Deaths


6,794

Deaths in the Last 14 Days


75

SECTION 1: DEATH COUNTS


Daily Number of Deaths and 7-day Moving Average




Number of Deaths Each Week



Number of Deaths Each Week by Long- and Short-term Care Facility Residence




Number of Deaths by Age Group Each Month




Age Group (years)	Mar'20	Apr'20	May'20	Jun'20	Jul'20	Aug'20	Sep'20	Oct'20	Nov'20	Dec'20	Jan'21	Feb'21	Mar'21	Apr'21	May'21	Jun'21	Jul'21	Aug'21	Sep'21	Oct'21	Nov'21	Dec'21	Jan'22	Feb'22	Total
0-17	0	0	0	0	0	0	0	0	1	0	0	0	0	0	2	0	1	0	0	1	1	1	0	0	7
18-44	1	14	16	7	11	14	8	13	41	55	41	13	12	4	5	4	5	35	39	32	46	50	34	7	507
45-64	0	24	64	40	44	26	15	47	184	242	168	84	42	32	24	22	11	69	112	92	136	167	109	27	1781
65-74	1	26	45	26	40	18	14	40	221	251	177	80	34	16	33	15	13	56	65	65	118	143	96	22	1615
75+	4	92	127	50	70	58	26	96	417	539	318	127	59	22	22	18	18	57	92	99	164	173	181	55	2884
Total	6	156	252	123	165	116	63	196	864	1087	704	304	147	74	86	59	48	217	308	289	465	534	420	111	6794

Number of Deaths by Gender Each Month




Gender	Mar'20	Apr'20	May'20	Jun'20	Jul'20	Aug'20	Sep'20	Oct'20	Nov'20	Dec'20	Jan'21	Feb'21	Mar'21	Apr'21	May'21	Jun'21	Jul'21	Aug'21	Sep'21	Oct'21	Nov'21	Dec'21	Jan'22	Feb'22	Total
Male	3	84	132	69	93	61	38	110	502	614	394	173	79	41	49	32	29	128	180	165	279	313	222	50	3840
Female	3	72	120	54	72	55	25	86	362	473	310	131	68	33	37	27	19	89	128	124	186	221	198	61	2954
Total	6	156	252	123	165	116	63	196	864	1087	704	304	147	74	86	59	48	217	308	289	465	534	420	111	6794

Number of Deaths by Race/Ethnicity Each Month




Race/Ethnicity	Mar'20	Apr'20	May'20	Jun'20	Jul'20	Aug'20	Sep'20	Oct'20	Nov'20	Dec'20	Jan'21	Feb'21	Mar'21	Apr'21	May'21	Jun'21	Jul'21	Aug'21	Sep'21	Oct'21	Nov'21	Dec'21	Jan'22	Feb'22	Total
AIAN	0	78	162	78	64	39	17	29	158	241	190	75	26	8	19	11	9	21	39	43	47	66	41	19	1480
Asian	1	0	0	1	0	0	2	3	6	8	8	2	0	0	0	1	0	1	2	1	2	8	3	1	50
Black	0	2	1	0	2	1	1	7	9	15	10	1	1	2	0	1	1	5	5	1	3	8	6	1	83
Hispanic	2	24	37	22	60	45	29	99	434	475	294	130	78	44	45	28	21	109	145	138	227	265	203	47	3001
White	3	52	52	22	39	31	14	58	257	348	201	96	42	20	22	18	17	81	115	105	186	186	166	43	2174

Percentage of Deaths by Race/Ethnicity and Age Group




Number of deaths by New Mexico County of residence each month



Number of deaths by New Mexico County of residence each month – continued


County of Residence	Mar'20	Apr'20	May'20	Jun'20	Jul'20	Aug'20	Sep'20	Oct'20	Nov'20	Dec'20	Jan'21	Feb'21	Mar'21	Apr'21	May'21	Jun'21	Jul'21	Aug'21	Sep'21	Oct'21	Nov'21	Dec'21	Jan'22	Feb'22	Total
Bernalillo	4	37	37	12	37	32	14	46	194	260	165	55	28	23	22	11	11	50	67	56	138	164	116	23	1602
San Juan	0	62	75	38	13	8	3	4	49	83	95	28	18	3	16	7	6	19	19	33	53	45	25	10	712
Dona Ana	0	1	3	7	21	16	8	41	150	105	55	37	23	16	11	6	3	11	19	16	43	51	44	8	695
McKinley	0	27	105	45	49	18	10	6	40	85	59	30	5	1	2	1	2	9	15	17	11	7	14	6	564
Sandoval	1	16	13	3	9	3	1	7	45	60	48	22	8	3	3	1	2	6	19	12	25	31	25	6	369
Lea	0	0	0	0	7	11	9	13	48	58	28	13	5	3	4	2	4	28	40	14	6	5	9	1	308
Chaves	0	1	2	0	3	0	6	7	42	62	24	12	7	3	1	2	1	10	14	16	15	25	29	9	291
Eddy	1	0	0	0	4	1	4	14	32	32	29	11	6	5	2	1	4	26	24	16	18	9	14	2	255
Santa Fe	0	2	2	0	0	1	2	10	32	44	38	10	2	1	5	6	1	7	7	8	15	27	21	3	244
Valencia	0	0	1	0	2	0	1	3	30	43	17	11	3	3	6	1	3	12	6	12	28	31	19	8	240
Cibola	0	3	4	8	3	3	0	2	36	28	29	3	3	1	5	0	0	3	8	10	5	13	6	3	176
Otero	0	0	4	3	5	2	0	2	15	15	5	16	11	1	2	5	2	5	6	15	25	17	8	8	172
Curry	0	0	0	0	3	3	1	9	16	26	12	7	3	3	2	0	2	6	21	8	10	18	14	2	166
Luna	0	1	0	2	0	2	2	6	27	17	16	15	3	1	0	0	0	0	1	4	4	8	4	3	116
Rio Arriba	0	0	1	0	3	9	0	0	12	23	13	8	6	1	0	5	1	2	0	3	8	13	5	3	116
Roosevelt	0	0	0	2	0	1	2	8	13	17	12	3	1	0	0	0	1	4	5	2	4	10	5	1	91
Taos	0	2	1	0	0	2	0	1	27	11	2	4	2	1	0	1	2	0	6	4	6	2	8	4	86
Socorro	0	2	3	0	1	0	0	9	17	17	5	4	2	0	1	0	0	1	1	2	2	6	10	2	85
Grant	0	0	0	0	1	0	0	2	4	18	9	6	1	0	0	0	2	3	3	6	9	4	4	2	74
Sierra	0	0	0	1	0	1	0	2	9	29	6	1	1	2	0	0	0	1	1	3	4	6	2	0	69
Colfax	0	0	0	1	0	0	0	0	7	22	13	0	0	1	0	2	0	0	1	3	7	2	3	2	64
Lincoln	0	0	0	0	1	1	0	3	3	1	5	1	3	0	1	1	0	3	8	9	5	5	9	2	61
Torrance	0	0	1	0	0	0	0	0	2	5	3	1	0	1	0	3	0	1	3	3	9	14	3	1	50
San Miguel	0	0	0	0	0	0	0	0	2	4	3	3	5	0	0	0	0	1	3	8	4	8	8	0	49
Quay	0	1	0	0	0	1	0	1	3	3	1	0	0	0	1	0	0	2	8	4	5	10	6	1	47
Guadalupe	0	0	0	0	0	1	0	0	1	5	4	0	0	1	1	2	0	0	0	0	0	0	1	0	16
Mora	0	0	0	0	0	0	0	0	1	4	2	0	0	0	0	1	0	2	0	1	1	2	2	0	16
Catron	0	1	0	0	0	0	0	0	1	1	2	0	0	0	0	0	1	1	0	1	2	1	2	0	13
Hidalgo	0	0	0	1	1	0	0	0	3	3	1	0	0	0	0	0	0	1	1	0	1	0	1	0	13
Los Alamos	0	0	0	0	0	0	0	0	0	1	2	2	1	0	1	0	0	2	0	0	2	0	1	1	13
Union	0	0	0	0	2	0	0	0	3	3	1	0	0	0	0	0	0	0	2	1	0	0	0	0	12
De Baca	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	1	0	0	0	0	2	0	5
Harding	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0	2	0	0	0	0	4
Total	6	156	252	123	165	116	63	196	864	1087	704	304	147	74	86	59	48	217	308	289	465	534	420	111	6794

Number of Deaths by Underlying Conditions Each Month




Underlying Conditions	Mar'20	Apr'20	May'20	Jun'20	Jul'20	Aug'20	Sep'20	Oct'20	Nov'20	Dec'20	Jan'21	Feb'21	Mar'21	Apr'21	May'21	Jun'21	Jul'21	Aug'21	Sep'21	Oct'21	Nov'21	Dec'21	Jan'22	Feb'22	Total
Hypertension	0	17	32	37	94	52	28	98	405	467	312	156	66	40	35	25	18	96	116	118	191	231	171	37	2842
Diabetes	2	38	74	54	79	44	23	77	334	388	263	118	49	35	31	23	17	67	85	82	136	166	122	23	2330
Cardiovascular Disease	1	57	93	46	69	34	24	75	310	315	238	106	62	37	26	21	17	71	82	78	144	123	116	39	2184
Chronic Kidney Disease	1	15	30	16	32	18	13	45	189	222	113	61	27	17	11	6	8	31	32	24	64	70	68	10	1123
Chronic Lung Disease	2	33	56	15	44	23	14	39	177	200	110	57	23	19	18	12	9	36	49	39	85	76	80	12	1228
Obesity	0	8	19	16	30	18	7	21	133	134	86	35	16	12	19	13	10	42	61	47	102	112	74	11	1026
Chronic Liver Disease	0	5	8	13	11	11	9	22	51	55	32	25	12	8	6	2	2	11	17	15	19	19	26	8	387
Immuno-compromised	0	6	14	6	8	4	2	15	41	42	23	30	11	9	7	6	6	10	14	4	18	17	19	6	318

Percentage and Number of Deaths Each Month by Number of Underlying Conditions Reported



Number of Underlying Conditions	Mar'20	Apr'20	May'20	Jun'20	Jul'20	Aug'20	Sep'20	Oct'20	Nov'20	Dec'20	Jan'21	Feb'21	Mar'21	Apr'21	May'21	Jun'21	Jul'21	Aug'21	Sep'21	Oct'21	Nov'21	Dec'21	Jan'22	Feb'22	Total
None	3	63	74	29	24	28	8	28	200	299	192	59	32	10	22	17	11	59	95	87	110	158	125	36	1769
One	2	37	78	32	35	25	21	52	187	241	153	66	30	13	22	7	12	47	78	81	122	127	91	33	1592
Two	0	33	64	28	33	31	15	50	186	237	162	77	40	16	16	13	12	50	63	58	112	118	87	24	1525
Three or more	1	23	36	34	73	32	19	66	291	310	197	102	45	35	26	22	13	61	72	63	121	131	117	18	1908
Total	6	156	252	123	165	116	63	196	864	1087	704	304	147	74	86	59	48	217	308	289	465	534	420	111	6794

Percentage of Deaths by Underlying Condition and Age Group




Number and percent of deaths by Test Result and Cause of Death on the Death Certificate

Positive COVID-19 Test Result ¹	COVID-19 Cause/Contributor of Death on Death Certificate	Number of Deaths	Percent
Yes	Yes	6487	95.5%
Yes	No	23 ²	0.3%
Yes	Pending	15	0.2%
No	Yes	269	4.0%
Total		6794	100.0%

¹ Positive RT-PCR or Rapid Test

² Beginning January 1, 2022, deaths due to natural causes matched to a SARS-CoV-2 positive test result within 30 days of the date of death are included as COVID-19 related deaths even when COVID is not listed on the death certificate.

Number and percent of deaths by underlying cause of death on the death certificate




Underlying Cause	Number of Deaths*	Percent
COVID-19	5974	93.1%
Other	137	2.1%
Cardiovascular Disease	122	1.9%
Alzheimer's or Dementia	49	0.8%
Cancer	46	0.7%
Chronic liver disease and cirrhosis	24	0.4%
Diabetes	33	0.5%
Chronic lower respiratory disease	24	0.4%
Chronic Kidney Disease	8	0.1%
Influenza & pneumonia	1	0.0%
Total	6418	100.0%
*Excludes 376 (6%) deaths which have not yet been coded by the National Center for Health Statistics.		


SECTION 2: MORTALITY RATES

Mortality Rate per 100,000 Population by Age Group


Note: This graph was in error for the reports on February 1, 2021 – March 22, 2021, due to incorrect population denominators. We regret the error and appreciate being notified of it.




Age-adjusted Mortality Rate per 100,000 Population by Gender




Age-adjusted Mortality rate per 100,000 Population by Race/Ethnicity




Age-adjusted Mortality rate among AI/AN by Month of 1st Positive Test



Age-adjusted Mortality Rate per 100,000 Population by New Mexico County




Age-adjusted Mortality Rate per 100,000 Population by County (last 14 days)




SECTION 3: CASE FATALITY RATES

Case Fatality Rate by Age Group




Age-adjusted* Case Fatality Rate by Month of 1st Positive Test



*Age-adjusted case fatality rates are adjusted to the current distribution of U.S. COVID-19 cases.

<https://covid.cdc.gov/covid-data-tracker/#demographics>


Age-adjusted* Case Fatality Rate by Gender




*Age-adjusted case fatality rates are adjusted to the current distribution of U.S. COVID-19 cases.

<https://covid.cdc.gov/covid-data-tracker/#demographics>


Age-adjusted* Case Fatality Rate by Race/Ethnicity




Age-adjusted* Case Fatality Rate Among AI/AN, by Month of 1st Positive Test




Case Fatality Rate by Race/Ethnicity and Age Group




Age-adjusted* Case Fatality Rate by Race/Ethnicity and Gender



Age-adjusted* Case Fatality Rate Among AI/AN, by Month of 1st Positive Test and Gender



Age-adjusted* Case Fatality Rate by Gender, Underlying Conditions, and Hospitalization Status



*Age-adjusted case fatality rates are adjusted to the current distribution of U.S. COVID-19 cases.

<https://covid.cdc.gov/covid-data-tracker/#demographics>

Data Sources

- **COVID-19 data:** New Mexico Electronic Disease Surveillance System (NM-EDSS), Infectious Disease Epidemiology Bureau, Epidemiology and Response Division, New Mexico Department of Health.
- **Mortality data:** Bureau of Vital Records and Health Statistics, Epidemiology and Response Division, New Mexico Department of Health.
- **Population Estimates:** University of New Mexico, Geospatial and Population Studies (GPS) Program.
- **Age-adjustment:** US 2000 Standard Population Weights for mortality rates. US COVID-19 cases for case fatality rates.

Data Notes

- **The data reported in this weekly update may not match the daily numbers that are reported in the New Mexico Department of Health (NMDOH) press releases and/or the NMDOH COVID-19 data dashboard. This may be due to variation in the date and time of data extraction from NM-EDSS, corrections after quality assurance review, and differences in the exclusion criteria.**
- **New Mexico Electronic Disease Surveillance System (NM-EDSS).** Disease incidence data are derived from reports of notifiable infectious diseases. NMDOH relies on health care providers, laboratories, hospitals, clinics, institutions and individuals to report suspected and confirmed notifiable infectious diseases in accordance with New Mexico Administrative Code 7.4.3.13. Under-reporting can occur due to of lack of awareness about reporting requirements or lack of compliance with those requirements. Not all cases of infectious diseases can be detected for various reasons including lack of access to health care services, lack of laboratory testing or concerns about confidentiality. Specific and standardized national case definitions are used to classify disease reports by case status.
- **New Mexico COVID-19 Related Deaths.** Following the standardized surveillance case definition published by the Council of State and Territorial Epidemiologists, COVID-19 related deaths in NM include 1) deaths of confirmed cases, which have a documented positive RT-PCR test or rapid test for SARS-CoV-2; and 2) deaths based on vital records criteria in the absence of confirmatory laboratory evidence, which is a death certificate that lists COVID-19 disease or SARS-CoV-2 as a cause of death or a significant condition contributing to death. Death certificates may list multiple causes of death, with one single cause identified as the underlying cause of death defined as the condition that began the chain of events that ultimately led to the person's death. Death certificates may also list significant conditions contributing to death, defined as a condition or circumstance that contributed to the cause of death but did not result in the underlying cause nor participated in the causal pathway to the final or immediate cause of death. NM only includes natural deaths and excludes intentional and unintentional injury deaths among confirmed cases. Beginning January 1, 2022 deaths due to natural causes matched to a SARS-CoV-2 positive test result within 30 days of the date of death are included as COVID-19 related deaths even when COVID is not listed on the death certificate.

- **New Mexico Population Estimates.** All population estimates apply to July 1 of 2019. Estimates include decimal fractions. The sum of population subgroup estimates may not exactly equal the overall state population estimate due to rounding error. Population estimates for previous years are occasionally revised as new information becomes available. When publishing trend data, always be sure that your rates for earlier years match current rates on NM-IBIS that have been calculated with the most up-to-date population estimates.
- **Race/ethnicity.** Race and ethnicity are reported as a single variable, race/ethnicity, according to the selection of the case. Any case who is Hispanic is in the Hispanic category and all other races are non-Hispanic.
- **Mortality rate per 100,000 population.** A basic measure of disease-specific hospitalization frequency is a rate, which takes into account the number of deaths and the population size. It is helpful in making public health decisions for a given population, relative to another population regardless of size.
- **Age-adjusted mortality or case fatality rate per 100,000 population.** The age-distribution of a population (the number of people in particular age categories) can change over time and can be different in different geographic areas. The use of age-adjusted rates permits a valid comparison among populations. It ensures that the differences in deaths from one population to another are not due to differences in the age distribution of the populations being compared.
- **Adjustment to the baseline death count.** On 5/24/2021, NMDOH released the results of an audit of COVID-19 related deaths. The net result was the addition of 113 deaths based on death certification which included COVID-19 as cause of death.