NEW MEXICO COVID-19 MORTALITY UPDATE


March 14, 2022

All data reported here exclude cases who live out-of-state.


Total Deaths	Deaths in the Last 14 Days
7,078	39

SECTION 1: DEATH COUNTS


Daily Number of Deaths and 7-day Moving Average



Number of Deaths Each Week




Number of Deaths Each Week by Long- and Short-term Care Facility Residence




Date of Death (Deaths reported through 03/14/2022)

Number of Deaths by Age Group Each Month




Age Group (years)	Mar'20	Apr'20	May'20	Jun'20	Jul'20	Aug'20	Sep'20	Oct'20	Nov'20	Dec'20	Jan'21	Feb'21	Mar'21	Apr'21	May'21	Jun'21	Jul'21	Aug'21	Sep'21	Oct'21	Nov'21	Dec'21	Jan'22	Feb'22	Mar'22	Total
0-17	0	0	0	0	0	0	0	0	1	0	0	0	0	0	2	0	1	0	0	1	1	1	0	0	0	7
18-44	1	14	16	7	11	14	8	13	41	55	41	13	12	4	5	4	5	35	41	33	48	56	38	16	0	531
45-64	0	24	64	40	44	26	15	47	184	242	168	84	42	32	24	22	11	71	113	94	145	178	116	74	6	1866
65-74	1	26	45	26	40	18	14	40	221	251	177	80	34	16	33	15	13	57	65	65	118	148	115	56	3	1677
75+	4	92	127	50	70	58	26	96	417	539	318	127	59	22	22	18	18	57	92	99	168	178	194	135	11	2997
Total	6	156	252	123	165	116	63	196	864	1087	704	304	147	74	86	59	48	220	311	292	480	561	463	281	20	7078

Number of Deaths by Gender Each Month




Gender	Mar'20	Apr'20	May'20	Jun'20	Jul'20	Aug'20	Sep'20	Oct'20	Nov'20	Dec'20	Jan'21	Feb'21	Mar'21	Apr'21	May'21	Jun'21	Jul'21	Aug'21	Sep'21	Oct'21	Nov'21	Dec'21	Jan'22	Feb'22	Mar'22	Total
Male	3	84	132	69	93	61	38	110	502	613	394	173	79	41	49	32	29	130	182	166	286	329	251	145	15	4006
Female	3	72	120	54	72	55	25	86	362	474	310	131	68	33	37	27	19	90	129	126	194	232	212	136	5	3072
Total	6	156	252	123	165	116	63	196	864	1087	704	304	147	74	86	59	48	220	311	292	480	561	463	281	20	7078

Number of Deaths by Race/Ethnicity Each Month




Race/Ethnicity	Mar'20	Apr'20	May'20	Jun'20	Jul'20	Aug'20	Sep'20	Oct'20	Nov'20	Dec'20	Jan'21	Feb'21	Mar'21	Apr'21	May'21	Jun'21	Jul'21	Aug'21	Sep'21	Oct'21	Nov'21	Dec'21	Jan'22	Feb'22	Mar'22	Total
AIAN	0	78	162	78	64	39	17	29	158	241	190	75	26	8	19	11	9	21	41	45	49	67	47	35	2	1511
Asian	1	0	0	1	0	0	2	3	6	8	8	2	0	0	0	1	0	1	2	1	2	8	3	2	0	51
Black	0	2	1	0	2	1	1	7	9	15	10	1	1	2	0	1	1	5	5	1	3	8	9	3	0	88
Hispanic	2	24	37	22	60	45	29	99	434	475	294	130	78	44	45	28	21	110	145	139	235	283	224	113	8	3124
White	3	52	52	22	39	31	14	58	257	348	201	96	42	20	22	18	17	83	116	105	191	194	180	127	10	2298

Percentage of Deaths by Race/Ethnicity and Age Group




Number of deaths by New Mexico County of residence each month



Number of deaths by New Mexico County of residence each month – continued


County of Residence	3/20	4/20	5/20	6/20	7/20	8/20	9/20	10/20	11/20	12/20	1/21	2/21	3/21	4/21	5/21	6/21	7/21	8/21	9/21	10/21	11/21	12/21	1/22	2/22	3/22	Total
Bernalillo	4	37	37	12	37	32	14	46	194	260	165	55	28	23	22	11	11	52	68	57	142	175	132	76	8	1698
San Juan	0	62	75	38	13	8	3	4	49	83	95	28	18	3	16	7	6	19	20	33	55	45	26	23	3	732
Dona Ana	0	1	3	7	21	16	8	41	150	105	55	37	23	16	11	6	3	11	19	17	44	55	47	22	0	718
McKinley	0	27	105	45	49	18	10	6	40	85	59	30	5	1	2	1	2	9	15	17	11	8	15	12	0	572
Sandoval	1	16	13	3	9	3	1	7	45	60	48	22	8	3	3	1	2	6	19	12	26	33	29	18	2	390
Lea	0	0	0	0	7	11	9	13	48	58	28	13	5	3	4	2	4	28	40	14	6	5	11	9	0	318
Chaves	0	1	2	0	3	0	6	7	42	62	24	12	7	3	1	2	1	10	14	16	15	25	31	18	0	302
Eddy	1	0	0	0	4	1	4	14	32	32	29	11	6	5	2	1	4	26	24	16	19	9	16	6	0	262
Santa Fe	0	2	2	0	0	1	2	10	32	44	38	10	2	1	5	6	1	8	7	8	16	28	26	6	2	257
Valencia	0	0	1	0	2	0	1	3	30	43	17	11	3	3	6	1	3	12	6	12	29	32	20	15	2	252
Curry	0	0	0	0	3	3	1	9	16	26	12	7	3	3	2	0	2	6	21	8	10	19	15	14	0	180
Otero	0	0	4	3	5	2	0	2	15	15	5	16	11	1	2	5	2	5	6	15	25	18	8	15	0	180
Cibola	0	3	4	8	3	3	0	2	36	28	29	3	3	1	5	0	0	3	8	11	5	13	6	4	0	178
Rio Arriba	0	0	1	0	3	9	0	0	12	23	13	8	6	1	0	5	1	2	0	3	9	15	8	9	0	128
Luna	0	1	0	2	0	2	2	6	27	17	16	15	3	1	0	0	0	0	1	4	5	8	4	4	2	120
Roosevelt	0	0	0	2	0	1	2	8	13	17	12	3	1	0	0	0	1	4	5	2	4	10	5	2	0	92
Taos	0	2	1	0	0	2	0	1	27	11	2	4	2	1	0	1	2	0	6	4	7	2	8	6	0	89
Socorro	0	2	3	0	1	0	0	9	17	17	5	4	2	0	1	0	0	1	1	2	2	7	10	2	0	86
Grant	0	0	0	0	1	0	0	2	4	18	9	6	1	0	0	0	2	3	3	6	9	5	5	4	0	78
Sierra	0	0	0	1	0	1	0	2	9	29	6	1	1	2	0	0	0	1	1	3	4	6	2	1	0	70
Colfax	0	0	0	1	0	0	0	0	7	22	13	0	0	1	0	2	0	0	1	3	7	2	3	2	0	64
Lincoln	0	0	0	0	1	1	0	3	3	1	5	1	3	0	1	1	0	3	9	9	5	5	9	4	0	64
Torrance	0	0	1	0	0	0	0	0	2	5	3	1	0	1	0	3	0	1	3	3	9	14	3	3	0	52
San Miguel	0	0	0	0	0	0	0	0	2	4	3	3	5	0	0	0	0	1	3	8	4	8	8	1	1	51
Quay	0	1	0	0	0	1	0	1	3	3	1	0	0	0	1	0	0	2	8	4	5	10	6	3	0	49
Guadalupe	0	0	0	0	0	1	0	0	1	5	4	0	0	1	1	2	0	0	0	0	0	0	1	1	0	17
Mora	0	0	0	0	0	0	0	0	1	4	2	0	0	0	0	1	0	2	0	1	1	2	2	0	0	16
Union	0	0	0	0	2	0	0	0	3	3	1	0	0	0	0	0	0	0	2	1	1	1	1	0	0	15
Catron	0	1	0	0	0	0	0	0	1	1	2	0	0	0	0	0	1	1	0	1	2	1	2	0	0	13
Hidalgo	0	0	0	1	1	0	0	0	3	3	1	0	0	0	0	0	0	1	1	0	1	0	1	0	0	13
Los Alamos	0	0	0	0	0	0	0	0	0	1	2	2	1	0	1	0	0	2	0	0	2	0	1	1	0	13
De Baca	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	1	0	0	0	0	2	0	0	5
Harding	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0	2	0	0	0	0	0	4
Total	6	156	252	123	165	116	63	196	864	1087	704	304	147	74	86	59	48	220	311	292	480	561	463	281	20	7078

Number of Deaths by Underlying Conditions Each Month




Underlying Conditions	Mar'20	Apr'20	May'20	Jun'20	Jul'20	Aug'20	Sep'20	Oct'20	Nov'20	Dec'20	Jan'21	Feb'21	Mar'21	Apr'21	May'21	Jun'21	Jul'21	Aug'21	Sep'21	Oct'21	Nov'21	Dec'21	Jan'22	Feb'22	Mar'22	Total
Hypertension	0	17	32	37	94	52	28	98	405	467	312	156	66	40	35	25	18	99	119	119	198	237	190	111	13	2968
Diabetes	2	38	74	54	79	44	23	77	334	388	263	118	49	35	31	23	17	68	87	84	137	174	143	63	7	2412
Cardiovascular Disease	1	57	93	46	69	34	24	75	310	315	238	106	62	37	26	21	17	74	83	80	151	131	126	91	7	2274
Chronic Kidney Disease	1	15	30	16	32	18	13	45	189	222	113	61	27	17	11	6	8	31	33	25	66	72	79	40	5	1175
Chronic Lung Disease	2	33	56	15	44	23	14	39	177	200	110	57	23	19	18	12	9	36	49	39	88	77	82	38	7	1267
Obesity	0	8	19	16	30	18	7	21	133	134	86	35	16	12	19	13	10	42	64	49	108	120	83	34	4	1081
Chronic Liver Disease	0	5	8	13	11	11	9	22	51	55	32	25	12	8	6	2	2	11	17	15	19	20	29	18	0	401
Immuno- compromised	0	6	14	6	8	4	2	15	41	42	23	30	11	9	7	6	6	10	14	4	19	18	20	16	0	331

Percentage and Number of Deaths Each Month by Number of Underlying Conditions Reported



Number of Underlying Conditions	Mar'20	Apr'20	May'20	Jun'20	Jul'20	Aug'20	Sep'20	Oct'20	Nov'20	Dec'20	Jan'21	Feb'21	Mar'21	Apr'21	May'21	Jun'21	Jul'21	Aug'21	Sep'21	Oct'21	Nov'21	Dec'21	Jan'22	Feb'22	Mar'22	Total
None	3	63	74	29	24	28	8	28	200	299	192	59	32	10	22	17	11	59	93	87	112	168	133	86	1	1838
One	2	37	78	32	35	25	21	52	187	241	153	66	30	13	22	7	12	47	81	81	127	134	105	73	5	1666
Two	0	33	64	28	33	31	15	50	186	237	162	77	40	16	16	13	12	52	63	59	117	123	95	64	7	1593
Three or more	1	23	36	34	73	32	19	66	291	310	197	102	45	35	26	22	13	62	74	65	124	136	130	58	7	1981
Total	6	156	252	123	165	116	63	196	864	1087	704	304	147	74	86	59	48	220	311	292	480	561	463	281	20	7078

Percentage of Deaths by Underlying Condition and Age Group




Number and percent of deaths by Test Result and Cause of Death on the Death Certificate

Positive COVID-19 Test Result ¹	COVID-19 Cause/Contributor of Death on Death Certificate	Number of Deaths	Percent
Yes	Yes	6756	95.5%
Yes	No	40 ²	0.5%
Yes	Pending	13	0.2%
No	Yes	269	3.8%
Total		7078	100.0%

¹ Positive RT-PCR or Rapid Test

² Beginning January 1, 2022, deaths due to natural causes matched to a SARS-CoV-2 positive test result within 30 days of the date of death are included as COVID-19 related deaths even when COVID is not listed on the death certificate.

Number and percent of deaths by underlying cause of death on the death certificate




Underlying Cause	Number of Deaths*	Percent
COVID-19	6305	92.8%
Other	152	2.2%
Cardiovascular Disease	136	2.0%
Alzheimer's or Dementia	54	0.8%
Cancer	53	0.8%
Chronic liver disease and cirrhosis	26	0.4%
Diabetes	33	0.5%
Chronic lower respiratory disease	25	0.4%
Chronic Kidney Disease	10	0.1%
Influenza & pneumonia	3	0.0%
Total	6797	100.0%
*Excludes 281 (4%) deaths which have not yet been coded by the National Center for Health Statistics.		


SECTION 2: MORTALITY RATES

Mortality Rate per 100,000 Population by Age Group


Note: This graph was in error for the reports on February 1, 2021 – March 22, 2021, due to incorrect population denominators. We regret the error and appreciate being notified of it.




Age-adjusted Mortality Rate per 100,000 Population by Gender




Age-adjusted Mortality rate per 100,000 Population by Race/Ethnicity




Age-adjusted Mortality rate among Al/AN by Month of 1st Positive Test



Age-adjusted Mortality Rate per 100,000 Population by New Mexico County




Age-adjusted Mortality Rate per 100,000 Population by County (last 14 days)




SECTION 3: CASE FATALITY RATES

Case Fatality Rate by Age Group




Age-adjusted* Case Fatality Case Fatality Rate by Month of 1st Positive Test




^{*}Age-adjusted case fatality rates are adjusted to the current distribution of U.S. COVID-19 cases. https://covid.cdc.gov/covid-data-tracker/#demographics

Age-adjusted* Case Fatality Rate by Gender




^{*}Age-adjusted case fatality rates are adjusted to the current distribution of U.S. COVID-19 cases. https://covid.cdc.gov/covid-data-tracker/#demographics


Age-adjusted* Case Fatality Rate by Race/Ethnicity




Age-adjusted* Case Fatality Rate Among Al/AN, by Month of 1st Positive Test




Case Fatality Rate by Race/Ethnicity and Age Group



Age-adjusted* Case Fatality Rate by Race/Ethnicity and Gender




Age-adjusted* Case Fatality Rate Among Al/AN, by Month of 1st Positive Test and Gender



Age-adjusted* Case Fatality Rate by Gender, Underlying Conditions, and Hospitalization Status





Not Hospitalized Hospitalized

^{*}Age-adjusted case fatality rates are adjusted to the current distribution of U.S. COVID-19 cases. https://covid.cdc.gov/covid-data-tracker/#demographics

Data Sources

- **COVID-19 data:** New Mexico Electronic Disease Surveillance System (NM-EDSS), Infectious Disease Epidemiology Bureau, Epidemiology and Response Division, New Mexico Department of Health.
- Mortality data: Bureau of Vital Records and Health Statistics, Epidemiology and Response Division, New Mexico Department of Health.
- Population Estimates: University of New Mexico, Geospatial and Population Studies (GPS) Program.
- Age-adjustment: US 2000 Standard Population Weights for mortality rates. US COVID-19 cases for case fatality rates.

Data Notes

- The data reported in this weekly update may not match the daily numbers that are reported in the New Mexico Department of Health (NMDOH)
 press releases and/or the NMDOH COVID-19 data dashboard. This may be due to variation in the date and time of data extraction from NM-EDSS,
 corrections after quality assurance review, and differences in the exclusion criteria.
- New Mexico Electronic Disease Surveillance System (NM-EDSS). Disease incidence data are derived from reports of notifiable infectious diseases. NMDOH relies on health care providers, laboratories, hospitals, clinics, institutions and individuals to report suspected and confirmed notifiable infectious diseases in accordance with New Mexico Administrative Code 7.4.3.13. Under-reporting can occur due to of lack of awareness about reporting requirements or lack of compliance with those requirements. Not all cases of infectious diseases can be detected for various reasons including lack of access to health care services, lack of laboratory testing or concerns about confidentiality. Specific and standardized national case definitions are used to classify disease reports by case status.
- New Mexico COVID-19 Related Deaths. Following the standardized surveillance case definition published by the Council of State and Territorial Epidemiologists, COVID-19 related deaths in NM include 1) deaths of confirmed cases, which have a documented positive RT-PCR test or rapid test for SARS-CoV-2; and 2) deaths based on vital records criteria in the absence of confirmatory laboratory evidence, which is a death certificate that lists COVID-19 disease or SARS-CoV-2 as a cause of death or a significant condition contributing to death. Death certificates may list multiple causes of death, with one single cause identified as the underlying cause of death defined as the condition that began the chain of events that ultimately led to the person's death. Death certificates may also list significant conditions contributing to death, defined as a condition or circumstance that contributed to the cause of death but did not result in the underlying cause nor participated in the causal pathway to the final or immediate cause of death. NM only includes natural deaths and excludes intentional and unintentional injury deaths among confirmed cases. Beginning January 1, 2022 deaths due to natural causes matched to a SARS-CoV-2 positive test result within 30 days of the date of death are included as COVID-19 related deaths even when COVID is not listed on the death certificate.

- **New Mexico Population Estimates.** All population estimates apply to July 1 of 2019. Estimates include decimal fractions. The sum of population subgroup estimates may not exactly equal the overall state population estimate due to rounding error. Population estimates for previous years are occasionally revised as new information becomes available. When publishing trend data, always be sure that your rates for earlier years match current rates on NM-IBIS that have been calculated with the most up-to-date population estimates.
- Race/ethnicity. Race and ethnicity are reported as a single variable, race/ethnicity, according to the selection of the case. Any case who is Hispanic is in the Hispanic category and all other races are non-Hispanic.
- Mortality rate per 100,000 population. A basic measure of disease-specific hospitalization frequency is a rate, which takes into account the number
 of deaths and the population size. It is helpful in making public health decisions for a given population, relative to another population regardless of
 size.
- Age-adjusted mortality or case fatality rate per 100,000 population. The age-distribution of a population (the number of people in particular age categories) can change over time and can be different in different geographic areas. The use of age-adjusted rates permits a valid comparison among populations. It ensures that the differences in deaths from one population to another are not due to differences in the age distribution of the populations being compared.
- Adjustment to the baseline death count. On 5/24/2021, NMDOH released the results of an audit of COVID-19 related deaths. The net result was the addition of 113 deaths based on death certification which included COVID-19 as cause of death.