

# NEW MEXICO COVID-19 MORTALITY UPDATE


April 4, 2022

All data reported here exclude cases who live out-of-state.


Total Deaths	Deaths in the Last 14 Days
7,293	20

## SECTION 1: DEATH COUNTS


### Daily Number of Deaths and 7-day Moving Average




## Number of Deaths Each Week




## Number of Deaths Each Week by Long- and Short-term Care Facility Residence



## Number of Deaths by Age Group Each Month




## Number of Deaths by Gender Each Month




Gender	Mar'20	Apr'20	May'20	Jun'20	Jul'20	Aug'20	Sep'20	Oct'20	Nov'20	Dec'20	Jan'21	Feb'21	Mar'21	Apr'21	May'21	Jun'21	Jul'21	Aug'21	Sep'21	Oct'21	Nov'21	Dec'21	Jan'22	Feb'22	Mar'22	Total
Male	3	84	132	69	93	61	38	110	502	613	394	173	79	41	49	32	29	130	182	167	289	348	277	171	72	4138
Female	3	72	120	54	72	55	25	86	362	474	311	131	68	33	37	27	19	91	129	126	194	241	235	155	35	3155
Total	6	156	252	123	165	116	63	196	864	1087	705	304	147	74	86	59	48	221	311	293	483	589	512	326	107	7293


## Number of Deaths by Race/Ethnicity Each Month



## Percentage of Deaths by Race/Ethnicity and Age Group



# Number of deaths by New Mexico County of residence each month







# Number of deaths by New Mexico County of residence each month – continued

County of Residence	3/20	4/20	5/20	6/20	7/20	8/20	9/20	10/20	11/20	12/20	1/21	2/21	3/21	4/21	5/21	6/21	7/21	8/21	9/21	10/21	11/21	12/21	1/22	2/22	3/22	Total
Bernalillo	4	37	37	12	37	32	14	46	194	260	165	55	28	23	22	11	11	52	68	57	143	191	148	91	37	1775
San Juan	0	62	75	38	13	8	3	4	49	83	95	28	18	3	16	7	6	19	20	33	55	45	26	27	10	743
Dona Ana	0	1	3	7	21	16	8	41	150	104	55	37	23	16	11	6	3	11	19	17	44	56	52	28	8	737
McKinley	0	27	105	45	49	18	10	6	40	85	60	30	5	1	2	1	2	10	15	18	11	8	17	15	4	584
Sandoval	1	16	13	3	9	3	1	7	45	60	48	22	8	3	3	1	2	6	19	12	26	38	35	21	6	408
Lea	0	0	0	0	7	11	9	13	48	58	28	13	5	3	4	2	4	28	40	14	6	5	15	10	3	326
Chaves	0	1	2	0	3	0	6	7	42	62	24	12	7	3	1	2	1	10	14	16	15	27	34	19	4	312
Eddy	1	0	0	0	4	1	4	14	32	32	29	11	6	5	2	1	4	26	24	16	20	10	17	8	5	272
Santa Fe	0	2	2	0	0	1	2	10	32	44	38	10	2	1	5	6	1	8	7	8	16	28	28	8	5	264
Valencia	0	0	1	0	2	0	1	3	30	43	17	11	3	3	6	1	3	12	6	12	29	33	21	16	7	260
Curry	0	0	0	0	3	3	1	9	16	27	12	7	3	3	2	0	2	6	21	8	10	19	17	16	0	185
Cibola	0	3	4	8	3	3	0	2	36	28	29	3	3	1	5	0	0	3	8	11	5	13	7	4	3	182
Otero	0	0	4	3	5	2	0	2	15	15	5	16	11	1	2	5	2	5	6	15	25	18	8	16	0	181
Rio Arriba	0	0	1	0	3	9	0	0	12	23	13	8	6	1	0	5	1	2	0	3	9	15	9	9	2	131
Luna	0	1	0	2	0	2	2	6	27	17	16	15	3	1	0	0	0	0	1	4	5	8	4	5	5	124
Roosevelt	0	0	0	2	0	1	2	8	13	17	12	3	1	0	0	0	1	4	5	2	4	10	5	2	0	92
Taos	0	2	1	0	0	2	0	1	27	11	2	4	2	1	0	1	2	0	6	4	7	2	8	6	0	89
Socorro	0	2	3	0	1	0	0	9	17	17	5	4	2	0	1	0	0	1	1	2	2	7	10	2	0	86
Grant	0	0	0	0	1	0	0	2	4	18	9	6	1	0	0	0	2	3	3	6	10	6	7	4	2	84
Sierra	0	0	0	1	0	1	0	2	9	29	6	1	1	2	0	0	0	1	1	3	4	6	2	1	0	70
Lincoln	0	0	0	0	1	1	0	3	3	1	5	1	3	0	1	1	0	3	9	9	5	5	9	5	0	65
Colfax	0	0	0	1	0	0	0	0	7	22	13	0	0	1	0	2	0	0	1	3	7	2	3	2	0	64
San Miguel	0	0	0	0	0	0	0	0	2	4	3	3	5	0	0	0	0	1	3	8	4	9	9	2	2	55
Torrance	0	0	1	0	0	0	0	0	2	5	3	1	0	1	0	3	0	1	3	3	9	14	3	3	1	53
Quay	0	1	0	0	0	1	0	1	3	3	1	0	0	0	1	0	0	2	8	4	5	10	6	3	1	50
Guadalupe	0	0	0	0	0	1	0	0	1	5	4	0	0	1	1	2	0	0	0	0	0	0	1	1	0	17
Mora	0	0	0	0	0	0	0	0	1	4	2	0	0	0	0	1	0	2	0	1	1	2	2	0	1	17
Los Alamos	0	0	0	0	0	0	0	0	0	1	2	2	1	0	1	0	0	2	0	0	2	0	2	2	1	16
Union	0	0	0	0	2	0	0	0	3	3	1	0	0	0	0	0	0	0	2	1	1	1	1	0	0	15
Hidalgo	0	0	0	1	1	0	0	0	3	3	1	0	0	0	0	0	0	1	1	0	1	0	2	0	0	14
Catron	0	1	0	0	0	0	0	0	1	1	2	0	0	0	0	0	1	1	0	1	2	1	2	0	0	13
De Baca	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	1	0	0	0	0	2	0	0	5
Harding	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0	2	0	0	0	0	0	4
Total	6	156	252	123	165	116	63	196	864	1087	705	304	147	74	86	59	48	221	311	293	483	589	512	326	107	7293

## Number of Deaths by Underlying Conditions Each Month




## Percentage and Number of Deaths Each Month by Number of Underlying Conditions Reported



Number of Underlying Conditions	Mar'20	Apr'20	May'20	Jun'20	Jul'20	Aug'20	Sep'20	Oct'20	Nov'20	Dec'20	Jan'21	Feb'21	Mar'21	Apr'21	May'21	Jun'21	Jul'21	Aug'21	Sep'21	Oct'21	Nov'21	Dec'21	Jan'22	Feb'22	Mar'22	Total
None	3	61	74	29	24	28	8	28	200	298	192	59	32	10	22	17	10	58	90	85	111	172	138	95	26	1870
One	2	38	78	32	35	25	21	52	187	241	152	66	30	13	22	7	13	49	83	83	130	145	124	83	24	1735
Two	0	34	64	28	33	31	15	50	186	238	164	77	40	16	16	13	12	52	63	59	117	130	110	78	23	1649
Three or more	1	23	36	34	73	32	19	66	291	310	197	102	45	35	26	22	13	62	75	66	125	142	140	70	34	2039
Total	6	156	252	123	165	116	63	196	864	1087	705	304	147	74	86	59	48	221	311	293	483	589	512	326	107	7293

## Percentage of Deaths by Underlying Condition and Age Group




## Number and percent of deaths by Test Result and Cause of Death on the Death Certificate

Positive COVID-19 Test Result <sup>1</sup>	COVID-19 Cause/Contributor of Death on Death Certificate	Number of Deaths	Percent
<b>Yes</b>	<b>Yes</b>	6905	94.7%
<b>Yes</b>	<b>No</b>	95 <sup>2</sup>	1.3%
<b>Yes</b>	<b>Pending</b>	12	0.2%
<b>No</b>	<b>Yes</b>	281	3.9%
<b>Total</b>		7293	100.0%

<sup>1</sup> Positive RT-PCR or Rapid Test

<sup>2</sup> Beginning January 1, 2022, deaths due to natural causes matched to a SARS-CoV-2 positive test result within 30 days of the date of death are included as COVID-19 related deaths even when COVID is not listed on the death certificate.


## Number and percent of deaths by underlying cause of death on the death certificate




Underlying Cause	Number of Deaths*		Percent
COVID-19	6407		92.3%
Other	169		2.4%
Cardiovascular Disease	149		2.1%
Alzheimer's or Dementia	58		0.8%
Cancer	58		0.8%
Chronic liver disease and cirrhosis	29		0.4%
Diabetes	35		0.5%
Chronic lower respiratory disease	25		0.4%
Chronic Kidney Disease	11		0.2%
Influenza & pneumonia	4		0.1%
<b>Total</b>	<b>6945</b>		<b>100.0%</b>
*Excludes 348 (5%) deaths which have not yet been coded by the National Center for Health Statistics.			

## SECTION 2: MORTALITY RATES

Mortality Rate per 100,000 Population by Age Group




## Age-adjusted Mortality Rate per 100,000 Population by Gender







## Age-adjusted Mortality rate per 100,000 Population by Race/Ethnicity




## Age-adjusted Mortality rate among AI/AN by Month of 1<sup>st</sup> Positive Test



## Age-adjusted Mortality Rate per 100,000 Population by New Mexico County




## Age-adjusted Mortality Rate per 100,000 Population by County (last 14 days)




## SECTION 3: CASE FATALITY RATES

Case Fatality Rate by Age Group




## Age-adjusted\* Case Fatality Rate by Month of 1<sup>st</sup> Positive Test



\*Age-adjusted case fatality rates are adjusted to the current distribution of U.S. COVID-19 cases.

<https://covid.cdc.gov/covid-data-tracker/#demographics>


## Age-adjusted\* Case Fatality Rate by Gender




\*Age-adjusted case fatality rates are adjusted to the current distribution of U.S. COVID-19 cases.

<https://covid.cdc.gov/covid-data-tracker/#demographics>


### Age-adjusted\* Case Fatality Rate by Race/Ethnicity



### Age-adjusted\* Case Fatality Rate Among AI/AN, by Month of 1<sup>st</sup> Positive Test




## Case Fatality Rate by Race/Ethnicity and Age Group







### Age-adjusted\* Case Fatality Rate by Race/Ethnicity and Gender



### Age-adjusted\* Case Fatality Rate Among AI/AN, by Month of 1<sup>st</sup> Positive Test and Gender



## Age-adjusted\* Case Fatality Rate by Gender, Underlying Conditions, and Hospitalization Status



\*Age-adjusted case fatality rates are adjusted to the current distribution of U.S. COVID-19 cases.

<https://covid.cdc.gov/covid-data-tracker/#demographics>

## Data Sources

- **COVID-19 data:** New Mexico Electronic Disease Surveillance System (NM-EDSS), Infectious Disease Epidemiology Bureau, Epidemiology and Response Division, New Mexico Department of Health.
- **Mortality data:** Bureau of Vital Records and Health Statistics, Epidemiology and Response Division, New Mexico Department of Health.
- **Population Estimates:** University of New Mexico, Geospatial and Population Studies (GPS) Program.
- **Age-adjustment:** US 2000 Standard Population Weights for mortality rates. US COVID-19 cases for case fatality rates.

## Data Notes

- **The data reported in this weekly update may not match the daily numbers that are reported in the New Mexico Department of Health (NMDOH) press releases and/or the NMDOH COVID-19 data dashboard. This may be due to variation in the date and time of data extraction from NM-EDSS, corrections after quality assurance review, and differences in the exclusion criteria.**
- **New Mexico Electronic Disease Surveillance System (NM-EDSS).** Disease incidence data are derived from reports of notifiable infectious diseases. NMDOH relies on health care providers, laboratories, hospitals, clinics, institutions and individuals to report suspected and confirmed notifiable infectious diseases in accordance with New Mexico Administrative Code 7.4.3.13. Under-reporting can occur due to lack of awareness about reporting requirements or lack of compliance with those requirements. Not all cases of infectious diseases can be detected for various reasons including lack of access to health care services, lack of laboratory testing or concerns about confidentiality. Specific and standardized national case definitions are used to classify disease reports by case status.
- **New Mexico COVID-19 Related Deaths.** Following the standardized surveillance case definition published by the Council of State and Territorial Epidemiologists, COVID-19 related deaths in NM include 1) deaths of confirmed cases, which have a documented positive RT-PCR test or rapid test for SARS-CoV-2; and 2) deaths based on vital records criteria in the absence of confirmatory laboratory evidence, which is a death certificate that lists COVID-19 disease or SARS-CoV-2 as a cause of death or a significant condition contributing to death. Death certificates may list multiple causes of death, with one single cause identified as the underlying cause of death defined as the condition that began the chain of events that ultimately led to the person's death. Death certificates may also list significant conditions contributing to death, defined as a condition or circumstance that contributed to the cause of death but did not result in the underlying cause nor participated in the causal pathway to the final or immediate cause of death. NM only includes natural deaths and excludes intentional and unintentional injury deaths among confirmed cases. Beginning January 1, 2022 deaths due to natural causes matched to a SARS-CoV-2 positive test result within 30 days of the date of death are included as COVID-19 related deaths even when COVID is not listed on the death certificate.

- **New Mexico Population Estimates.** All population estimates apply to July 1 of 2019. Estimates include decimal fractions. The sum of population subgroup estimates may not exactly equal the overall state population estimate due to rounding error. Population estimates for previous years are occasionally revised as new information becomes available. When publishing trend data, always be sure that your rates for earlier years match current rates on NM-IBIS that have been calculated with the most up-to-date population estimates.
- **Race/ethnicity.** Race and ethnicity are reported as a single variable, race/ethnicity, according to the selection of the case. Any case who is Hispanic is in the Hispanic category and all other races are non-Hispanic.
- **Mortality rate per 100,000 population.** A basic measure of disease-specific hospitalization frequency is a rate, which takes into account the number of deaths and the population size. It is helpful in making public health decisions for a given population, relative to another population regardless of size.
- **Age-adjusted mortality or case fatality rate per 100,000 population.** The age-distribution of a population (the number of people in particular age categories) can change over time and can be different in different geographic areas. The use of age-adjusted rates permits a valid comparison among populations. It ensures that the differences in deaths from one population to another are not due to differences in the age distribution of the populations being compared.
- **Adjustment to the baseline death count.** On 5/24/2021, NMDOH released the results of an audit of COVID-19 related deaths. The net result was the addition of 113 deaths based on death certification which included COVID-19 as cause of death.