
NEW MEXICO COVID-19 MORTALITY UPDATE

June 20, 2022

All data reported here exclude cases who live out-of-state.


Total Deaths	Deaths in the Last 14 Days
7,883	8

SECTION 1: DEATH COUNTS




Date of Death (Deaths reported through 6/21/2022)

Number of Deaths Each Week




Number of Deaths Each Week by Long- and Short-term Care Facility Residence




Date of Death (Deaths reported through 6/21/2022)

Number of Deaths by Age Group Each Month




Age Group (years)	Mar'20	Apr'20	May'2	:0 Ju	ın'20	Jul'20	Aug'20	Sep'20	Oct'20	Nov'20	Dec'20	Jan'21	Feb'21	Mar'21	Apr'21	May'21	Jun'21	Jul'21	Aug'21	Sep'21	Oct'21	Nov'21	Dec'21	Jan'22	Feb'22	Mar'22	Apr'22	May'22	Jun'22	Total
0-17	0	()	0	0	0	0	0	0	1	0	0	0	1	0	2	C) 1	0	0	1	. 1	. 1	1	0	0	0	0	0	9
18-44	1	14	1	16	7	11	14	8	13	41	55	41	13	12	4	5	4	5	36	49	37	52	71	61	25	3	5	3	1	607
45-64	0	24	1	63	39	42	25	14	47	183	242	168	84	42	32	24	23	11	78	126	109	174	212	158	100	28	7	7	4	2066
65-74	1	26	5	45	26	40	18	14	40	221	251	177	80	34	16	33	15	12	58	74	72	137	181	155	74	38	11	. 8	1	1858
75+	4	92	2 1	125	50	70	58	26	96	417	539	317	127	59	23	22	18	17	59	95	111	188	227	273	191	79	22	23	15	3343
Total	6	156	5 2	249	122	163	115	62	196	863	1087	703	304	148	75	86	60	46	231	344	330	552	692	648	390	148	45	41	21	7883

Number of Deaths by Gender Each Month




Gend	ler	Mar'20	Apr'20	May'20	Jun'20	Jul'20	Aug'20	Sep'20	Oct'20	Nov'20	Dec'20	Jan'21	Feb'21	Mar'21	Apr'21	May'21	Jun'21	Jul'21	Aug'21	Sep'21	Oct'21	Nov'21	Dec'21	Jan'22	Feb'22	Mar'22	Apr'22	May'22	Jun'22	Total
	Male	3	84	131	68	91	61	37	110	501	613	393	173	79	42	49	32	2 29	135	197	191	. 335	405	358	213	95	20	24	13	4482
	Female	3	72	118	54	72	54	25	86	362	474	310	131	69	33	37	28	3 17	96	147	139	217	287	290	177	53	25	17	8	3401
	Total	6	156	249	122	163	115	62	196	863	1087	703	304	148	75	86	60) 46	231	344	330	552	692	648	390	148	45	41	21	7883

Number of Deaths by Race/Ethnicity Each Month




Race/Ethnicit	y Mar'20	Apr'20	May'20	Jun'20	Jul'20	Aug'20	Sep'20	Oct'20	Nov'20	Dec'20	Jan'21	Feb'21	Mar'21	Apr'21	May'21	Jun'21	Jul'21	Aug'21	Sep'21	Oct'21	Nov'21	Dec'21	Jan'22	Feb'22	Mar'22	Apr'22	May'22	Jun'22	Total
AIAN	0	78	160	77	63	39	17	29	157	241	190	75	26	8	19	11	9	22	45	48	51	80	62	54	14	6	5	0	1586
Asian	1	0	0	1	0	0	2	3	6	8	8	2	0	0	0	1	0	1	3	1	2	11	3	3	1	0	1	0	58
Black	0	2	1	0	2	1	1	7	9	15	10	1	1	2	0	1	1	5	5	1	4	8	12	5	4	0	0	0	98
Hispanic	2	24	36	22	59	45	28	99	434	475	293	130	79	45	45	28	21	116	161	158	272	353	311	159	61	20	15	1	3492
White	3	52	52	22	39	30	14	58	257	348	201	96	42	20	22	19	17	88	128	117	222	240	259	165	67	19	18	2	2617

Percentage of Deaths by Race/Ethnicity and Age Group




Number of deaths by New Mexico County of residence each month



Number of deaths by New Mexico County of residence each month – continued


County of Residence	3/20	4/20	5/20	6/20	7/20	8/20	9/20	10/20	11/20	12/20	1/21	2/21	3/21	4/21	5/21	6/21	7/21	8/21	9/21	10/21	11/21	12/21	1/22	2/22	3/22	4/22	5/22	6/22	Total
Bernalillo	4	37	37	12	37	31	14	47	194	260	165	55	29	23	22	11	11	54	71	64	163	217	187	114	47	11	11	7	1935
Dona Ana	0	1	2	7	21	16	7	40	149	104	53	37	23	17	11	6	3	12	23	22	52	78	63	33	13	4	5	0	802
San Juan	0	62	75	38	12	8	3	4	49	83	94	28	18	3	16	7	5	19	22	38	64	54	29	32	10	6	2	0	781
McKinley	0	27	103	45	49	18	10	6	40	85	60	30	5	1	2	1	2	10	15	18	12	10	18	17	6	1	1	0	592
Sandoval	1	16	13	3	9	3	1	6	45	60	48	22	8	3	3	1	2	6	22	15	29	47	48	26	9	3	4	0	453
Lea	0	0	0	0	7	11	9	13	47	58	28	13	5	3	4	2	4	29	47	17	6	6	24	13	5	4	0	0	355
Chaves	0	1	2	0	3	0	6	7	42	62	24	12	7	3	1	2	1	11	16	19	16	29	41	20	10	0	1	0	336
Santa Fe	0	2	2	0	0	1	2	10	32	44	38	10	2	1	5	6	1	8	8	10	21	33	41	12	9	2	5	4	309
Eddy	1	0	0	0	4	1	4	14	32	32	29	11	6	5	2	1	4	27	27	16	23	10	19	11	7	1	0	0	287
Valencia	0	0	1	0	2	0	1	3	30	43	17	11	3	3	6	1	3	12	7	13	30	38	27	17	9	3	2	2	284
Curry	0	0	0	0	3	3	1	9	16	27	12	7	3	3	2	0	2	8	24	8	13	19	22	19	0	3	3	1	208
Cibola	0	3	4	8	3	3	0	2	36	28	29	3	3	1	5	0	0	3	11	12	6	16	10	6	4	0	1	0	197
Otero	0	0	4	2	4	2	0	2	15	15	5	16	11	1	2	5	1	5	7	15	25	19	10	17	1	1	1	1	187
Rio Arriba	0	0	1	0	3	9	0	0	12	23	14	8	6	1	0	5	1	2	0	4	10	19	11	9	4	1	0	0	143
Luna	0	1	0	2	0	2	2	6	28	17	16	15	3	1	0	0	0	1	1	4	6	11	6	5	4	1	0	1	133
Roosevelt	0	0	0	2	0	1	2	8	13	17	12	3	1	0	0	0	1	4	5	2	5	11	7	3	0	1	0	0	98
Grant	0	0	0	0	1	0	0	2	5	18	9	6	1	0	0	0	2	3	3	8	12	7	8	4	2	1	1	2	95
Socorro	0	2	3	0	1	0	0	9	16	17	5	4	2	0	1	0	0	2	1	3	4	8	10	2	0	0	0	2	92
Taos	0	2	1	0	0	2	0	1	27	11	2	4	2	1	0	1	2	0	6	4	7	2	9	7	0	0	1	0	92
Sierra	0	0	0	1	0	1	0	2	9	29	6	1	1	2	0	0	0	1	1	4	5	7	4	1	0	0	1	1	77
Lincoln	0	0	0	0	1	1	0	3	3	1	5	1	3	0	1	1	0	3	9	9	5	5	12	5	0	0	0	0	68
San Miguel	0	0	0	0	0	0	0	1	2	4	3	3	5	0	0	0	0	1	3	8	6	10	12	5	2	2	1	0	68
Colfax	0	0	0	1	0	0	0	0	7	22	13	0	0	1	0	2	0	0	1	3	7	2	3	2	1	0	0	0	65
Quay	0	1	0	0	0	1	0	1	3	3	1	0	0	0	1	1	0	2	8	4	7	13	7	4	1	0	0	0	58
Torrance	0	0	1	0	0	0	0	0	2	5	3	1	0	1	0	3	0	1	3	4	10	16	4	3	1	0	0	0	58
Mora	0	0	0	0	0	0	0	0	1	4	2	0	0	0	0	1	0	2	0	1	1	3	3	0	1	0	1	0	20
Guadalupe	0	0	0	0	0	1	0	0	1	5	4	0	0	1	1	2	0	0	0	0	0	0	1	1	0	0	0	0	17
Union	0	0	0	0	2	0	0	0	3	3	1	0	0	0	0	0	0	0	2	2	1	1	1	0	1	0	0	0	17
Los Alamos	0	0	0	0	0	0	0	0	0	1	2	2	1	0	1	0	0	2	0	0	2	0	2	2	1	0	0	0	16
Catron	0	1	0	0	0	0	0	0	1	1	2	0	0	0	0	0	1	1	0	1	3	1	3	0	0	0	0	0	15
Hidalgo	0	0	0	1	1	0	0	0	3	3	1	0	0	0	0	0	0	1	1	0	1	0	3	0	0	0	0	0	15
De Baca	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	1	0	0	0	0	3	0	0	0	0	0	6
Harding	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0	2	0	0	0	0	0	0	0	0	4
Total	6	156	249	122	163	115	62	196	863	1087	703	304	148	75	86	60	46	231	344	330	552	692	648	390	148	45	41	21	7883

Number of Deaths by Underlying Conditions Each Month




Underlying Conditions	Mar'20	Apr'20	May'20	Jun'20	Jul'20	Aug'20	Sep'20	Oct'20	Nov'20	Dec'20	Jan'21	Feb'21	Mar'21	Apr'21	May'21	Jun'21	Jul'21	Aug'21	Sep'21	Oct'21	Nov'21	Dec'21	Jan'22	Feb'22	Mar'22	Apr'22	May'22	Jun'22	Total
Hypertension	0	26	34	37	93	51	28	98	404	470	310	156	66	40	35	25	19	101	125	129	215	275	249	164	62	19	17	11	3259
Diabetes	2	42	75	54	79	43	23	77	334	390	265	118	49	35	31	23	16	72	94	95	153	199	174	93	38	13	5	5	2597
Cardiovascular Disease	1	59	93	46	69	33	24	75	310	315	240	107	62	38	26	21	16	76	89	85	164	167	191	130	63	14	17	9	2540
Chronic Kidney Disease	1	15	31	16	31	18	13	45	188	222	112	61	27	17	11	6	7	31	33	27	68	80	94	59	32	9	7	4	1265
Chronic Lung Disease	2	37	54	15	44	23	14	39	178	200	111	57	23	19	18	12	8	37	53	43	94	92	111	56	33	8	15	3	1399
Obesity	0	11	18	16	30	18	7	21	133	134	87	35	16	12	19	14	10	45	73	53	118	140	102	45	15	4	1	1	1178
Chronic Liver Disease	0	5	9	13	11	11	9	22	51	55	31	25	12	8	6	2	2	11	17	17	20	25	38	29	9	5	2	1	446
Immuno-compromised	0	6	14	6	7	4	2	15	41	42	23	30	11	9	7	6	6	10	15	4	19	22	26	22	8	2	2	2	361

Percentage and Number of Deaths Each Month by Number of Underlying Conditions Reported



Number of Underlying Conditions	Mar'20	Apr'20	May'20	Jun'20	Jul'20	Aug'20	Sep'20	Oct'20	Nov'20	Dec'20	Jan'21	Feb'21	Mar'21	Apr'21	May'21	Jun'21	Jul'21	Aug'21	Sep'21	Oct'21	Nov'21	Dec'21	Jan'22	Feb'22	Mar'22	Apr'22	May'22	Jun'22	Total
None	3	56	71	28	23	28	7	28	199	298	192	59	33	10	22	17	9	64	107	103	149	214	186	112	39	11	8	6	2082
One	2	35	77	32	35	25	21	52	187	240	152	66	30	14	22	8	13	49	90	91	140	175	169	98	33	9	14	4	1883
Two	0	37	64	28	33	31	15	50	187	237	160	76	40	16	16	13	12	54	70	67	131	151	137	91	26	15	11	4	1772
Three or more	1	28	37	34	72	31	19	66	290	312	199	103	45	35	26	22	12	64	77	69	132	152	156	89	50	10	8	7	2146
Total	6	156	249	122	163	115	62	196	863	1087	703	304	148	75	86	60	46	231	344	330	552	692	648	390	148	45	41	21	7883

Percentage of Deaths by Underlying Condition and Age Group



Number and percent of deaths by Test Result and Cause of Death on the Death Certificate

Positive COVID-19 Test Result ¹	COVID-19 Cause/Contributor of Death on Death Certificate	Number of Deaths	Percent
Yes	Yes	7174	91.2%
Yes	No	163²	2.0%
No	Yes	532	6.8%
Total		7883	100.0%

¹ Positive RT-PCR or Rapid Test

² Beginning January 1, 2022, deaths due to natural causes matched to a SARS-CoV-2 positive test result within 30 days of the date of death are included as COVID-19 related deaths even when COVID is not listed on the death certificate.


Number and percent of deaths by underlying cause of death on the death certificate **Alzheimer's or Dementia Chronic lower respiratory disease Chronic liver disease and cirrhosis** Cancer Diabetes 0.9% 0.5% 0.5% 1.2% **Cardiovascular Disease** 0.6% 2.7% **Chronic Kidney Disease** 0.2% Other 2.9% Influenza & pneumonia 0.1%

COVID-19 90.6%


Underlying Cause	Number of Deaths*	Percent
COVID-19	7016	90.6%
Other	222	2.9%
Cardiovascular Disease	209	2.7%
Alzheimer's or Dementia	72	0.9%
Cancer	90	1.2%
Chronic liver disease and cirrhosis	36	0.5%
Diabetes	44	0.6%
Chronic lower respiratory disease	35	0.5%
Chronic Kidney Disease	13	0.2%
Influenza & pneumonia	6	0.1%
Total	7743	100.0%
*Excludes 140 (2%) deaths which have not yet been coded by the National Center for Health Statistics.		

SECTION 2: MORTALITY RATES


Mortality Rate per 100,000 Population by Age Group




Age-adjusted Mortality Rate per 100,000 Population by Gender




Age-adjusted Mortality rate per 100,000 Population by Race/Ethnicity




Age-adjusted Mortality rate among AI/AN by Month of 1st Positive Test






Age-adjusted Mortality Rate per 100,000 Population by County (last 14 days)




SECTION 3: CASE FATALITY RATES

Case Fatality Rate by Age Group




Age-adjusted* Case Fatality Case Fatality Rate by Month of 1st Positive Test




^{*}Age-adjusted case fatality rates are adjusted to the current distribution of U.S. COVID-19 cases. https://covid.cdc.gov/covid-data-tracker/#demographics

Age-adjusted* Case Fatality Rate by Gender




^{*}Age-adjusted case fatality rates are adjusted to the current distribution of U.S. COVID-19 cases. https://covid.cdc.gov/covid-data-tracker/#demographics


Age-adjusted* Case Fatality Rate by Race/Ethnicity





Age-adjusted* Case Fatality Rate Among Al/AN, by Month of 1st Positive Test




Case Fatality Rate by Race/Ethnicity and Age Group








Age-adjusted* Case Fatality Rate Among Al/AN, by Month of 1st Positive Test and Gender



Age-adjusted* Case Fatality Rate by Gender, Underlying Conditions, and Hospitalization Status



Hospitalized

^{*}Age-adjusted case fatality rates are adjusted to the current distribution of U.S. COVID-19 cases. https://covid.cdc.gov/covid-data-tracker/#demographics

Data Sources

- **COVID-19 data:** New Mexico Electronic Disease Surveillance System (NM-EDSS), Infectious Disease Epidemiology Bureau, Epidemiology and Response Division, New Mexico Department of Health.
- Mortality data: Bureau of Vital Records and Health Statistics, Epidemiology and Response Division, New Mexico Department of Health.
- Population Estimates: University of New Mexico, Geospatial and Population Studies (GPS) Program.
- Age-adjustment: US 2000 Standard Population Weights for mortality rates. US COVID-19 cases for case fatality rates.

Data Notes

- The data reported in this weekly update may not match the daily numbers that are reported in the New Mexico Department of Health (NMDOH)
 press releases and/or the NMDOH COVID-19 data dashboard. This may be due to variation in the date and time of data extraction from NM-EDSS,
 corrections after quality assurance review, and differences in the exclusion criteria.
- New Mexico Electronic Disease Surveillance System (NM-EDSS). Disease incidence data are derived from reports of notifiable infectious diseases. NMDOH relies on health care providers, laboratories, hospitals, clinics, institutions and individuals to report suspected and confirmed notifiable infectious diseases in accordance with New Mexico Administrative Code 7.4.3.13. Under-reporting can occur due to of lack of awareness about reporting requirements or lack of compliance with those requirements. Not all cases of infectious diseases can be detected for various reasons including lack of access to health care services, lack of laboratory testing or concerns about confidentiality. Specific and standardized national case definitions are used to classify disease reports by case status.
- New Mexico COVID-19 Related Deaths. Following the standardized surveillance case definition published by the Council of State and Territorial Epidemiologists, COVID-19 related deaths in NM include 1) deaths of confirmed cases, which have a documented positive RT-PCR test or rapid test for SARS-CoV-2; and 2) deaths based on vital records criteria in the absence of confirmatory laboratory evidence, which is a death certificate that lists COVID-19 disease or SARS-CoV-2 as a cause of death or a significant condition contributing to death. Death certificates may list multiple causes of death, with one single cause identified as the underlying cause of death defined as the condition that began the chain of events that ultimately led to the person's death. Death certificates may also list significant conditions contributing to death, defined as a condition or circumstance that contributed to the cause of death but did not result in the underlying cause nor participated in the causal pathway to the final or immediate cause of death. NM only includes natural deaths and excludes intentional and unintentional injury deaths among confirmed cases. Beginning January 1, 2022 deaths due to natural causes matched to a SARS-CoV-2 positive test result within 30 days of the date of death are included as COVID-19 related deaths even when COVID is not listed on the death certificate. From May 12, 2020 through February 9, 2021 12 COVID-19 deaths were reported publicly following notification of a COVID-related death from a facility to NMDOH before receipt of the death certificate. Because death reporting is based on death

certificates and we did not subsequently receive a death certificate associated with these individuals, we are removing these 12 deaths as of June 13, 2022, from the cumulative death count for COVID-19 deaths in NM.

- **New Mexico Population Estimates.** All population estimates apply to July 1 of 2019. Estimates include decimal fractions. The sum of population subgroup estimates may not exactly equal the overall state population estimate due to rounding error. Population estimates for previous years are occasionally revised as new information becomes available. When publishing trend data, always be sure that your rates for earlier years match current rates on NM-IBIS that have been calculated with the most up-to-date population estimates.
- Race/ethnicity. Race and ethnicity are reported as a single variable, race/ethnicity, according to the selection of the case. Any case who is Hispanic is in the Hispanic category and all other races are non-Hispanic.
- Mortality rate per 100,000 population. A basic measure of disease-specific hospitalization frequency is a rate, which takes into account the number of deaths and the population size. It is helpful in making public health decisions for a given population, relative to another population regardless of size.
- Age-adjusted mortality or case fatality rate per 100,000 population. The age-distribution of a population (the number of people in particular age categories) can change over time and can be different in different geographic areas. The use of age-adjusted rates permits a valid comparison among populations. It ensures that the differences in deaths from one population to another are not due to differences in the age distribution of the populations being compared.
- Adjustment to the baseline death count. On 5/24/2021, NMDOH released the results of an audit of COVID-19 related deaths. The net result was the addition of 113 deaths based on death certification which included COVID-19 as cause of death.