

NEW MEXICO COVID-19 MORTALITY UPDATE

November 7th, 2022


All data reported here exclude cases who live out-of-state.




SECTION 1: DEATH COUNTS




Number of Deaths Each Week





Number of Deaths Each Week by Long- and Short-term Care Facility Residence


Date of Death (Deaths reported through 11/07/2022)



→0-17 **→**18-44 **→**45-64 **→**65-74 **→**75+


Age Group (years)	Subtotal ¹	Oct'21	Nov'21	Dec'21	Jan'22	Feb'22	Mar'22	Apr'22	May'22	Jun'22	Jul'22	Aug' 22	Sep'22	Oct'22	Total
0-17	5	1	2	1	1	0	0	1	0	0	0	1	0	0	12
18-44	349	40	61	81	68	27	7	7	5	4	9	6	2	0	666
45-64	1268	113	187	240	182	110	29	11	12	16	22	23	5	5	2223
65-74	1184	72	158	196	177	90	41	14	12	12	26	24	14	15	2035
75+	2219	115	209	242	304	210	81	25	24	79	89	62	47	24	3730
Total	5025	341	617	760	732	437	158	58	53	111	146	116	68	44	8666

Number of Deaths by Gender Each Month



Gender	Subtotal ¹	Oct'21	Nov'21	Dec'21	Jan'22	Feb'22	Mar'22	Apr'22	May'22	Jun'22	Jul'22	Aug'22	Sep'22	Oct'22	Total
Female	2197	143	244	315	322	204	56	27	25	60	59	44	34	19	3749
Male	2828	198	373	445	410	233	102	31	28	51	87	72	34	25	4917
Total	5025	341	617	760	732	437	158	58	53	111	146	116	68	44	8666


Number of Deaths by Race/Ethnicity Each Month



--AIAN ----Asian ----Black ----Hispanic ----White


Race/Ethnicity	Subtotal ¹	Oct'21	Nov'21	Dec'21	Jan'22	Feb'22	Mar'22	Apr'22	May'22	Jun'22	Jul'22	Aug'22	Sep'22	Oct'22	Total
AIAN	1266	52	58	95	71	63	14	9	7	6	14	11	3	7	1676
Asian	36	1	2	12	3	3	1	0	1	1	3	2	1	0	66
Black	64	1	4	9	13	5	5	1	0	3	6	3	1	0	115
Hispanic	2147	163	305	386	347	181	66	24	21	42	51	45	29	16	3823
White	1509	122	246	257	296	183	72	23	24	57	71	55	34	21	2970

Percentage of Deaths by Race/Ethnicity and Age Group




			Ν	lumber of	deaths by	y New Me	xico Coun	ty of resid	dence eac	h month					
County of Residence	Subtotal ¹	10/21	11/21	12/21	1/22	2/22	3/22	4/22	5/22	6/22	7/22	8/22	9/22	10/22	Total
Bernalillo	1115	67	166	224	193	116	47	15	14	47	50	37	17	16	2124
Dona Ana	530	22	65	91	85	46	15	5	7	5	18	9	10	3	911
San Juan	547	40	72	61	32	33	10	9	2	3	10	10	4	2	835
McKinley	509	19	15	17	25	22	6	1	1	2	8	6	3	3	637
Sandoval	272	15	30	48	48	27	9	4	4	6	6	6	6	4	485
Lea	282	18	11	10	39	18	7	4	0	1	4	6	5	0	405
Santa Fe	170	12	22	33	44	12	10	3	7	17	9	14	3	5	361
Chaves	201	19	18	30	44	23	10	0	2	1	2	5	1	0	356
Eddy	201	17	24	17	23	18	8	2	1	1	3	1	6	0	322
Valencia	144	13	30	39	27	17	9	3	2	2	6	5	2	3	302
Curry	121	9	15	23	29	22	0	4	3	2	2	0	1	0	231
Otero	99	15	31	21	13	17	2	1	1	4	4	4	3	2	217
Cibola	142	13	7	16	11	6	4	0	1	2	2	0	0	1	205
Rio Arriba	87	3	12	19	11	9	4	1	1	1	3	5	0	0	156
Luna	95	4	9	13	6	7	4	2	0	2	2	3	1	0	148
Roosevelt	69	2	6	17	9	3	1	1	0	0	0	1	1	0	110
Grant	51	8	16	8	9	5	2	1	1	4	2	0	0	0	107
Taos	62	4	7	3	9	7	0	0	1	3	1	0	2	2	101
Socorro	62	3	4	9	10	2	0	0	0	3	2	1	0	0	96
Sierra	54	4	7	8	5	2	0	0	1	2	1	0	1	0	85
San Miguel	22	8	8	10	12	5	2	2	2	0	4	1	0	1	77
Lincoln	32	9	5	5	12	6	0	0	0	0	1	0	0	0	70
Colfax	48	3	8	2	3	2	1	0	0	0	1	0	0	1	69
Quay	22	4	9	16	9	4	1	0	0	1	2	0	1	0	69
Torrance	20	4	11	16	4	3	1	0	0	0	1	0	0	0	60
Catron	7	1	4	1	5	2	1	0	1	0	0	0	0	0	22
Los Alamos	9	0	2	0	2	2	1	0	0	2	2	2	0	0	22
Mora	10	1	1	3	3	0	1	0	1	0	0	0	0	0	20
Union	11	2	1	0	3	0	1	0	0	0	0	0	0	1	19
Guadalupe	15	0	0	0	1	1	0	0	0	0	0	0	1	0	18
Hidalgo	11	0	1	0	3	0	1	0	0	0	0	0	0	0	16
De Baca	3	0	0	0	3	0	0	0	0	0	0	0	0	0	6
Harding	2	2	0	0	0	0	0	0	0	0	0	0	0	0	4
Total	5025	341	617	760	732	437	158	58	53	111	146	116	68	44	8666

Number of Deaths by Underlying Conditions Each Month



Underlying Conditions	Subtotal ¹	Oct'21	Nov'21	Dec'21	Jan'22	Feb'22	Mar'22	Apr'22	May'22	Jun'22	Jul'22	Aug'22	Sep'22	Oct'22	Total
Hypertension	2121	131	224	286	270	174	68	23	22	39	56	40	24	19	3497
Diabetes	1826	98	161	206	189	98	42	14	7	24	26	24	10	13	2738
Cardiovascular Disease	1704	86	168	176	200	139	65	18	23	38	49	37	20	18	2741
Chronic Kidney Disease	888	28	78	87	101	61	34	11	8	19	21	19	13	10	1378
Chronic Lung Disease	946	45	98	96	119	63	35	9	16	20	28	15	17	11	1518
Obesity	701	55	119	148	108	47	16	5	4	9	6	4	3	5	1230
Chronic Liver Disease	299	17	21	28	40	31	10	5	3	6	13	11	3	2	489
Immuno- compromised	257	4	19	22	30	24	8	2	2	6	10	9	3	4	400


Percentage and Number of Deaths Each Month by Number of Underlying Conditions Reported



■ None ■ One ■ Two ■ Three or more

Number of Underlying Conditions	Subtotal ¹	Oct'21	Nov'21	Dec'21	Jan'22	Feb'22	Mar'22	Apr'22	May'22	Jun'22	Jul'22	Aug'22	Sep'22	Oct'22	Total
None	1254	108	191	250	230	136	41	18	12	43	49	42	22	8	2404
One	1154	94	152	196	187	111	36	9	16	25	31	29	22	14	2076
Тwo	1138	68	140	156	151	96	28	20	14	18	34	19	11	8	1901
Three or more	1479	71	134	158	164	94	53	11	11	25	32	26	13	14	2285
Total	5025	341	617	760	732	437	158	58	53	111	146	116	68	44	8666

Percentage of Deaths by Underlying Condition and Age Group




Number and percent of deaths by Test Result and Cause of Death on the Death Certificate

	COVID-19		
	Cause/Contributor	Number	
Positive COVID-19	of Death on Death	of	
Test Result ¹	Certificate	Deaths	Percent
Vaa			
Yes	Yes	7696	88.8%
Yes	Yes No	7696 331 ²	88.8% 3.8%

1 Positive RT-PCR or Rapid Test


2 Beginning January 1, 2022, deaths due to natural causes matched to a SARS-CoV-2 positive test result within 30 days of the date of death are included as COVID-19 related deaths even when COVID is not listed on the death certificate.




Underlying Cause	Number of Deaths*	Percent
COVID-19	7344	87.7%
Other	294	3.5%
Cardiovascular Disease	298	3.6%
Alzheimer's or Dementia	110	1.3%
Cancer	146	1.7%
Chronic liver disease and cirrhosis	61	0.7%
Diabetes	46	0.5%
Chronic lower respiratory disease	44	0.5%
Chronic Kidney Disease	20	0.2%
Influenza & pneumonia	10	0.1%
Total	8373	100.0%
*Excludes 293 (3%) deaths which have not yet been coded by the National Center for Health Statistics.		

SECTION 2: MORTALITY RATES


Mortality Rate per 100,000 Population by Age Group





Age-adjusted Mortality Rate per 100,000 Population by Gender



Age-adjusted Mortality rate per 100,000 Population by Race/Ethnicity









SECTION 3: CASE FATALITY RATES


Case Fatality Rate by Age Group




Age-adjusted* Case Fatality Rate by Gender



Age-adjusted* Case Fatality Rate by Race/Ethnicity




Case Fatality Rate by Race/Ethnicity and Age Group




Age Group (Years)

Age-adjusted* Case Fatality Rate by Race/Ethnicity and Gender



Age-adjusted* Case Fatality Rate by Gender, Underlying Conditions, and Hospitalization Status



Data Sources

- **COVID-19 data:** New Mexico Electronic Disease Surveillance System (NM-EDSS), Infectious Disease Epidemiology Bureau, Epidemiology and Response Division, New Mexico Department of Health.
- Mortality data: Bureau of Vital Records and Health Statistics, Epidemiology and Response Division, New Mexico Department of Health.
- Population Estimates: University of New Mexico, Geospatial and Population Studies (GPS) Program.
- Age-adjustment: US 2000 Standard Population Weights for mortality rates. US COVID-19 cases for case fatality rates.

Data Notes

- The data reported in this weekly update may not match the daily numbers that are reported in the New Mexico Department of Health (NMDOH) press releases and/or the NMDOH COVID-19 data dashboard. This may be due to variation in the date and time of data extraction from NM-EDSS, corrections after quality assurance review, and differences in the exclusion criteria.
- New Mexico Electronic Disease Surveillance System (NM-EDSS). Disease incidence data are derived from reports of notifiable infectious diseases. NMDOH relies on health care providers, laboratories, hospitals, clinics, institutions and individuals to report suspected and confirmed notifiable infectious diseases in accordance with New Mexico Administrative Code 7.4.3.13. Under-reporting can occur due to of lack of awareness about reporting requirements or lack of compliance with those requirements. Not all cases of infectious diseases can be detected for various reasons including lack of access to health care services, lack of laboratory testing or concerns about confidentiality. Specific and standardized national case definitions are used to classify disease reports by case status.
- New Mexico COVID-19 Related Deaths. Following the standardized surveillance case definition published by the Council of State and Territorial Epidemiologists, COVID-19 related deaths in NM include 1) deaths of confirmed cases, which have a documented positive RT-PCR test or rapid test for SARS-CoV-2; and 2) deaths based on vital records criteria in the absence of confirmatory laboratory evidence, which is a death certificate that lists COVID-19 disease or SARS-CoV-2 as a cause of death or a significant condition contributing to death. Death certificates may list multiple causes of death, with one single cause identified as the underlying cause of death defined as the condition that began the chain of events that ultimately led to the person's death. Death certificates may also list significant conditions contributing to death, defined as a condition or circumstance that contributed to the cause of death but did not result in the underlying cause nor participated in the causal pathway to the final or immediate cause of death. NM only includes natural deaths and excludes intentional and unintentional injury deaths among confirmed cases. Beginning January 1, 2022 deaths due to natural causes matched to a SARS-CoV-2 positive test result within 30 days of the date of death are included as COVID-19 related deaths even when COVID is not listed on the death certificate. From May 12, 2020 through February 9, 2021 12 COVID-19 deaths were reported publicly following notification of a COVID-related death from a facility to NMDOH before receipt of the death certificate. Because death reporting is based on death

certificates and we did not subsequently receive a death certificate associated with these individuals, we are removing these 12 deaths as of June 13, 2022, from the cumulative death count for COVID-19 deaths in NM.

- New Mexico Population Estimates. All population estimates apply to July 1 of 2019. Estimates include decimal fractions. The sum of population subgroup estimates may not exactly equal the overall state population estimate due to rounding error. Population estimates for previous years are occasionally revised as new information becomes available. When publishing trend data, always be sure that your rates for earlier years match current rates on NM-IBIS that have been calculated with the most up-to-date population estimates.
- Race/ethnicity. Race and ethnicity are reported as a single variable, race/ethnicity, according to the selection of the case. Any case who is Hispanic is in the Hispanic category and all other races are non-Hispanic.
- Mortality rate per 100,000 population. A basic measure of disease-specific hospitalization frequency is a rate, which takes into account the number of deaths and the population size. It is helpful in making public health decisions for a given population, relative to another population regardless of size.
- Age-adjusted mortality or case fatality rate per 100,000 population. The age-distribution of a population (the number of people in particular age categories) can change over time and can be different in different geographic areas. The use of age-adjusted rates permits a valid comparison among populations. It ensures that the differences in deaths from one population to another are not due to differences in the age distribution of the populations being compared.
- Adjustment to the baseline death count. On 5/24/2021, NMDOH released the results of an audit of COVID-19 related deaths. The net result was the addition of 113 deaths based on death certification which included COVID-19 as cause of death.