
NEW MEXICO COVID-19 MORTALITY UPDATE

November 14th, 2022


All data reported here exclude cases who live out-of-state.


Total Deaths	Deaths in the Last 14 Days
8,679	8

SECTION 1: DEATH COUNTS



Number of Deaths Each Week






Number of Deaths Each Week by Long- and Short-term Care Facility Residence

Date of Death (Deaths reported through 11/14/2022)


Number of Deaths by Age Group Each Month



→0-17 **→**18-44 **→**45-64 **→**65-74 **→**75+


Age Group (years)	Subtotal ¹	Nov'21	Dec'21	Jan'22	Feb'22	Mar'22	Apr'22	May'22	Jun'22	Jul'22	Aug' 22	Sep'22	Oct'22	Nov'22	Total
0-17	6	2	1	1	0	0	1	0	0	0	1	0	0	0	12
18-44	389	61	81	68	27	7	7	5	4	9	6	2	0	0	666
45-64	1382	187	240	182	110	29	11	12	16	22	24	5	5	0	2225
65-74	1255	158	196	177	90	41	14	12	12	26	24	14	18	0	2037
75+	2334	209	242	304	210	81	25	24	79	89	62	47	31	2	3739
Total	5366	617	760	732	437	158	58	53	111	146	117	68	54	2	8679

Number of Deaths by Gender Each Month




Gender	Subtotal ¹	Nov'21	Dec'21	Jan'22	Feb'22	Mar'22	Apr'22	May'22	Jun'22	Jul'22	Aug'22	Sep'22	Oct'22	Nov'22	Total
Female	2340	244	315	322	204	56	27	25	60	59	44	34	22	1	3753
Male	3026	373	445	410	233	102	31	28	51	87	73	34	32	1	4926
Total	5366	617	760	732	437	158	58	53	111	146	117	68	54	2	8679

Number of Deaths by Race/Ethnicity Each Month




Subtotal ¹	Nov'21	Dec'21	Jan'22	Feb'22	Mar'22	Apr'22	May'22	Jun'22	Jul'22	Aug'22	Sep'22	Oct'22	Nov'22	Total
1318	58	95	71	63	14	9	7	6	14	11	3	8	0	1677
37	2	12	3	3	1	0	1	1	3	2	1	0	0	66
65	4	9	13	5	5	1	0	3	6	3	1	0	0	115
2310	305	386	347	181	66	24	21	42	51	45	29	20	1	3828
1631	246	257	296	183	72	23	24	57	71	56	34	26	1	2977
	1318 37 65 2310	1318 58 37 2 65 4 2310 305	1318 58 95 37 2 12 65 4 9 2310 305 386	1318 58 95 71 37 2 12 3 65 4 9 13 2310 305 386 347	131858957163372123365491352310305386347181	131858957163143721233165491355231030538634718166	13185895716314937212331065491355123103053863471816624	1318589571631497372123310165491355102310305386347181662421	131858957163149763721233101165491355103231030538634718166242142	131858957163149761437212331011365491355103623103053863471816624214251	1318 58 95 71 63 14 9 7 6 14 11 37 2 12 3 3 1 0 1 1 3 2 65 4 9 13 5 5 1 0 3 6 3 2310 305 386 347 181 66 24 21 42 51 45	1318 58 95 71 63 14 9 7 6 14 11 3 37 2 12 3 3 1 0 1 1 3 2 1 65 4 9 13 5 5 1 0 3 6 3 1 2310 305 386 347 181 66 24 21 42 51 45 29	1318 58 95 71 63 14 9 7 6 14 11 3 8 37 2 12 3 3 1 0 1 1 3 2 1 0 65 4 9 13 5 5 1 0 3 6 3 1 0 2310 305 386 347 181 66 24 21 42 51 45 29 20	1318 58 95 71 63 14 9 7 6 14 11 3 8 0 37 2 12 3 3 1 0 1 1 3 2 1 0 0 65 4 9 13 5 5 1 0 3 6 3 1 0 0 2310 305 386 347 181 66 24 21 42 51 45 29 20 1

Percentage of Deaths by Race/Ethnicity and Age Group



			Ν	umber of	deaths by	y New Me	xico Coun	ty of resid	dence eac	h month					
County of Residence	Subtotal ¹	11/21	12/21	1/22	2/22	3/22	4/22	5/22	6/22	7/22	8/22	9/22	10/22	11/22	Total
Bernalillo	1182	166	224	193	116	47	15	14	47	50	37	17	22	1	2131
Dona Ana	552	65	91	85	46	15	5	7	5	18	9	10	3	0	911
San Juan	587	72	61	32	33	10	9	2	3	10	10	4	3	0	836
McKinley	528	15	17	25	22	6	1	1	2	8	6	3	3	0	637
Sandoval	287	30	48	48	27	9	4	4	6	6	6	6	4	0	485
Lea	300	11	10	39	18	7	4	0	1	4	6	5	0	0	405
Santa Fe	182	22	33	44	12	10	3	7	17	9	14	3	6	0	362
Chaves	220	18	30	44	23	10	0	2	1	2	5	1	0	1	357
Eddy	218	24	17	23	18	8	2	1	1	3	1	6	0	0	322
Valencia	157	30	39	27	17	9	3	2	2	6	6	2	4	0	304
Curry	130	15	23	29	22	0	4	3	2	2	0	1	0	0	231
Otero	114	31	21	13	17	2	1	1	4	4	4	3	2	0	217
Cibola	155	7	16	11	6	4	0	1	2	2	0	0	1	0	205
Rio Arriba	90	12	19	11	9	4	1	1	1	3	5	0	1	0	157
Luna	99	9	13	6	7	4	2	0	2	2	3	1	0	0	148
Roosevelt	71	6	17	9	3	1	1	0	0	0	1	1	0	0	110
Grant	59	16	8	9	5	2	1	1	4	2	0	0	0	0	107
Taos	66	7	3	9	7	0	0	1	3	1	0	2	2	0	101
Socorro	65	4	9	10	2	0	0	0	3	2	1	0	0	0	96
Sierra	58	7	8	5	2	0	0	1	2	1	0	1	0	0	85
San Miguel	30	8	10	12	5	2	2	2	0	4	1	0	1	0	77
Lincoln	41	5	5	12	6	0	0	0	0	1	0	0	0	0	70
Colfax	51	8	2	3	2	1	0	0	0	1	0	0	1	0	69
Quay	26	9	16	9	4	1	0	0	1	2	0	1	0	0	69
Torrance	24	11	16	4	3	1	0	0	0	1	0	0	0	0	60
Catron	8	4	1	5	2	1	0	1	0	0	0	0	0	0	22
Los Alamos	9	2	0	2	2	1	0	0	2	2	2	0	0	0	22
Mora	11	1	3	3	0	1	0	1	0	0	0	0	0	0	20
Union	13	1	0	3	0	1	0	0	0	0	0	0	1	0	19
Guadalupe	15	0	0	1	1	0	0	0	0	0	0	1	0	0	18
Hidalgo	11	1	0	3	0	1	0	0	0	0	0	0	0	0	16
De Baca	3	0	0	3	0	0	0	0	0	0	0	0	0	0	6
Harding	4	0	0	0	0	0	0	0	0	0	0	0	0	0	4
Total	5366	617	760	732	437	158	58	53	111	146	117	68	54	2	8679


Number of Deaths by Underlying Conditions Each Month



 ---- Chronic Liver Disease ---- Immuno-compromised

Underlying Conditions	Subtotal ¹	Nov'21	Dec'21	Jan'22	Feb'22	Mar'22	Apr'22	May'22	Jun'22	Jul'22	Aug'22	Sep'22	Oct'22	Nov'22	Total
Hypertension	2251	224	286	270	174	68	23	22	39	56	40	24	22	0	3499
Diabetes	1924	161	206	189	98	42	14	7	24	26	24	10	15	0	2740
Cardiovascular Disease	1791	168	176	200	139	65	18	23	38	49	37	20	24	1	2749
Chronic Kidney Disease	917	78	87	101	61	34	11	8	19	21	19	13	11	0	1380
Chronic Lung Disease	991	98	96	119	63	35	9	16	20	28	15	17	12	0	1519
Obesity	755	119	148	108	47	16	5	4	9	6	4	3	5	0	1229
Chronic Liver Disease	316	21	28	40	31	10	5	3	6	13	11	3	3	0	490
Immuno- compromised	261	19	22	30	24	8	2	2	6	10	9	3	4	0	400


Percentage and Number of Deaths Each Month by Number of Underlying Conditions Reported



■ None ■ One ■ Two ■ Three or more

Number of Underlying Conditions	Subtotal1	Nov'21	Dec'21	Jan'22	Feb'22	Mar'22	Apr'22	May'22	Jun'22	Jul'22	Aug'22	Sep'22	Oct'22	Nov'22	Total
None	1362	191	250	230	136	41	18	12	43	49	43	22	10	1	2408
One	1247	152	196	187	111	36	9	16	25	31	29	22	18	1	2080
Тwo	1207	140	156	151	96	28	20	14	18	34	19	11	11	0	1905
Three or more	1550	134	158	164	94	53	11	11	25	32	26	13	15	0	2286
Total	5366	617	760	732	437	158	58	53	111	146	117	68	54	2	8679


Percentage of Deaths by Underlying Condition and Age Group



Positive COVID-19 Test Result ¹	COVID-19 Cause/Contributor of Death on Death Certificate	Number of Deaths	Percent
Yes	Yes	7703	88.8%
Yes	No	337²	3.8%
No	Yes	639	7.4%
Total		8679	100.0%

1 Positive RT-PCR or Rapid Test


2 Beginning January 1, 2022, deaths due to natural causes matched to a SARS-CoV-2 positive test result within 30 days of the date of death are included as COVID-19 related deaths even when COVID is not listed on the death certificate.




Underlying Cause	Number of Deaths*	Percent
COVID-19	7344	87.7%
Other	294	3.5%
Cardiovascular Disease	298	3.6%
Alzheimer's or Dementia	110	1.3%
Cancer	146	1.7%
Chronic liver disease and cirrhosis	61	0.7%
Diabetes	46	0.5%
Chronic lower respiratory disease	44	0.5%
Chronic Kidney Disease	20	0.2%
Influenza & pneumonia	10	0.1%
Total	8373	100.0%
*Excludes 306 (4%) deaths which have not yet been coded by the National Center for Health Statistics.		

SECTION 2: MORTALITY RATES


Mortality Rate per 100,000 Population by Age Group




Age-adjusted Mortality Rate per 100,000 Population by Gender




Age-adjusted Mortality rate per 100,000 Population by Race/Ethnicity






Age-adjusted Mortality Rate per 100,000 Population by County (last 14 days)




SECTION 3: CASE FATALITY RATES


Case Fatality Rate by Age Group




Age-adjusted* Case Fatality Rate by Gender



Age-adjusted* Case Fatality Rate by Race/Ethnicity




Case Fatality Rate by Race/Ethnicity and Age Group




Age Group (Years)

Age-adjusted* Case Fatality Rate by Race/Ethnicity and Gender



Age-adjusted* Case Fatality Rate by Gender, Underlying Conditions, and Hospitalization Status



Data Sources

- **COVID-19 data:** New Mexico Electronic Disease Surveillance System (NM-EDSS), Infectious Disease Epidemiology Bureau, Epidemiology and Response Division, New Mexico Department of Health.
- Mortality data: Bureau of Vital Records and Health Statistics, Epidemiology and Response Division, New Mexico Department of Health.
- Population Estimates: University of New Mexico, Geospatial and Population Studies (GPS) Program.
- Age-adjustment: US 2000 Standard Population Weights for mortality rates. US COVID-19 cases for case fatality rates.

Data Notes

- The data reported in this weekly update may not match the daily numbers that are reported in the New Mexico Department of Health (NMDOH) press releases and/or the NMDOH COVID-19 data dashboard. This may be due to variation in the date and time of data extraction from NM-EDSS, corrections after quality assurance review, and differences in the exclusion criteria.
- New Mexico Electronic Disease Surveillance System (NM-EDSS). Disease incidence data are derived from reports of notifiable infectious diseases. NMDOH relies on health care providers, laboratories, hospitals, clinics, institutions and individuals to report suspected and confirmed notifiable infectious diseases in accordance with New Mexico Administrative Code 7.4.3.13. Under-reporting can occur due to of lack of awareness about reporting requirements or lack of compliance with those requirements. Not all cases of infectious diseases can be detected for various reasons including lack of access to health care services, lack of laboratory testing or concerns about confidentiality. Specific and standardized national case definitions are used to classify disease reports by case status.
- New Mexico COVID-19 Related Deaths. Following the standardized surveillance case definition published by the Council of State and Territorial Epidemiologists, COVID-19 related deaths in NM include 1) deaths of confirmed cases, which have a documented positive RT-PCR test or rapid test for SARS-CoV-2; and 2) deaths based on vital records criteria in the absence of confirmatory laboratory evidence, which is a death certificate that lists COVID-19 disease or SARS-CoV-2 as a cause of death or a significant condition contributing to death. Death certificates may list multiple causes of death, with one single cause identified as the underlying cause of death defined as the condition that began the chain of events that ultimately led to the person's death. Death certificates may also list significant conditions contributing to death, defined as a condition or circumstance that contributed to the cause of death but did not result in the underlying cause nor participated in the causal pathway to the final or immediate cause of death. NM only includes natural deaths and excludes intentional and unintentional injury deaths among confirmed cases. Beginning January 1, 2022 deaths due to natural causes matched to a SARS-CoV-2 positive test result within 30 days of the date of death are included as COVID-19 related deaths even when COVID is not listed on the death certificate. From May 12, 2020 through February 9, 2021 12 COVID-19 deaths were reported publicly following notification of a COVID-related death from a facility to NMDOH before receipt of the death certificate. Because death reporting is based on death

certificates and we did not subsequently receive a death certificate associated with these individuals, we are removing these 12 deaths as of June 13, 2022, from the cumulative death count for COVID-19 deaths in NM.

- New Mexico Population Estimates. All population estimates apply to July 1 of 2019. Estimates include decimal fractions. The sum of population subgroup estimates may not exactly equal the overall state population estimate due to rounding error. Population estimates for previous years are occasionally revised as new information becomes available. When publishing trend data, always be sure that your rates for earlier years match current rates on NM-IBIS that have been calculated with the most up-to-date population estimates.
- Race/ethnicity. Race and ethnicity are reported as a single variable, race/ethnicity, according to the selection of the case. Any case who is Hispanic is in the Hispanic category and all other races are non-Hispanic.
- Mortality rate per 100,000 population. A basic measure of disease-specific hospitalization frequency is a rate, which takes into account the number of deaths and the population size. It is helpful in making public health decisions for a given population, relative to another population regardless of size.
- Age-adjusted mortality or case fatality rate per 100,000 population. The age-distribution of a population (the number of people in particular age categories) can change over time and can be different in different geographic areas. The use of age-adjusted rates permits a valid comparison among populations. It ensures that the differences in deaths from one population to another are not due to differences in the age distribution of the populations being compared.
- Adjustment to the baseline death count. On 5/24/2021, NMDOH released the results of an audit of COVID-19 related deaths. The net result was the addition of 113 deaths based on death certification which included COVID-19 as cause of death.