## **NEW MEXICO COVID-19 MORTALITY UPDATE**


December 19th, 2022

All data reported here exclude cases who live out-of-state.


Total Deaths	Deaths in the Last 14 Days
8,768	11


## **SECTION 1: DEATH COUNTS**


#### **Daily Number of Deaths and 7-day Moving Average**




#### **Number of Deaths Each Week**








### **Number of Deaths by Age Group Each Month**



Age Group (years)	Subtotal <sup>1</sup>	Dec'21	Jan'22	Feb'22	Mar'22	Apr'22	May'22	Jun'22	Jul'22	Aug' 22	Sep'22	Oct'22	Nov'22	Dec'22	Total
0-17	8	1	1	0	0	1	0	0	0	1	0	0	0	0	12
18-44	451	81	68	27	7	7	5	4	9	6	2	2	0	0	669
45-64	1570	240	182	111	29	11	12	17	22	25	6	8	6	3	2242
65-74	1412	196	177	90	41	14	12	12	27	24	14	18	11	4	2052
75+	2543	242	304	210	81	25	24	79	89	62	49	34	39	13	3794
Total	5984	760	732	438	158	58	53	112	147	118	71	62	56	20	8769

<sup>1 –</sup> The subtotal column includes deaths from March 2020 through November 2021.


#### **Number of Deaths by Gender Each Month**



Gender	Subtotal <sup>1</sup>	Dec'21	Jan'22	Feb'22	Mar'22	Apr'22	May'22	Jun'22	Jul'22	Aug' 22	Sep'22	Oct'22	Nov'22	Dec'22	Total
Female	2585	315	322	205	56	27	25	60	60	44	35	28	24	9	3795
Male	3399	445	410	233	102	31	28	52	87	74	36	34	32	11	4974
Total	5984	760	732	438	158	58	53	112	147	118	71	62	56	20	8769

<sup>1 –</sup> The subtotal column includes deaths from March 2020 through November 2021.


#### Number of Deaths by Race/Ethnicity Each Month



Race/Ethnicity	Subtotal <sup>1</sup>	Dec'21	Jan'22	Feb'22	Mar'22	Apr'22	May'22	Jun'22	Jul'22	Aug' 22	Sep'22	Oct'22	Nov'22	Dec'22	Total
AIAN	1376	95	71	64	14	9	7	6	15	11	3	10	2	0	1683
Asian	39	12	3	3	1	0	1	1	3	2	1	0	0	1	67
Black	69	9	13	5	5	1	0	3	6	4	1	0	1	0	117
Hispanic	2616	386	347	181	66	24	21	43	51	45	31	23	21	7	3862
White	1877	257	296	183	72	23	24	57	71	56	35	29	32	12	3024

<sup>1 –</sup> The subtotal column includes deaths from March 2020 through November 2021.

### Percentage of Deaths by Race/Ethnicity and Age Group




### Number of deaths by New Mexico County of residence each month

County of Residence	Subtotal <sup>1</sup>	Dec'21	Jan'22	Feb'22	Mar'22	Apr'22	May'22	Jun'22	Jul'22	Aug' 22	Sep'22	Oct'22	Nov'22	Dec'22	Total
Bernalillo	1348	224	193	116	47	15	14	48	50	37	19	25	19	2	2157
Dona Ana	617	91	85	46	15	5	7	5	18	9	10	3	1	2	914
San Juan	659	61	32	33	10	9	2	3	10	10	4	5	5	2	845
McKinley	543	17	25	22	6	1	1	2	8	6	3	3	0	1	638
Sandoval	317	48	48	27	9	4	4	6	6	6	6	4	2	2	489
Lea	311	10	39	18	7	4	0	1	4	6	5	0	0	0	405
Santa Fe	204	33	44	12	10	3	7	17	9	14	3	7	10	2	375
Chaves	238	30	44	23	10	0	2	1	2	5	1	0	1	0	357
Eddy	242	17	23	18	8	2	1	1	3	1	6	0	0	0	322
Valencia	187	39	27	17	9	3	2	2	6	6	2	5	5	2	312
Curry	145	23	29	22	0	4	3	2	2	1	1	0	1	0	233
Otero	146	21	13	17	2	1	1	4	4	4	3	2	1	1	220
Cibola	162	16	11	6	4	0	1	2	2	0	0	2	2	0	208
Rio Arriba	101	19	11	9	4	1	1	1	4	5	1	1	2	0	160
Luna	108	13	6	7	4	2	0	2	2	3	1	0	0	0	148
Grant	75	8	9	5	2	1	1	4	2	0	0	0	2	2	111
Roosevelt	77	17	9	3	1	1	0	0	0	1	1	0	0	0	110
Taos	73	3	9	7	0	0	1	3	1	0	2	2	2	0	103
Socorro	69	9	10	3	0	0	0	3	2	1	0	0	1	0	98
Sierra	65	8	5	2	0	0	1	2	1	0	1	0	0	0	85
San Miguel	38	10	12	5	2	2	2	0	4	1	0	1	0	3	80
Lincoln	47	5	12	6	0	0	0	0	1	0	0	0	1	0	72
Colfax	59	2	3	2	1	0	0	0	1	0	0	1	0	0	69
Quay	35	16	9	4	1	0	0	1	2	0	1	0	0	0	69
Torrance	35	16	4	3	1	0	0	0	1	0	0	0	0	0	60
Los Alamos	11	0	2	2	1	0	0	2	2	2	0	0	0	1	23
Catron	12	1	5	2	1	0	1	0	0	0	0	0	0	0	22
Mora	12	3	3	0	1	0	1	0	0	0	0	0	1	0	21
Union	14	0	3	0	1	0	0	0	0	0	0	1	0	0	19
Guadalupe	15	0	1	1	0	0	0	0	0	0	1	0	0	0	18
Hidalgo	12	0	3	0	1	0	0	0	0	0	0	0	0	0	16
De Baca	3	0	3	0	0	0	0	0	0	0	0	0	0	0	6
Harding	4	0	0	0	0	0	0	0	0	0	0	0	0	0	4
Total	5984	760	732	438	158	58	53	112	147	118	71	62	56	20	8769

<sup>1 –</sup> The subtotal column includes deaths from March 2020 through November 2021.


### **Number of Deaths by Underlying Conditions Each Month**



Underlying Conditions	Subtotal <sup>1</sup>	Dec'21	Jan'22	Feb'22	Mar'22	Apr'22	May'22	Jun'22	Jul'22	Aug' 22	Sep'22	Oct'22	Nov'22	Dec'22	Total
Hypertension	2476	286	270	174	68	23	22	39	56	40	24	26	28	5	3537
Diabetes	2086	206	189	98	42	14	7	24	26	24	10	17	18	4	2765
Cardiovascular Disease	1959	176	200	139	65	18	23	38	50	37	20	26	25	5	2781
Chronic Kidney Disease	996	87	101	61	34	11	8	19	21	19	13	12	8	1	1391
Chronic Lung Disease	1089	96	119	63	35	9	16	20	28	16	17	14	12	5	1539
Obesity	874	148	108	47	16	5	4	9	6	4	3	6	4	1	1235
Chronic Liver Disease	337	28	40	31	10	5	3	6	13	11	3	3	2	2	494
Immuno- compromised	281	22	30	25	8	2	2	6	10	9	3	4	0	1	403

<sup>1 –</sup> The subtotal column includes deaths from March 2020 through November 2021.


#### Percentage and Number of Deaths Each Month by Number of Underlying Conditions Reported



Number of Underlying Conditions	Subtotal <sup>1</sup>	Dec'21	Jan'22	Feb'22	Mar'22	Apr'22	May'22	Jun'22	Jul'22	Aug' 22	Sep'22	Oct'22	Nov'22	Dec'22	Total
None	1554	250	230	136	41	18	12	44	49	43	25	13	15	9	2439
One	1398	196	187	112	36	9	16	25	32	30	22	19	13	4	2099
Two	1347	156	151	96	28	20	14	18	34	19	11	13	8	3	1918
Three or more	1685	158	164	94	53	11	11	25	32	26	13	17	20	4	2313
Total	5984	760	732	438	158	58	53	112	147	118	71	62	56	20	8769

<sup>1 –</sup> The subtotal column includes deaths from March 2020 through November 2021.

### Percentage of Deaths by Underlying Condition and Age Group




### Number and percent of deaths by Test Result and Cause of Death on the Death Certificate

Positive COVID-19 Test Result	COVID-19 Cause/Contributor of Death on Death Certificate	Number of Deaths	Percent
			88.8%
Yes	Yes	7790	88.8%
Yes	No	339²	3.9%
No	Yes	639	7.3%
Total		8768	100.0%

<sup>1</sup> Positive RT-PCR or Rapid Test


<sup>2</sup> Beginning January 1, 2022, deaths due to natural causes matched to a SARS-CoV-2 positive test result within 30 days of the date of death are included as COVID-19 related deaths even when COVID is not listed on the death certificate.




Underlying Cause	Number of Deaths*	Percent
COVID-19	7383	87.5%
Other	298	3.5%
Cardiovascular Disease	306	3.6%
Alzheimer's or Dementia	111	1.3%
Cancer	154	1.8%
Chronic liver disease and cirrhosis	61	0.7%
Diabetes	48	0.6%
Chronic lower respiratory disease	46	0.5%
Chronic Kidney Disease	21	0.2%
Influenza & pneumonia	10	0.1%
Total	8438	100.0%
*Excludes 331 (4%) deaths which have not yet been coded by the National Center for Health Statistics.		

## **SECTION 2: MORTALITY RATES**


### Mortality Rate per 100,000 Population by Age Group





### Age-adjusted Mortality Rate per 100,000 Population by Gender



### Age-adjusted Mortality rate per 100,000 Population by Race/Ethnicity









# **SECTION 3: CASE FATALITY RATES**


## Case Fatality Rate by Age Group




### Age-adjusted\* Case Fatality Rate by Gender




## Age-adjusted\* Case Fatality Rate by Race/Ethnicity




### Case Fatality Rate by Race/Ethnicity and Age Group



#### Age-adjusted\* Case Fatality Rate by Race/Ethnicity and Gender



#### Age-adjusted\* Case Fatality Rate by Gender, Underlying Conditions, and Hospitalization Status



#### **Data Sources**

- **COVID-19 data:** New Mexico Electronic Disease Surveillance System (NM-EDSS), Infectious Disease Epidemiology Bureau, Epidemiology and Response Division, New Mexico Department of Health.
- Mortality data: Bureau of Vital Records and Health Statistics, Epidemiology and Response Division, New Mexico Department of Health.
- Population Estimates: University of New Mexico, Geospatial and Population Studies (GPS) Program.
- Age-adjustment: US 2000 Standard Population Weights for mortality rates. US COVID-19 cases for case fatality rates.

#### **Data Notes**

- The data reported in this weekly update may not match the daily numbers that are reported in the New Mexico Department of Health (NMDOH)
  press releases and/or the NMDOH COVID-19 data dashboard. This may be due to variation in the date and time of data extraction from NM-EDSS,
  corrections after quality assurance review, and differences in the exclusion criteria.
- New Mexico Electronic Disease Surveillance System (NM-EDSS). Disease incidence data are derived from reports of notifiable infectious diseases. NMDOH relies on health care providers, laboratories, hospitals, clinics, institutions and individuals to report suspected and confirmed notifiable infectious diseases in accordance with New Mexico Administrative Code 7.4.3.13. Under-reporting can occur due to of lack of awareness about reporting requirements or lack of compliance with those requirements. Not all cases of infectious diseases can be detected for various reasons including lack of access to health care services, lack of laboratory testing or concerns about confidentiality. Specific and standardized national case definitions are used to classify disease reports by case status.
- New Mexico COVID-19 Related Deaths. Following the standardized surveillance case definition published by the Council of State and Territorial Epidemiologists, COVID-19 related deaths in NM include 1) deaths of confirmed cases, which have a documented positive RT-PCR test or rapid test for SARS-CoV-2; and 2) deaths based on vital records criteria in the absence of confirmatory laboratory evidence, which is a death certificate that lists COVID-19 disease or SARS-CoV-2 as a cause of death or a significant condition contributing to death. Death certificates may list multiple causes of death, with one single cause identified as the underlying cause of death defined as the condition that began the chain of events that ultimately led to the person's death. Death certificates may also list significant conditions contributing to death, defined as a condition or circumstance that contributed to the cause of death but did not result in the underlying cause nor participated in the causal pathway to the final or immediate cause of death. NM only includes natural deaths and excludes intentional and unintentional injury deaths among confirmed cases. Beginning January 1, 2022 deaths due to natural causes matched to a SARS-CoV-2 positive test result within 30 days of the date of death are included as COVID-19 related deaths even when COVID is not listed on the death certificate. From May 12, 2020 through February 9, 2021 12 COVID-19 deaths were reported publicly following notification of a COVID-related death from a facility to NMDOH before receipt of the death certificate. Because death reporting is based on death

certificates and we did not subsequently receive a death certificate associated with these individuals, we are removing these 12 deaths as of June 13, 2022, from the cumulative death count for COVID-19 deaths in NM.

- **New Mexico Population Estimates.** All population estimates apply to July 1 of 2019. Estimates include decimal fractions. The sum of population subgroup estimates may not exactly equal the overall state population estimate due to rounding error. Population estimates for previous years are occasionally revised as new information becomes available. When publishing trend data, always be sure that your rates for earlier years match current rates on NM-IBIS that have been calculated with the most up-to-date population estimates.
- Race/ethnicity. Race and ethnicity are reported as a single variable, race/ethnicity, according to the selection of the case. Any case who is Hispanic is in the Hispanic category and all other races are non-Hispanic.
- Mortality rate per 100,000 population. A basic measure of disease-specific hospitalization frequency is a rate, which takes into account the number
  of deaths and the population size. It is helpful in making public health decisions for a given population, relative to another population regardless of
  size.
- Age-adjusted mortality or case fatality rate per 100,000 population. The age-distribution of a population (the number of people in particular age categories) can change over time and can be different in different geographic areas. The use of age-adjusted rates permits a valid comparison among populations. It ensures that the differences in deaths from one population to another are not due to differences in the age distribution of the populations being compared.
- Adjustment to the baseline death count. On 5/24/2021, NMDOH released the results of an audit of COVID-19 related deaths. The net result was the addition of 113 deaths based on death certification which included COVID-19 as cause of death.