NEW MEXICO COVID-19 HOSPITALIZATION UPDATE January 18th, 2021

Unless stated otherwise, all data reported here exclude hospitalized patients who are from out-of-state and hospitalized patients who are federal detainees held in private prisons in New Mexico.


| Total Hospital Admissions | Hospital Admissions in the Last 7 Days |
|--|--|
| 10,578 | 258 |
| | |
| Total number and percentage of hospitalized patients who died | 2,201 (20.8%) |

6 Hospitalizations per 100,000 population 2020.02 04 22 2020 05 25 202003.09 + 202003 16 ²⁰²003.53 2020 04 06 -202005 18 2020,08 15 2027.07.78 T ²⁰200330 ²⁰²⁰04.73 ²⁰20.04,20 ²⁰²⁰⁰⁶⁰⁸ <0200822 ⁴⁰2008,40 ²⁰20,05,06 2020.02.13 ²⁰²⁰08.03 2020.08 TO ^{2020,08} 202009230 2020 10.05 202a 1a 12 2020, 10, 10 ²⁰20, 10, 26 2020,11,16 <020 22.20 2021.01.04 4054 02-40 2020 08 12 ^{2020.00}14 2020,11.02 2020,17.00 2021,01,17 2020 00 ... 2020,7123 2020, 77, 30 2020 12. 14 ⁴⁰20,05,17 <020,08,37 ²⁰²0.002,27 <050 12.0> ²⁰²0 22 Hospital admission date

New hospital admissions per 100,000 population each day with a 7-day rolling average


260 cases with missing hospital admission dates were excluded. There may be hospital admissions in the last 7 or more days that have not yet been reported.

SECTION 1: STATEWIDE AND COUNTY-LEVEL HOSPITALIZATION RATES




The daily number of hospitalizations includes patients who are ICE detainees. For each day, the number of hospitalized patients is separated into those who are on ventilators (green bars) and those patients who are not on ventilators (red bars). The blue line indicates the percentage of daily hospitalized patients on ventilator each day.

Cumulative age-adjusted hospital admissions per 100,000 by New Mexico County




New age-adjusted hospital admissions per 100,000 population by New Mexico County in the last 7 days (1/11-1/17)




There may be hospital admissions in the last 7 or more days that have not yet been reported.

SECTION 2: NEW MEXICO AND OUT-OF-STATE RESIDENT HOSPITALIZATIONS



260 cases with missing hospital admission dates were excluded. There may be hospital admissions in the last 7 or more days that have not yet been reported.





260 cases with missing hospital admission dates were excluded.

For each hospital admission week, the sum of the percentages for each age group is 100%.


Due to delays in reporting of hospital admissions to NMDOH, data for the week of January 11-17, 2021 are incomplete and subject to change.


SECTION 3: AGE





Cumulative hospitalization rate per 100,000 population by age






Percentage of new hospital admissions each week by age

260 cases with missing hospital admission dates were also excluded.

For each hospital admission week, the sum of the percentages for each age group is 100%.

Due to delays in reporting of hospital admissions to NMDOH, data for the week of January 11-17, 2021 are incomplete and subject to change.

SECTION 4: RACE/ETHNICITY



Percentage of all hospitalizations by race/ethnicity


853 hospitalized cases with missing race/ethnicity information were excluded. 17 cases who self-identified as "Refused to answer" were also excluded.

Cumulative age-adjusted hospitalization rate per 100,000 population by race/ethnicity

| Race/ethnicity | Hospitalization rate per 100,000 |
|----------------------------------|----------------------------------|
| American Indian or Alaska Native | 1892.1 |
| Asian or Pacific Islander | 293.6 |
| Black or African American | 262.6 |
| Hispanic or Latino | 393.3 |
| White | 164.8 |


853 hospitalized cases with missing race/ethnicity information were excluded. 207 cases who self-identified as Other Race or Refused to answer were also excluded.

Due to the small numbers of hospitalizations and lower population sizes of Asian or Pacific Islanders and Black or African Americans in New Mexico, the hospitalization rate per 100,000 population for these two groups are currently considered unreliable and should be interpreted with caution.




1,130 cases with missing race/ethnicity (including "Refused to answer") or hospital admission date information were excluded. For each hospital admission week, the sum of the percentages for each race/ethnicity group is 100%.

Due to delays in reporting of hospital admissions to NMDOH, data for the week of January 11-17, 2021 are incomplete and subject to change.




Age group (years)


The following figure excludes American Indian or Alaska Native to illustrate in more detail the hospitalization rate per 100,000 population of the other race and ethnicity groups.




853 hospitalized cases with missing race/ethnicity information were excluded. 207 cases who self-identified as Other Race or Refused to answer were also excluded.

SECTION 5: GENDER





21 hospitalized cases with unknown or missing gender information were excluded.




Cumulative age-adjusted hospitalization rate per 100,000 population by gender

21 hospitalized cases with unknown or missing gender information were excluded.

SECTION 6: CORONAVIRUS-LIKE ILLNESS (CLI) AND INFLUENZA-LIKE ILLNESS (ILI) RELATED VISITS IN EMERGENCY DEPARTMENTS


These visualizations are populated from data in New Mexico's Syndromic Surveillance Database. Initial patient encounter information is usually received within 24 hours, but clinical documentation is continuously being updated as it is identified throughout the patient encounter and hospital coding process.



CLI CC with CLI DD and Coronavirus DD v2 <a>ILI CCDD v1

ILI CCDD v1 includes ED encounters with chief complaint consisting of fever and cough, while also including ILI and influenza related discharge diagnoses.

CLI CC with CLI DD and Coronavirus DDv2 includes ED encounters with chief complaint consisting of fever and cough, shortness of breath, or difficulty breathing, while also including COVID-19 associated discharge diagnoses codes. The CLI definition excludes known influenza related ED visits coded with related influenza discharge diagnosis.



Percentage of all emergency department admissions that were Coronavirus-like illness (CLI) related

Data Sources

- **COVID-19 data:** New Mexico Electronic Disease Surveillance System (NM-EDSS), Infectious Disease Epidemiology Bureau, Epidemiology and Response Division, New Mexico Department of Health.
- **Population Estimates:** University of New Mexico, Geospatial and Population Studies (GPS) Program.
- Age-adjustment: US 2000 Standard Population Weights
- Coronavirus-like illness (CLI) and Influenza-like illness (ILI) related emergency department visits and admissions: New Mexico's Syndromic Surveillance Database.

Data Notes

- The data reported in this weekly update may not match the daily numbers that are reported in the New Mexico Department of Health (NMDOH) press releases and/or the NMDOH COVID-19 data dashboard. This may be due to variation in the date and time of data extraction from NM-EDSS, corrections after quality assurance review, and differences in the exclusion criteria.
- New Mexico Electronic Disease Surveillance System (NM-EDSS). Disease incidence data are derived from reports of notifiable infectious diseases. NMDOH relies on health care providers, laboratories, hospitals, clinics, institutions and individuals to report suspected and confirmed notifiable infectious diseases in accordance with New Mexico Administrative Code 7.4.3.13. Under-reporting can occur due to of lack of awareness about reporting requirements or lack of compliance with those requirements. Not all cases of infectious diseases can be detected for various reasons including lack of access to health care services, lack of laboratory testing or concerns about confidentiality. Specific and standardized national case definitions are used to classify disease reports by case status.
- New Mexico Population Estimates. All population estimates apply to July 1 of 2019. Estimates include decimal fractions. The sum of population subgroup estimates may not exactly equal the overall state population estimate due to rounding error. Population estimates for previous years are occasionally revised as new information becomes available. When publishing trend data, always be sure that your rates for earlier years match current rates on NM-IBIS that have been calculated with the most up-to-date population estimates.
- **Race/ethnicity.** Race and ethnicity are reported as a single variable, race/ethnicity, according to the selection of the case. Any case who is Hispanic is in the Hispanic category and all other races are non-Hispanic.
- **Gender** refers to a person's internal sense of being male, female, some combination of male and female, or neither male nor female. **Sex** refers to the biological anatomy of an individual's reproductive system, and secondary sex characteristics.
- **Hospitalization rate per 100,000 population**. A basic measure of disease-specific hospitalization frequency is a rate, which takes into account the number of hospitalizations and the population size. It is helpful in making public health decisions for a given population, relative to another population regardless of size.

• Age-adjusted hospitalization rate per 100,000 population. The age-distribution of a population (the number of people in particular age categories) can change over time and can be different in different geographic areas. The use of age-adjusted rates permits a valid comparison among populations. It ensures that the differences in hospitalizations from one population to another are not due to differences in the age distribution of the populations being compared.